



About the author

Curriculum vitae

Marc Rietberg was born on December 23, 1965 in Groningen. He grew up in Diepenveen and attended the Alexander Hegius Scholengemeenschap in Deventer, where he graduated in 1986 for pre-university secondary education (Dutch Voorbereidend Wetenschappelijk Onderwijs, VWO). Afterwards he studied Physiotherapy at the Hogeschool IJsselland in Deventer, graduation in 1991, and Human Movement Science at the VU University in Amsterdam, graduation in 1996. Subsequently, he worked at the faculty of Human Movement Science Vrije Universiteit and at the Isala Klinieken in Zwolle. In March 1999 he started working at the department of Physiotherapy of the VU University Medical Center (VUmc) in Amsterdam. His areas of interest focussed on rehabilitation for central neurological disorders, with a special interest for multiple sclerosis. Marc 's interest and involvement in multiple sclerosis care and education brought him to start a PhD-trajectory in Rehabilitation Medicine at VUmc. From 2005 he carried out the research for this thesis and followed post-graduate courses epidemiology at the EMGO institute VUmc. His research, granted by the Dutch MS Research Foundation, focussed on fatigue in people with multiple sclerosis, which resulted in the current thesis. During his PhD-trajectory he worked as a physical therapist and from 2010 and on as manager physical therapy and occupational therapy at the department of rehabilitation medicine VUmc. It was during this period that he participated in writing the Dutch CBO guideline multiple sclerosis (2010–2012), granted by ZonMw and the Dutch MS Society, and participated in the steering group for the 'Dutch national KNGF-guideline Stroke' (2012–2013), granted by the Royal Dutch Society for Physical Therapy (KNGF). Currently, Marc is working as an allied healthcare manager neurorehabilitation at VUmc.

Publications

Peer reviewed international publications

Heine M, Van de Port IGL, **Rietberg MB**, Van Wegen EEH, Kwakkel G. Exercise therapy for fatigue in multiple sclerosis. *Cochrane Database Syst Rev*. 2015; 14: CD009956 (review). [accepted]

Heine M, van den Akker LE, Verschuren O, Visser-Meily A, Kwakkel G; **TREFAMS-ACE Study Group**. Reliability and responsiveness of cardiopulmonary exercise testing in fatigued persons with multiple sclerosis and low to mild disability. *PLoS One*. 2015 Mar 19;10(3):e0122260. doi: 10.1371/journal.pone.0122260. eCollection 2015. PMID: 25789625

Malekzadeh A, Van de Geer-Peeters W, De Groot V, Teunissen CE, Beckerman H; **TREFAMS-ACE Study Group**. Fatigue in patients with multiple sclerosis: is it related to pro- and anti-inflammatory cytokines? *Dis Markers*. 2015; 2015: 758314. doi: 10.1155/2015/758314. Epub 2015 Jan

Rietberg MB, van Wegen EEH, Eyssen ICJM, Kwakkel G, the MS study group. Effects of multidisciplinary rehabilitation on chronic fatigue in multiple sclerosis: A randomized controlled trial. *PLoS One*. 2014; 9(9): e107710. doi: 10.1371/journal.pone.0107710

Rietberg MB, van Wegen EE, Kollen BJ, Kwakkel G. Do patients with multiple sclerosis show different daily physical activity patterns from healthy individuals? *Neurorehabil Neural Repair*. 2014 Feb 10. [Epub ahead of print] PMID: 24515924

Veerbeek JM, van Wegen E, van Peppen R, van der Wees PJ, Hendriks E, **Rietberg M**, Kwakkel G. What is the evidence for physical therapy poststroke? A systematic review and meta-analysis. *PLoS One*. 2014 Feb 4; 9(2):e87987. doi: 10.1371/journal.pone.0087987. eCollection 2014. PMID: 24505342

Wiertsema SH, de Witte PB, **Rietberg MB**, Hekman KM, Schothorst M, Steultjens MP, Dekker J. Measurement properties of the Dutch version of the Western Ontario Shoulder Instability Index (WOSI). *J Orthop Sci*. 2013 Dec 25. PMID: 24368605



Beckerman H, Blikman LJ, Heine M, Malekzadeh A, Teunissen CE, Bussmann JB, Kwakkel G, van Meeteren J, de Groot V; **TREFAMS-ACE study group**. The effectiveness of aerobic training, cognitive behavioural therapy, and energy conservation management in treating MS-related fatigue: the design of the TREFAMS-ACE programme. *Trials*. 2013 Aug 12; 14: 250. doi: 10.1186/1745-6215-14-250. PMID: 23938046

Derksen A, Mokkink LB, **Rietberg MB**, Ostelo RJG, Uitdehaag BMJ. Validation of a Dutch version of the Neurological Fatigue Index (NFI-MS) for patients with multiple sclerosis in the Netherlands. *Eur J Neurol*. [submitted June 2014]

Wiertsema SH, **Rietberg MB**, Hekman KM, Schothorst M, Steultjens MP, Dekker J. Reproducibility of the Dutch version of the Western Ontario rotator cuff Index. *J Shoulder Elbow Surg*. 2013 Feb; 22(2): 165-70.

Elbers RG, **Rietberg MB**, van Wegen EE, Verhoef J, Kramer SF, Terwee CB, Kwakkel G. Self-report fatigue questionnaires in multiple sclerosis, Parkinson's disease and stroke: a systematic review of measurement properties. *Qual Life Res*. 2012 Aug; 21(6): 925-44.

Rietberg MB, van Wegen EE, Uitdehaag BM, Kwakkel G. The association between perceived fatigue and actual level of physical activity in multiple sclerosis. *Mult Scler*. 2011 Oct; 17(10): 1231-7.

Rietberg MB, van Wegen EE, Uitdehaag BM, de Vet HC, Kwakkel G. How reproducible is home-based 24-hour ambulatory monitoring of motor activity in patients with multiple sclerosis? *Arch Physmed Rehabil*. 2010; 91(10): 1537-41.

Rietberg MB, Van Wegen EE, Kwakkel G. Measuring fatigue in patients with multiple sclerosis: reproducibility, responsiveness and concurrent validity of three Dutch self-report questionnaires. *Disabil Rehabil*. 2010; 32(22): 1870-6. Erratum in: *Disabil Rehabil*. 2011; 33(13-14): 1298.

Kwakkel G, **Rietberg M**, van Wegen E. Constraint-induced movement therapy improves upper extremity motor function after stroke. *Aust J Physiother*. 2007; 53(2): 132.

Van der Burg JCE, Van Wegen EEH, **Rietberg MB**, Kwakkel G, Van Dieën JH. Postural control of the trunk during unstable sitting in Parkinson's disease. *Parkinsonism Relat Disord*. 2006 Dec; 12(8): 492-8.

Van Wegen E, De Goede C, Lim I, **Rietberg M**, Nieuwboer A, Willems A, Jones D, Rochester L, Hetherington V, Berendse H, Zijlmans J, Wolters E, Kwakkel G. The effect of rhythmic somato-sensory cueing on gait in patients with PD. *J Neurol Sci.* 2006 Oct 25; 248(1-2): 210-4.

Rietberg MB, Brooks D, Uitdehaag BMJ, Kwakkel G. Exercise therapy for multiple sclerosis. *Cochrane Database Syst Rev.* 2005 Jan 25; 1: CD003980.

Kollen BJ, **Rietberg MB**, Kwakkel G, Emmelot CH. Effects of overloading of the lower hemiparetic extremity on walking speed in chronic stroke patients: A pilot study. *NeuroRehabilitation.* 2000; 14(3): 159-64.

Boschker MSJ, Bakker FC, **Rietberg MB**. Retroactive interference effects of mentally imagined movement speed. *J Sports Sci.* 2000 Aug; 18(8): 593-603.

Other publications

Veerbeek JM, van Wegen EEH, van Peppen RPS, Hendriks HJM, **Rietberg MB**, van der Wees PhJ, Heijblom K, Goos AAG, Hanssen WO, Harmeling-van der Wel BC, de Jong LD, Kamphuis JF, Noom MM, van der Schaft R, Smeets CJ, Vluggen TPMM, Vijsma DRB, Vollmar CM, Kwakkel G. KNGF-richtlijn Beroerte. Koninklijk Nederlands Genootschap voor Fysiotherapie. Amersfoort; 2014.

CBO werkgroep. Richtlijn Multiple Sclerose. Bohn Stafleu van Loghum, Houten; 2012.

Hekman K, Geleijn E, **Rietberg MB**, Schonhuth C, Dekker J. Early diagnosis and intervention by specialists (EDIS). *Fysiopraxis.* 2012 June; 21(6).

Sanders E, Moll J, De Groot V, **Rietberg MB**, De Jong S. InFocus. MS en mobiliteit. Van Zuiden Communications, Alphen aan de Rijn; 2012.

Participated as expert in 3-round survey based on the Delphi technique for a ICF core set: Conrad A, Coenen M, Schmalz H, Kesselring J, Cieza A. Validation of the comprehensive ICF core set for multiple sclerosis from the perspective of physical therapists. *Phys Ther.* 2012 Jun; 92(6): 799-820.

Heine M, **Rietberg MB**, Van Wegen EEH, Port IGL Van D, Kwakkel G. Exercise therapy for fatigue in multiple sclerosis. *Cochrane Database Syst Rev.* 2012; 14: CD009956 (protocol).

Rietberg MB, Veerbeek JM, Van Wegen EEH, Gosselink R, Kwakkel G. Respiratory muscle training for multiple sclerosis (protocol). *Cochrane database Syst Rev.* 2011; 11: CD009424.



Assink N, Hekman K, **Rietberg MB**. Schouder uit de kom. Sportfysiotherapeutische zorg bij een patiënt met een 'instabiele schouder' (deel 2). Sportgericht. 2010; 64(4).

Assink N, Hekman K, **Rietberg MB**. Schouder uit de kom. Sportfysiotherapeutische zorg bij een patiënt met een 'instabiele schouder' (deel 1). Sportgericht. 2010; 64(3).

Euwes M, Engelbert RHH, Geleijn E, Mulder WJ, van der Veen M, **Rietberg MB**, Dronkers J, Coppoolse R. Beroepscompetentieprofiel ziekenhuisfysiotherapeut. NVZF; 2010.

Rietberg MB, EEH van Wegen. Wisselwerking tussen academisch centrum en professionele master. Kennisvalorisatie. Movemens, februari 2009.

Veerbeek JM, Koolstra M, **Rietberg MB**. Fysiotherapeutische zorg rondom een patiënt met een beroerte, opgenomen op een stroke unit in het ziekenhuis. Fysiotherapeutische casuïstiek. Mei 2009.

Rietberg MB. Multiple sclerose. Fysiotherapeutische casuïstiek. Bohn, Stafleu & Scheltema; maart 2001.

Lemmens R, **Rietberg MB**. Aspecifieke rugklachten. Fysiotherapeutische casuïstiek. Bohn, Stafleu & Scheltema; maart 2001.

Munninkhof en anderen. Multiple sclerose en sportief bewegen: Consensus richtlijnen. NOC*NSF; 2001.

Rietberg MB, Boschker MSJ, Bakker FC. Het verbeelden van de snelheid van een dansbeweging. Sportpsychologie Bulletin. 1996 June. 7(1).