

References

References

References

- Abel T, Kroner M, Rojas Vega S, Peters C, Klose C, Platen P, 2003. Energy expenditure in wheelchair racing and handbiking - a basis for prevention of cardiovascular diseases in those with disabilities. *European journal of cardiovascular prevention and rehabilitation* 10:371-6.
- Abel T, Rojas Vega S, Bleicher I, Platen P, 2003. Handbiking: physiological responses to synchronous and asynchronous crank montage. *European journal of Sport Science* 3:1-9.
- Abel T, Schneider S, Platen P, Struder HK, 2006. Performance diagnostics in handbiking during competition. *Spinal cord* 44:211-6.
- Andrews AW, Thomas MW, Bohannon RW, 1996. Normative values for isometric muscle force measurements obtained with hand-held dynamometers. *Physical therapy* 76:248-59.
- Bafghi HA, de Haan A, Horstman A, van der Woude L, 2008. Biophysical Aspects of Submaximal Hand Cycling.
- Bar-On ZH, Nene AV, 1990. Relationship between heart rate and oxygen uptake in thoracic level paraplegics. *Paraplegia* 28:87-95.
- Bertucci W, Duc S, Villerius V, Pernin JN, Grappe F, 2005. Validity and reliability of the PowerTap mobile cycling powermeter when compared with the SRM Device. *International journal of sports medicine* 26:868-73.
- Biering-Sorensen F, Hansen RB, Biering-Sorensen J, 2004. Mobility aids and transport possibilities 10-45 years after spinal cord injury. *Spinal cord* 42:699-706.
- Bizzarini E, Saccavini M, Lipanje F, Magrin P, Malisan C, Zampa A, 2005. Exercise prescription in subjects with spinal cord injuries. *Archives of physical medicine and rehabilitation* 86:1170-5.
- Bjerkefors A, Thorstensson A, 2006. Effects of kayak ergometer training on motor performance in paraplegics. *International journal of sports medicine* 27:824-9.
- Block P, Skeels SE, Keys CB, Rimmer JH, 2005. Shake-It-Up: health promotion and capacity building for people with spinal cord injuries and related neurological disabilities. *Disability and rehabilitation* 27:185-90.
- Boninger ML, Cooper RA, Fitzgerald SG, Lin J, Cooper R, Dicianno B, Liu B, 2003. Investigating neck pain in wheelchair users. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 82:197-202.
- Boninger M, Waters R, Chase T, Dijkers M, Gellman H, Gironde R, Goldstein B, Johnson-Taylor S, Koontz A, McDowell S, 2005. Preservation of upper limb function following spinal cord injury: a clinical practice guideline for health-care professionals. *The journal of spinal cord medicine* 28:434-470.
- Borg GA, 1982. Psychophysical bases of perceived exertion. *Medicine and science in sports and exercise* 14:377-81.
- Bougenot MP, Tordi N, Betik AC, Martin X, Le Foll D, Parratte B, Lonsdorfer J, Rouillon JD, 2003. Effects of a wheelchair ergometer training programme on spinal cord-injured persons. *Spinal cord* 41:451-6.
- Brehm MA, Harlaar J, Groepenhof H, 2004. Validation of the portable VmaxST system for oxygen-uptake measurement. *Gait & posture* 20:67-73.
- Butcher SJ, Jones RL, 2006. The impact of exercise training intensity on change in physiological function in patients with chronic obstructive pulmonary disease. *Sports medicine (Auckland, N.Z)* 36:307-25.
- Chaves ES, Boninger ML, Cooper R, Fitzgerald SG, Gray DB, Cooper RA, 2004. Assessing the influence of wheelchair technology on perception of participation in spinal cord injury. *Archives of physical medicine and rehabilitation* 85:1854-8.
- Cooney MM, Walker JB, 1986. Hydraulic resistance exercise benefits cardiovascular fitness of spinal cord injured. *Medicine and science in sports and exercise* 18:522-5.
- Cooper RA, Quatrano LA, Axelson PW, Harlan W, Stineman M, Franklin B, Krause JS, Bach J, Chambers H, Chao EY, Alexander M, Painter P, 1999. Research on physical

References

- activity and health among people with disabilities: a consensus statement. *Journal of rehabilitation research and development* 36:142-54.
- Coutts KD, McKenzie DC, 1995. Ventilatory thresholds during wheelchair exercise in individuals with spinal cord injuries. *Paraplegia* 33:419-22.
- Coutts KD, Rhodes EC, McKenzie DC, 1983. Maximal exercise responses of tetraplegics and paraplegics. *Journal of applied physiology: respiratory, environmental and exercise physiology* 55:479-82.
- Coutts KD, Rhodes EC, McKenzie DC, 1985. Submaximal exercise responses of tetraplegics and paraplegics. *Journal of applied physiology (Bethesda, Md.)* 59:237-41.
- Crane L, Klerk K, Ruhl A, Warner P, Ruhl C, Roach KE, 1994. The effect of exercise training on pulmonary function in persons with quadriplegia. *Paraplegia* 32:435-41.
- Curtis KA, Drysdale GA, Lanza RD, Kolber M, Vitolo RS, West R, 1999. Shoulder pain in wheelchair users with tetraplegia and paraplegia. *Archives of physical medicine and rehabilitation* 80:453-7.
- Dallmeijer AJ, Hopman MT, Angenot EL, Van der Woude LH, 1997. Effect of training on physical capacity and physical strain in persons with tetraplegia. *Scandinavian journal of rehabilitation medicine* 29:181-6.
- Dallmeijer AJ, Kappe YJ, Veeger DH, Janssen TW, Van der Woude LH, 1994. Anaerobic power output and propulsion technique in spinal cord injured subjects during wheelchair ergometry. *Journal of rehabilitation research and development* 31:120-8.
- Dallmeijer AJ, Kilkens OJ, Post MW, De Groot S, Angenot EL, Van Asbeck FW, Nene AV, Van der Woude LH, 2005. Hand-rim wheelchair propulsion capacity during rehabilitation of persons with spinal cord injury. *Journal of rehabilitation research and development* 42:55-63.
- Dallmeijer AJ, Ottjes L, De Waardt E, Van der Woude LH, 2004a. A physiological comparison of synchronous and asynchronous hand cycling. *International journal of sports medicine* 25:622-6.
- Dallmeijer AJ, Van der Woude LH, 2001. Health related functional status in men with spinal cord injury: relationship with lesion level and endurance capacity. *Spinal cord* 39:577-83.
- Dallmeijer AJ, Van der Woude LH, Hollander AP, Van As HH, 1999. Physical performance during rehabilitation in persons with spinal cord injuries. *Medicine and science in sports and exercise* 31:1330-5.
- Dallmeijer AJ, Van der Woude LH, Veeger HE, Hollander AP, 1998. Effectiveness of force application in manual wheelchair propulsion in persons with spinal cord injuries. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 77:213-21.
- Dallmeijer AJ, Zentgraaff ID, Zijp NI, Van der Woude LH, 2004b. Submaximal physical strain and peak performance in handcycling versus handrim wheelchair propulsion. *Spinal cord* 42:91-8.
- Davis G, Plyley MJ, Shephard RJ, 1991. Gains of cardiorespiratory fitness with arm-crank training in spinally disabled men. *Canadian journal of sport sciences = Journal canadien des sciences du sport* 16:64-72.
- Davis GM, Shephard RJ, 1990. Strength training for wheelchair users. *British journal of sports medicine* 24:25-30.
- De Coster A, Van Laere M, Blonde W, 1999. Electromyographic activity of shoulder girdle muscles during handbiking. In: (van der Woude L, ed): IOS Press; 138-140.
- De Groot PC, Hjeltnes N, Heijboer AC, Stal W, Birkeland K, 2003. Effect of training intensity on physical capacity, lipid profile and insulin sensitivity in early rehabilitation of spinal cord injured individuals. *Spinal cord* 41:673-9.
- De Groot S, Dallmeijer AJ, Post MW, van Asbeck FW, Nene AV, Angenot EL, van der Woude LH, 2006. Demographics of the Dutch multicenter prospective cohort study 'Restoration of mobility in spinal cord injury rehabilitation'. *Spinal cord* 44:668-75.

References

- De Groot S, Veeger DH, Hollander AP, Van der Woude LH, 2002. Wheelchair propulsion technique and mechanical efficiency after 3 wk of practice. *Medicine and science in sports and exercise* 34:756-66.
- Devillard X, Rimaud D, Roche F, Calmels P, 2007. Effects of training programs for spinal cord injury. *50:490-498.*
- DiCarlo SE, 1982. Improved cardiopulmonary status after a two-month program of graded arm exercise in a patient with C6 quadriplegia. A case report. *Physical therapy* 62:456-9.
- DiCarlo SE, 1988. Effect of arm ergometry training on wheelchair propulsion endurance of individuals with quadriplegia. *Physical therapy* 68:40-4.
- DiCarlo SE, Supp MD, Taylor HC, 1983. Effect of arm ergometry training on physical work capacity of individuals with spinal cord injuries. *Physical therapy* 63:1104-7.
- Ditor DS, Latimer AE, Ginis KA, Arbour KP, McCartney N, Hicks AL, 2003. Maintenance of exercise participation in individuals with spinal cord injury: effects on quality of life, stress and pain. *Spinal cord* 41:446-50.
- Duran FS, Lugo L, Ramirez L, Eusse E, 2001. Effects of an exercise program on the rehabilitation of patients with spinal cord injury. *Archives of physical medicine and rehabilitation* 82:1349-54.
- Durstine et al. M, 2003. ACSM's exercise management for persons with chronic diseases and disabilities: Champaign: Human kinetics, ACSM.
- Dyson-Hudson TA, Sisto SA, Bond Q, Emmons R, Kirshblum SC, 2007. Arm crank ergometry and shoulder pain in persons with spinal cord injury. *Archives of physical medicine and rehabilitation* 88:1727-9.
- El-Sayed MS, Younesian A, 2005. Lipid profiles are influenced by arm cranking exercise and training in individuals with spinal cord injury. *Spinal cord* 43:299-305.
- El-Sayed MS, Younesian A, Rahman K, Ismail FM, El-Sayed Ali Z, 2004. The effects of arm cranking exercise and training on platelet aggregation in male spinal cord individuals. *Thrombosis research* 113:129-36.
- Eltorai I, Kim R, Vulpe M, Kasravi H, Ho W, 1992. Fatal cerebral hemorrhage due to autonomic dysreflexia in a tetraplegic patient: case report and review. *Paraplegia* 30:355-60.
- Engel P, Hildebrandt G, 1974. Wheelchair design--technological and physiological aspects. *Proceedings of the Royal Society of Medicine* 67:409-13.
- Faupin A, Gorce P, Campillo P, Thevenon A, Remy-Neris O, 2006. Kinematic analysis of handbike propulsion in various gear ratios: implications for joint pain. *Clinical biomechanics (Bristol, Avon)* 21:560-6.
- Fernhall B, Heffernan K, Jae SY, Hedrick B, 2008. Health implications of physical activity in individuals with spinal cord injury: a literature review. *Journal of health and human services administration* 30:468-502.
- Figoni S, 2003. Spinal cord disabilities: Paraplegia and Tetraplegia. In: *Exercise management for persons with chronic diseases and disabilities (Durstine.JL MG, ed)*. Champaign: Human Kinetics; 247-253.
- Figoni SF, 1990. Perspectives on cardiovascular fitness and SCI. *The Journal of the American Paraplegia Society* 13:63-71.
- Figoni SF, 1993. Exercise responses and quadriplegia. *Medicine and science in sports and exercise* 25:433-41.
- Franklin BA, 1985. Exercise testing, training and arm ergometry. *Sports medicine (Auckland, N.Z)* 2:100-19.
- Freyschuss U, Knutsson E, 1969. Cardiovascular control in man with transverse cervical cord lesions. *Life Sci* 8:421-424.
- Frontera et al., 1999. *Exercise in rehabilitation medicine*: Champaign: Human Kinetics.
- Furlan JC, Fehlings MG, Shannon P, Norenberg MD, Krassioukov AV, 2003. Descending vasomotor pathways in humans: correlation between axonal preservation and cardiovascular dysfunction after spinal cord injury. *Journal of neurotrauma* 20:1351-63.

References

- Gass EM, Harvey LA, Gass GC, 1995. Maximal physiological responses during arm cranking and treadmill wheelchair propulsion in T4-T6 paraplegic men. *Paraplegia* 33:267-70.
- Gass GC, Watson J, Camp EM, Court HJ, McPherson LM, Redhead P, 1980. The effects of physical training on high level spinal lesion patients. *Scandinavian journal of rehabilitation medicine* 12:61-5.
- Giacobbi P, Stancil M, Hardin B, Bryant L., 2008. Physical activity and quality of life experienced by highly active individuals with physical disabilities. *Adapted physical activity quarterly* 25:189-207.
- Ginis KA, Hicks AL, 2005. Exercise research issues in the spinal cord injured population. *Exercise and sport sciences reviews* 33:49-53.
- Glaser RM, 1989. Arm exercise training for wheelchair users. *Medicine and science in sports and exercise* 21:S149-57.
- Glaser RM, Sawka MN, Brune MF, Wilde SW, 1980a. Physiological responses to maximal effort wheelchair and arm crank ergometry. *Journal of applied physiology: respiratory, environmental and exercise physiology* 48:1060-4.
- Glaser RM, Sawka MN, Young RE, Suryaprasad AG, 1980b. Applied physiology for wheelchair design. *Journal of applied physiology: respiratory, environmental and exercise physiology* 48:41-4.
- Goosey-Tolfrey V, Castle P, Webborn N, Abel T, 2006. Aerobic capacity and peak power output of elite quadriplegic games players. *British journal of sports medicine* 40:684-7.
- Goosey-Tolfrey VL, Alfano H, Fowler N, 2008. The influence of crank length and cadence on mechanical efficiency in hand cycling. *European journal of applied physiology* 102:189-94.
- Goosey-Tolfrey VL, Sindall P, 2007. The effects of arm crank strategy on physiological responses and mechanical efficiency during submaximal exercise. *Journal of sports sciences* 25:453-60.
- Goosey-Tolfrey VL, Tolfrey K, 2004. The oxygen uptake-heart rate relationship in trained female wheelchair athletes. *Journal of rehabilitation research and development* 41:415-20.
- Grange CC, Bougenot MP, Gros Lambert A, Tordi N, Rouillon JD, 2002. Perceived exertion and rehabilitation with wheelchair ergometer: comparison between patients with spinal cord injury and healthy subjects. *Spinal cord* 40:513-8.
- Grigorenko A, Bjerkefors A, Rosdahl H, Hultling C, Alm M, Thorstensson A, 2004. Sitting balance and effects of kayak training in paraplegics. *Journal of rehabilitation medicine* 36:110-6.
- Grimm DR, De Meersman RE, Almenoff PL, Spungen AM, Bauman WA, 1997. Sympathovagal balance of the heart in subjects with spinal cord injury. *The American journal of physiology* 272:H835-42.
- Haisma JA, 2008. *Physical capacity and complications during and after inpatient rehabilitation for spinal cord injury*. Rotterdam: Erasmus.
- Haisma JA, Bussmann JB, Stam HJ, Sluis TA, Bergen MP, Dallmeijer AJ, De Groot S, Van der Woude LH, 2006a. Changes in physical capacity during and after inpatient rehabilitation in subjects with a spinal cord injury. *Archives of physical medicine and rehabilitation* 87:741-8.
- Haisma JA, Bussmann JB, Stam HJ, Sluis TA, Bergen MP, Post MW, Dallmeijer AJ, Van der Woude LH, 2007a. Physical fitness in people with a spinal cord injury: the association with complications and duration of rehabilitation. *Clinical rehabilitation* 21:932-40.
- Haisma JA, Van der Woude LH, Stam HJ, Bergen MP, Sluis TA, Bussmann JB, 2006b. Physical capacity in wheelchair-dependent persons with a spinal cord injury: a critical review of the literature. *Spinal cord* 44:642-52.
- Haisma JA, Van der Woude LH, Stam HJ, Bergen MP, Sluis TA, Post MW, Bussmann JB, 2007b. Complications following spinal cord injury: occurrence and risk factors in a

References

- longitudinal study during and after inpatient rehabilitation. *Journal of rehabilitation medicine* 39:393-8.
- Harvey L, 2008. *Management of spinal cord injury*: Churchill Livingstone Elsevier.
- Herman R, He J, D'Luzansky S, Willis W, Dilli S, 2002. Spinal cord stimulation facilitates functional walking in a chronic, incomplete spinal cord injured. *Spinal cord* 40:65-8.
- Hicks AL, Martin KA, Ditor DS, Latimer AE, Craven C, Bugaresti J, McCartney N, 2003. Long-term exercise training in persons with spinal cord injury: effects on strength, arm ergometry performance and psychological well-being. *Spinal cord* 41:34-43.
- Hintzy F, Tordi N, Perrey S, 2002. Muscular efficiency during arm cranking and wheelchair exercise: a comparison. *International journal of sports medicine* 23:408-14.
- Hjeltnes N, 1977. Oxygen uptake and cardiac output in graded arm exercise in paraplegics with low level spinal lesions. *Scandinavian journal of rehabilitation medicine* 9:107-13.
- Hjeltnes N, 1986. Cardiorespiratory capacity in tetra- and paraplegia shortly after injury. *Scandinavian journal of rehabilitation medicine* 18:65-70.
- Hjeltnes N, Christensen C, Rostrup M, Walberg-Henriksson H, 1998. Altered blood pressure response to graded exercise in tetraplegic subjects with low levels of catecholamines. In: Thesis: Physical exercise and the management of metabolic, cardiovascular and skeletal-muscle alterations in people with tetraplegia (Hjeltnes N, ed).
- Hjeltnes N, Vokac Z, 1979. Circulatory strain in everyday life of paraplegics. *Scandinavian journal of rehabilitation medicine* 11:67-73.
- Hjeltnes N, Wallberg-Henriksson H, 1998. Improved work capacity but unchanged peak oxygen uptake during primary rehabilitation in tetraplegic patients. *Spinal cord* 36:691-8.
- Hoffman MD, 1986. Cardiorespiratory fitness and training in quadriplegics and paraplegics. *Sports medicine (Auckland, N.Z)* 3:312-30.
- Hooker SP, Greenwood JD, Hatae DT, Husson RP, Matthiesen TL, Waters AR, 1993. Oxygen uptake and heart rate relationship in persons with spinal cord injury. *Medicine and science in sports and exercise* 25:1115-9.
- Hooker SP, Wells CL, 1989. Effects of low- and moderate-intensity training in spinal cord-injured persons. *Medicine and science in sports and exercise* 21:18-22.
- Hopman MT, Dallmeijer AJ, Snoek G, van der Woude LH, 1996. The effect of training on cardiovascular responses to arm exercise in individuals with tetraplegia. *European journal of applied physiology and occupational physiology* 74:172-9.
- Hopman MT, Dueck C, Monroe M, Philips WT, Skinner JS, 1998. Limits to maximal performance in individuals with spinal cord injury. *International journal of sports medicine* 19:98-103.
- Hopman MT, Houtman S, Groothuis JT, Folgering HT, 2004. The effect of varied fractional inspired oxygen on arm exercise performance in spinal cord injury and able-bodied persons. *Archives of physical medicine and rehabilitation* 85:319-23.
- Hopman MT, van Teeffelen WM, Brouwer J, Houtman S, Binkhorst RA, 1995. Physiological responses to asynchronous and synchronous arm-cranking exercise. *European journal of applied physiology and occupational physiology* 72:111-4.
- Jacobs PL, Mahoney ET, Cohn KA, Sheradsky LF, Green BA, 2002a. Oral creatine supplementation enhances upper extremity work capacity in persons with cervical-level spinal cord injury. *Archives of physical medicine and rehabilitation* 83:19-23.
- Jacobs PL, Mahoney ET, Nash MS, Green BA, 2002b. Circuit resistance training in persons with complete paraplegia. *Journal of rehabilitation research and development* 39:21-8.
- Jacobs PL, Nash MS, 2004. Exercise recommendations for individuals with spinal cord injury. *Sports medicine (Auckland, N.Z)* 34:727-51.
- Jacobs PL, Nash MS, Rusinowski JW, 2001. Circuit training provides cardiorespiratory and strength benefits in persons with paraplegia. *Medicine and science in sports and exercise* 33:711-7.

References

- Janssen TW, Dallmeijer AJ, Van der Woude LH, 2001. Physical capacity and race performance of handcycle users. *Journal of rehabilitation research and development* 38:33-40.
- Janssen TW, Dallmeijer AJ, Veeger DJ, van der Woude LH, 2002. Normative values and determinants of physical capacity in individuals with spinal cord injury. *Journal of rehabilitation research and development* 39:29-39.
- Janssen TW, Van Oers CA, Rozendaal EP, Willemsen EM, Hollander AP, Van der Woude LH, 1996. Changes in physical strain and physical capacity in men with spinal cord injuries. *Medicine and science in sports and exercise* 28:551-9.
- Janssen TW, Van Oers CA, Van der Woude LH, Hollander AP, 1994a. Physical strain in daily life of wheelchair users with spinal cord injuries. *Medicine and science in sports and exercise* 26:661-70.
- Janssen TW, Van Oers CA, Veeger HE, Hollander AP, Van der Woude LH, Rozendal RH, 1994b. Relationship between physical strain during standardised ADL tasks and physical capacity in men with spinal cord injuries. *Paraplegia* 32:844-59.
- Keyser RE, Rasch EK, Finley M, Rodgers MM, 2003. Improved upper-body endurance following a 12-week home exercise program for manual wheelchair users. *Journal of rehabilitation research and development* 40:501-10.
- Kilkens OJ, Dallmeijer AJ, De Witte LP, Van Der Woude LH, Post MW, 2004. The Wheelchair Circuit: Construct validity and responsiveness of a test to assess manual wheelchair mobility in persons with spinal cord injury. *Archives of physical medicine and rehabilitation* 85:424-31.
- Kilkens OJ, Dallmeijer AJ, Nene AV, Post MW, Van der Woude LH, 2005. The longitudinal relation between physical capacity and wheelchair skill performance during inpatient rehabilitation of people with spinal cord injury. *Archives of physical medicine and rehabilitation* 86:1575-81.
- Kirshblum S, 2004. New rehabilitation interventions in spinal cord injury. *The journal of spinal cord medicine* 27:342-50.
- Klefbeck B, Mattsson E, Weinberg J, 1996. The effect of trunk support on performance during arm ergometry in patients with cervical cord injuries. *Paraplegia* 34:167-72.
- Knechtle B, Muller G, Knecht H, 2004. Optimal exercise intensities for fat metabolism in handbike cycling and cycling. *Spinal cord* 42:564-72.
- Knuttson E L-OE, Thorsen M., 1973. Physical work capacity and physical conditioning in paraplegic patients. *Paraplegia* 11:205-216.
- Knuttson E, Lewenhaupt-Olsson E, Thorsen M, 1973. Physical work capacity and physical conditioning in paraplegic patients. *Paraplegia* 11:205-216.
- Krassioukov A, Claydon VE, 2006. The clinical problems in cardiovascular control following spinal cord injury: an overview. *Progress in brain research* 152:223-9.
- Krassioukov AV, Karlsson AK, Wecht JM, Wuermser LA, Mathias CJ, Marino RJ, 2007. Assessment of autonomic dysfunction following spinal cord injury: rationale for additions to International Standards for Neurological Assessment. *Journal of rehabilitation research and development* 44:103-12.
- Lasko-McCarthy P, Davis JA, 1991. Effect of work rate increment on peak oxygen uptake during wheelchair ergometry in men with quadriplegia. *European journal of applied physiology and occupational physiology* 63:349-53.
- Le Foll-de Moro D, Tordi N, Lonsdorfer E, Lonsdorfer J, 2005. Ventilation efficiency and pulmonary function after a wheelchair interval-training program in subjects with recent spinal cord injury. *Archives of physical medicine and rehabilitation* 86:1582-6.
- Lewis JE, Nash MS, Hamm LF, Martins SC, Groah SL, 2007. The relationship between perceived exertion and physiologic indicators of stress during graded arm exercise in persons with spinal cord injuries. *Archives of physical medicine and rehabilitation* 88:1205-11.
- Lidal IB, Veenstra M, Hjeltnes N, Biering-Sorensen F, 2008. Health-related quality of life in persons with long-standing spinal cord injury. *Spinal cord*.

References

- Lysack C, Komanecky M, Kabel A, Cross K, Neufeld S, 2007. Environmental factors and their role in community integration after spinal cord injury. *Canadian journal of occupational therapy* 74 Spec No.:243-54.
- Manns PJ, Chad KE, 1999. Determining the relation between quality of life, handicap, fitness, and physical activity for persons with spinal cord injury. *Archives of physical medicine and rehabilitation* 80:1566-71.
- Marincek CR, Valencic V, 1977. Arm cycloergometry and kinetics of oxygen consumption in paraplegics. *Paraplegia* 15:178-85.
- Marino RJ, Barros T, Biering-Sorensen F, Burns SP, Donovan WH, Graves DE, Haak M, Hudson LM, Priebe MM, 2003. International standards for neurological classification of spinal cord injury. *The journal of spinal cord medicine* 26 Suppl 1:S50-6.
- Martel G, Noreau L, Jobin J, 1991. Physiological responses to maximal exercise on arm cranking and wheelchair ergometer with paraplegics. *Paraplegia* 29:447-56.
- Mathias CJ, Frankel HL, 1992. Autonomic failure; a textbook of clinical disorders of the autonomic nervous system. In: *Autonomic disturbances in spinal cord lesions* (Bannister R, Mathias C, eds). Oxford: Oxford University press; 839-881.
- Maynard FM, Jr., Bracken MB, Creasey G, Ditunno JF, Jr., Donovan WH, Ducker TB, Garber SL, Marino RJ, Stover SL, Tator CH, Waters RL, Wilberger JE, Young W, 1997. International Standards for Neurological and Functional Classification of Spinal Cord Injury. American Spinal Injury Association. *Spinal cord* 35:266-74.
- McCull MA, Walker J, Stirling P, Wilkins R, Corey P, 1997. Expectations of life and health among spinal cord injured adults. *Spinal cord* 35:818-28.
- McConnell TJ, Horvat MA, Beutel-Horvat TA, Golding LA, 1989. Arm crank versus wheelchair treadmill ergometry to evaluate the performance of paraplegics. *Paraplegia* 27:307-13.
- McCrorry MA, Mole PA, Nommsen-Rivers LA, Dewey KG, 1997. Between-day and within-day variability in the relation between heart rate and oxygen consumption: effect on the estimation of energy expenditure by heart-rate monitoring. *The American journal of clinical nutrition* 66:18-25.
- McLean KP, Jones PP, Skinner JS, 1995. Exercise prescription for sitting and supine exercise in subjects with quadriplegia. *Medicine and science in sports and exercise* 27:15-21.
- McLean KP, Skinner JS, 1995. Effect of body training position on outcomes of an aerobic training study on individuals with quadriplegia. *Archives of physical medicine and rehabilitation* 76:139-50.
- Midha M, Schmitt JK, Sclater M, 1999. Exercise effect with the wheelchair aerobic fitness trainer on conditioning and metabolic function in disabled persons: a pilot study. *Archives of physical medicine and rehabilitation* 80:258-61.
- Miles DS, Sawka MN, Wilde SW, Durbin RJ, Gotshall RW, Glaser RM, 1982. Pulmonary function changes in wheelchair athletes subsequent to exercise training. *Ergonomics* 25:239-46.
- Mossberg K, Willman C, Topor MA, Crook H, Patak S, 1999. Comparison of asynchronous versus synchronous arm crank ergometry. *Spinal cord* 37:569-74.
- Mueller G, de Groot S, van der Woude L, Hopman MT, 2008. Time-courses of lung function and respiratory muscle pressure generating capacity after spinal cord injury: A prospective cohort study. *Journal of rehabilitation medicine* 40:269-76.
- Mukherjee G, Bhowmik P, Samanta A, 2001. Physical fitness training for wheelchair ambulation by the arm crank propulsion technique. *Clinical rehabilitation* 15:125-32.
- Mukherjee G, Bhowmik P, Samanta A, 2005. Effect of chronic use of different propulsion systems in wheelchair design on the aerobic capacity of Indian users. *The Indian journal of medical research* 121:747-58.
- Mukherjee G, Samanta A, 2001. Physiological response to the ambulatory performance of hand-rim and arm-crank propulsion systems. *Journal of rehabilitation research and development* 38:391-9.

References

- Mukherjee G, Samanta A, 2004. Arm-crank propelled three-wheeled chair: physiological evaluation of the propulsion using one arm and both arm patterns. *International journal of rehabilitation research. Internationale Zeitschrift fur Rehabilitationsforschung* 27:321-4.
- Myers J, Lee M, Kiratli J, 2007. Cardiovascular disease in spinal cord injury: an overview of prevalence, risk, evaluation, and management. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 86:142-52.
- Nash MS, 2005. Exercise as a health-promoting activity following spinal cord injury. *J Neurol Phys Ther* 29 (2):87-103.
- Nash MS, Jacobs PL, Mendez AJ, Goldberg RB, 2001. Circuit resistance training improves the atherogenic lipid profiles of persons with chronic paraplegia. *The journal of spinal cord medicine* 24:2-9.
- Nash MS, Jacobs PL, Woods JM, Clark JE, Pray TA, Pumarejo AE, 2002. A comparison of 2 circuit exercise training techniques for eliciting matched metabolic responses in persons with paraplegia. *Archives of physical medicine and rehabilitation* 83:201-9.
- Nash MS, van de Ven I, van Elk N, Johnson BM, 2007. Effects of circuit resistance training on fitness attributes and upper-extremity pain in middle-aged men with paraplegia. *Archives of physical medicine and rehabilitation* 88:70-5.
- Nemanich JW, Shurman AJ, Rossen JD, Kremser C, Davis F, Rajfer SI, 1987. Effects of long-term therapy with oral piroximone on resting hemodynamics, peak aerobic capacity, and the anaerobic threshold in patients with heart failure. *Journal of cardiovascular pharmacology* 10:580-8.
- Newham DJ, Donaldson N, 2007. FES cycling. *Acta neurochirurgica* 97:395-402.
- Nilsson S, Staff PH, Pruett ED, 1975. Physical work capacity and the effect of training on subjects with long-standing paraplegia. *Scandinavian journal of rehabilitation medicine* 7:51-6.
- Noble BJ, Borg GA, Jacobs I, Ceci R, Kaiser P, 1983. A category-ratio perceived exertion scale: relationship to blood and muscle lactates and heart rate. *Medicine and science in sports and exercise* 15:523-8.
- Noreau L, Proulx P, Gagnon L, Drolet M, Laramée MT, 2000. Secondary impairments after spinal cord injury: a population-based study. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 79:526-35.
- Noreau L, Shephard RJ, 1995. Spinal cord injury, exercise and quality of life. *Sports medicine (Auckland, N.Z)* 20:226-50.
- O'Neill SB, Maguire S, 2004. Patient perception of the impact of sporting activity on rehabilitation in a spinal cord injuries unit. *Spinal cord* 42:627-30.
- Oertel J, Brundig B, Henze W, Engel P, 1999. Spiroergometric field-study of wheelchair propulsion with different hand-drive systems. In: (al. We, ed). Amsterdam: IOS Press; 187-190.
- Paffenbarger RS, Jr., Hyde RT, Wing AL, Lee IM, Jung DL, Kampert JB, 1993. The association of changes in physical-activity level and other lifestyle characteristics with mortality among men. *The New England journal of medicine* 328:538-45.
- Paton CD, Hopkins WG, 2006. Ergometer error and biological variation in power output in a performance test with three cycle ergometers. *International journal of sports medicine* 27:444-7.
- Phillips BA, Lo SK, Mastaglia FL, 2000. Muscle force measured using "break" testing with a hand-held myometer in normal subjects aged 20 to 69 years. *Archives of physical medicine and rehabilitation* 81:653-61.
- Phillips CA, Danopoulos D, Kezdi P, Hendershot D, 1989. Muscular, respiratory and cardiovascular responses of quadriplegic persons to an F. E. S. bicycle ergometer conditioning program. *International journal of rehabilitation research. Internationale Zeitschrift fur Rehabilitationsforschung* 12:147-57.
- Pollock M, Gaesser GA, Butcher JD, Despres, Dishman RK, Franklin BA, Garber C Ewing, 1998. American College of Sports Medicine Position Stand. The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and

References

- muscular fitness, and flexibility in healthy adults. *Medicine and science in sports and exercise* 30:975-91.
- Pollock ML, Miller HS, Linnerud AC, Laughridge E, Coleman E, Alexander E, 1974. Arm pedaling as an endurance training regimen for the disabled. *Archives of physical medicine and rehabilitation* 55:418-24.
- Post MW, Dallmeijer AJ, Angenot EL, Van Asbeck FW, Van der Woude LH, 2005. Duration and functional outcome of spinal cord injury rehabilitation in the Netherlands. *Journal of rehabilitation research and development* 42:75-85.
- Post MW, De Witte LP, Van Asbeck FW, Van Dijk AJ, Schrijvers AJ, 1998. Predictors of health status and life satisfaction in spinal cord injury. *Archives of physical medicine and rehabilitation* 79:395-401.
- Post MW, Van Asbeck FW, Van Dijk AJ, Schrijvers AJ, 1997. Services for spinal cord injured: availability and satisfaction. *Spinal cord* 35:109-15.
- Powers CM, Newsam CJ, Gronley JK, Fontaine CA, Perry J, 1994. Isometric shoulder torque in subjects with spinal cord injury. *Archives of physical medicine and rehabilitation* 75:761-5.
- Rasche W, Janssen TW, Van Oers CA, Hollander AP, Van der Woude LH, 1993. Responses of subjects with spinal cord injuries to maximal wheelchair exercise: comparison of discontinuous and continuous protocols. *European journal of applied physiology and occupational physiology* 66:328-31.
- Requejo PM, SJ; Lighthall Haubert L, Newsam CJ, Gronley JK, Perry J, 2008. Evidence-based strategies to preserve shoulder function in manual wheelchair users with spinal cord injury. *Top spinal cord inj Rehabil* 13(4):86-119.
- Richards JS, Bombardier CH, Tate D, Dijkers M, Gordon W, Shewchuk R, DeVivo MJ, 1999. Access to the environment and life satisfaction after spinal cord injury. *Archives of physical medicine and rehabilitation* 80:1501-6.
- Rimaud D, Calmels P, Devillard X, 2005. [Training programs in spinal cord injury]. *Annales de readaptation et de medecine physique* 48:259-69.
- Rodgers MM, Keyser RE, Rasch EK, Gorman PH, Russell PJ, 2001. Influence of training on biomechanics of wheelchair propulsion. *Journal of rehabilitation research and development* 38:505-11.
- Rojas Vega S, Abel T, Lindschulten R, Hollmann W, Bloch W, Struder HK, 2008. Impact of exercise on neuroplasticity-related proteins in spinal cord injured humans. *Neuroscience*.
- Salisbury SK, Nitz J, Souvlis T, 2006. Shoulder pain following tetraplegia: a follow-up study 2-4 years after injury. *Spinal cord* 44:723-8.
- Scelza WM, Kalpakjian CZ, Zemper ED, Tate DG, 2005. Perceived barriers to exercise in people with spinal cord injury. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 84:576-83.
- Schmid A, Huonker M, Barturen JM, Stahl F, Schmidt-Trucksass A, Konig D, Grathwohl D, Lehmann M, Keul J, 1998. Catecholamines, heart rate, and oxygen uptake during exercise in persons with spinal cord injury. *Journal of applied physiology (Bethesda, Md.* 85:635-41.
- Schonherr MC, Groothoff JW, Mulder GA, Eisma WH, 1996. Rehabilitation of patients with spinal cord lesions in The Netherlands: an epidemiological study. *Spinal cord* 34:679-83.
- Sedlock DA, Knowlton RG, Fitzgerald PI, 1988. The effects of arm crank training on the physiological responses to submaximal wheelchair ergometry. *European journal of applied physiology and occupational physiology* 57:55-9.
- Sedlock DA, Knowlton RG, Fitzgerald PI, 1990. Circulatory and metabolic responses of women to arm crank and wheelchair ergometry. *Archives of physical medicine and rehabilitation* 71:97-100.
- Shephard RJ, 1988. Sports medicine and the wheelchair athlete. *Sports medicine (Auckland, N.Z)* 5:226-47.

References

- Silva AC, Neder JA, Chiurciu MV, Pasqualin DC, da Silva RC, Fernandez AC, Lauro FA, de Mello MT, Tufik S, 1998. Effect of aerobic training on ventilatory muscle endurance of spinal cord injured men. *Spinal cord* 36:240-5.
- Stainbsy WN, Gladden LB, Barclay JK, Wilson BA, 1980. Exercise efficiency: validity of base-line subtractions. *Journal of applied physiology: respiratory, environmental and exercise physiology* 48:518-22.
- Sutbeyaz ST, Koseoglu BF, Gokkaya NK, 2005. The combined effects of controlled breathing techniques and ventilatory and upper extremity muscle exercise on cardiopulmonary responses in patients with spinal cord injury. *International journal of rehabilitation research. Internationale Zeitschrift fur Rehabilitationsforschung* 28:273-6.
- Swain DP, Leutholtz BC, 1997. Heart rate reserve is equivalent to %VO₂ reserve, not to %VO₂max. *Medicine and science in sports and exercise* 29:410-4.
- Tasiemski T, Kennedy P, Gardner BP, Taylor N, 2005. The association of sports and physical recreation with life satisfaction in a community sample of people with spinal cord injuries. *NeuroRehabilitation* 20:253-65.
- Tate D, Forchheimer M, Maynard F, Dijkers M, 1994. Predicting depression and psychological distress in persons with spinal cord injury based on indicators of handicap. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 73:175-83.
- Taylor AW, McDonell E, Brassard L, 1986. The effects of an arm ergometer training programme on wheelchair subjects. *Paraplegia* 24:105-14.
- Tolfrey K, Goosey-Tolfrey VL, Campbell IG, 2001. Oxygen uptake-heart rate relationship in elite wheelchair racers. *European journal of applied physiology* 86:174-8.
- Tordi N, Dugue B, Klupzinski D, Rasseneur L, Rouillon JD, Lonsdorfer J, 2001. Interval training program on a wheelchair ergometer for paraplegic subjects. *Spinal cord* 39:532-7.
- Tordi N, Gimenez M, Predine E, Rouillon JD, 1998. Effects of an interval training programme of the upper limbs on a wheelchair ergometer in able-bodied subjects. *International journal of sports medicine* 19:408-14.
- Tropp H, Samuelsson K, Jorfeldt L, 1997. Power output for wheelchair driving on a treadmill compared with arm crank ergometry. *British journal of sports medicine* 31:41-4.
- Valent L, Dallmeijer A, Houdijk H, Sloopman H, Janssen T, Post M, Van der Woude L, submitted. The effects of hand cycle training on physical capacity and health-related quality of life in individuals with tetraplegia
- Valent L, Dallmeijer A, Houdijk H, Sloopman J, Angenot E, Van der Woude L, 2007a. Hand cycle use of persons with SCI in the Netherlands during and after rehabilitation. In: ISCOS. Reykjavik.
- Valent L, Dallmeijer A, Houdijk H, Talsma E, Van der Woude L, 2007b. The effects of upper body exercise on the physical capacity of people with a spinal cord injury: a systematic review. *Clinical rehabilitation* 21:315-30.
- Valent L, Dallmeijer AJ, Houdijk H, Sloopman HJ, Post MW, Van der Woude LH, 2008. Influence of hand cycling on physical capacity in the rehabilitation of persons with a spinal cord injury: a longitudinal cohort study. *Archives of physical medicine and rehabilitation* 89:1016-22.
- Valent L, Dallmeijer AJ, Houdijk H, Sloopman J, Janssen TW, Hollander AP, Van der Woude LH, 2007c. The individual relationship between heart rate and oxygen uptake in people with a tetraplegia during exercise. *Spinal cord* 45:104-11.
- Van Asbeck FW, 2007. *Handboek dwarslaesie*. Houten: Bohn Stafleu van Loghum.
- Van Asbeck FW, Post MW, Pangalila RF, 2000. An epidemiological description of spinal cord injuries in The Netherlands in 1994. *Spinal cord* 38:420-4.
- Van der Woude LH, Bosmans I, Bervoets B, Veeger HE, 2000. Handcycling: different modes and gear ratios. *Journal of medical engineering & technology* 24:242-9.

References

- Van der Woude LH, Dallmeijer AJ, Janssen TW, Veeger D, 2001a. Alternative modes of manual wheelchair ambulation: an overview. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists* 80:765-77.
- Van der Woude LH, De Groot G, Hollander AP, van Ingen Schenau GJ, Rozendal RH, 1986. Wheelchair ergonomics and physiological testing of prototypes. *Ergonomics* 29:1561-73.
- Van der Woude LH, De Groot S, Janssen TW, 2006. Manual wheelchairs: Research and innovation in rehabilitation, sports, daily life and health. *Medical engineering & physics* 28:905-15.
- Van der Woude LH, Horstman A, Faas P, Mechielsen S, Bafghi HA, De Koning JJ, 2007. Power output and metabolic cost of synchronous and asynchronous submaximal and peak level hand cycling on a motor driven treadmill in able-bodied male subjects.
- Van der Woude LH, Veeger HE, Dallmeijer AJ, Janssen TW, Rozendaal LA, 2001b. Biomechanics and physiology in active manual wheelchair propulsion. *Medical engineering & physics* 23:713-33.
- Van Dijk et al. DM, Kompier M, Meijman T, 1990. Herwaardering model arbeidsbelastbaarheid (Dutch). *TSG* 68:3-10.
- Van Drongelen S, De Groot S, Veeger HE, Angenot EL, Dallmeijer AJ, Post MW, Van der Woude LH, 2006. Upper extremity musculoskeletal pain during and after rehabilitation in wheelchair-using persons with a spinal cord injury. *Spinal cord* 44:152-9.
- Van Tulder MW, Assendelft WJ, Koes BW, Bouter LM, 1997. Method guidelines for systematic reviews in the Cochrane Collaboration Back Review Group for Spinal Disorders. *Spine* 22:2323-30.
- Verellen J, Theisen D, Vanlandewijck Y, 2004. Influence of crank rate in hand cycling. *Medicine and science in sports and exercise* 36:1826-31.
- Washburn RA, Seals DR, 1983. Comparison of peak oxygen uptake in arm cranking. *European journal of applied physiology and occupational physiology* 51:3-6.
- Wasserman K HJ, Sue DY, Casaburi R, Whipp BJ, 1999. Principles of exercise testing and interpretation (3rd edition). Philadelphia: Lippincott, Williams & Wilkins.
- Wecht JM, de Meersman RE, Weir JP, Bauman WA, Grimm DR, 2000. Effects of autonomic disruption and inactivity on venous vascular function. *American journal of physiology* 278:H515-20.
- Whiting RB, Dreisinger TE, Dalton RB, Londeree BR, 1983. Improved physical fitness and work capacity in quadriplegics by wheelchair exercise. *J.Cardiac Rehabil* 3:251-255.
- Whiting RB DT, Dalton RB, Londeree BR, 1983. Improved physical fitness and work capacity in quadriplegics by wheelchair exercise. *J.Cardiac Rehabil* 3:251-255.
- WHO, 2001. World Health Organization. *International Classification of functioning, Disability and Health: ICF*. Geneva: World Health Organization;.
- Wicks JR, Oldridge NB, Cameron BJ, Jones NL, 1983. Arm cranking and wheelchair ergometry in elite spinal cord-injured athletes. *Medicine and science in sports and exercise* 15:224-31.
- Wilmore JH, Stanforth PR, Gagnon J, Rice T, Mandel S, Leon AS, Rao DC, Skinner JS, Bouchard C, 2001. Heart rate and blood pressure changes with endurance training: the HERITAGE Family Study. *Medicine and science in sports and exercise* 33:107-16.
- Wood-Dauphinee S, Exner G, Bostanci B, Exner G, Glass C, Jochheim KA, Kluger P, Koller M, Krishnan KR, Post MW, Ragnarsson KT, Rommel T, Zitnay G, 2002. Quality of life in patients with spinal cord injury--basic issues, assessment, and recommendations. *Restorative neurology and neuroscience* 20:135-49.
- Yim S, Cho KJ, Park CI et al, 1993. Effect of wheelchair ergometer training on spinal cord-injured paraplegics. *Yonsei Med J* 34:278-86.
- Yim SY, Cho KJ, Park CI, Yoon TS, Han DY, Kim SK, Lee HL, 1993. Effect of wheelchair ergometer training on spinal cord-injured paraplegics. *Yonsei medical journal* 34:278-86.

Dankwoord

Dankwoord

Het is al weer bijna 10 jaar geleden dat ik bij Annet Dallmeijer en Luc van der Woude aan kwam met het idee om onderzoek te gaan doen naar handbike-training bij mensen met een hoge dwarslaesie. Als ergotherapeut was ik hierdoor gegrepen in de revalidatiepraktijk en vanuit mijn achtergrond als bewegingswetenschapper wilde ik graag uitzoeken wat de effecten waren op de fitheid van mensen die voorheen hoofdzakelijk aangewezen waren op de elektrische rolstoel voor buitenvervoer. Qua timing had het niet beter gekund want Annet en Luc waren net bezig met de subsidieaanvraag voor een landelijk dwarslaesieonderzoek (beter bekend als het Koepelproject). Een handbikeonderzoek zou kunnen aanhaken bij het landelijk onderzoek en subsidie voor dit extra project zou ingediend kunnen worden bij ZonMw. Hans Sloodman (revalidatiearts dwarslaesieafdeling Heliomare) vond het gelukkig ook een erg leuk plan en we gingen aan de slag met het schrijven van een onderzoeksvoorstel. Na een vlekkeloos doorlopen eerste subsidieronde werd ik door mijn toenmalige managers Frans le Fèvre en Ellen Donker beloond met tijd om de tweede meer tijdrovende ronde voor te bereiden. Gelukkig met goed gevolg; een dik jaar later werd de subsidieaanvraag gehonoreerd.

Ik kon daadwerkelijk aan de slag met het handbike-promotie-onderzoek; de eerste drie jaar zou ik er 2 dagen/week aan werken en de tweede drie jaar 3 dagen/week. Ja, we wisten toen al dat ik er flink wat jaren mee zoet zou zijn (en het werd nog langer door minder werken na de geboorte van Luna en Silas). Naast mijn promotieonderzoek was ik 1 dag onderzoeksassistent voor het Koepelproject en 1½ dag ergotherapeut. Als onderzoeksassistent had ik als taak om al onze dwarslaesie-revalidanten te testen i.v.m. het Koepelproject. Als ergotherapeut heb ik echter in die jaren maar een klein aandeel gehad in de behandeling van de revalidanten op onze afdeling. Dit heeft zeker ook betekend dat mijn ET-collega's Renate Korse, Ellen Kaandorp, Arjan van den Bosch (en later) Maaïke Oud soms belast werden met acties voor mijn revalidanten op de dagen dat ik er niet was. Ik besef dat dit voor jullie het werk soms extra druk heeft gemaakt en ik wil jullie dan ook bedanken voor het begrip en de steun al die jaren. Dat laatste geldt uiteraard voor het gehele team. Ik ben vooral ontzettend blij met het feit dat iedereen altijd erg goed heeft meegewerkt om revalidanten te stimuleren om mee te doen met testen en trainingen in het

kader van het handbikeonderzoek. Verder, wil ik dan ook de verpleging van 2A en 2B noemen die altijd bereid waren om revalidanten in de handbikerolstoel te helpen zetten. De groen-oranje handbike-testrolstoel is zo eigen geworden dat de meesten van jullie geblinddoekt een handbike kunnen aankoppelen en de wielen omzetten.

In het bijzonder wil ik ook Mechteld Hagoort noemen die als een leeuw in waakt over haar handbikes en die altijd heeft gezorgd dat ons handbikepark up-to-date en tip top in orde is. Daarnaast is haar enthousiasme en humor er zeker ook een belangrijke factor in geweest dat (oud)revalidanten graag kwamen handbiken in Heliomare. Ik denk met een glimlach terug aan het swingen op housemuziek tijdens de training en de gezellige BBQ met proefpersonen ter afsluiting van een handbiketrainingperiode. Alle andere trainers en motivators van belang voor het handbikeonderzoek betrokken waren wil ik bij deze ook van harte bedanken. Hierbij denk ik zeker ook aan de Sport en fysiotherapie-afdelingen van het RCA en de Hoogstraat.

Uiteraard wil ik de proefpersonen zelf bedanken die de moeite namen om naar het revalidatiecentrum te komen en allen die zelf thuis aan de gang gingen met het trainingsschema. Vooral ook de revalidanten die genoeg andere zaken aan hun hoofd hebben gehad tijdens de revalidatie. Ik wil jullie bedanken voor jullie enorme doorzettingsvermogen; zeker tijdens het begin van de revalidatie zullen velen van jullie het fysiek en mentaal behoorlijk zwaar hebben gehad tijdens de testen en trainingen.

Ik heb voor het handbikeonderzoek uitgebreid gebruik gemaakt van de data uit het koepelproject. Ik wil dan ook mijn medeonderzoeksassistenten bedanken voor de dataverzameling in hun eigen revalidatiecentrum: Sacha van Langeveldt (Hoogstraat), Karin Postma (Rijndam), Jos Bloemen (Hoensbroeck), Ferry Woldring (Beatrixoord), Henny Rijken (Maartenskliniek), Marijke Schuitemaker (het Roessingh). Peter Luthart en Annelieke Niesten (RCA). Ik denk dat wij als groep (samen met Luc, Annet, Sonja en Marcel) ontzettend trots mogen zijn op de inspirerende samenwerking al die jaren en onze bijdrage aan de totstandkoming en uitvoering van het Koepelproject (en het vervolg Spique). Niet eerder zijn op ons vakgebied zoveel interessante publicaties voortgekomen uit een longitudinaal onderzoek.

Dankwoord

Erg leuke herinneringen heb ik aan het ISCOS-congres in München waar ik samen met Sonja de Groot, Janneke Haisma en Karin Postma de grootste lol had met de gezamenlijke fysieke en mentale voorbereiding (blouse strijken) op onze presentaties. Daarnaast moet ik bij een Nivea-potje nu altijd meteen aan een gebouw in München denken door de tip die we kregen bij het geocaching.¹ Na het congres in Reykjavik werd onze onderzoeksrelatie nog hechter o.a. door ochtendlijke inspirerende hardloopexercities, zwavelbaden en vooral een louterende driedaagse trektocht door de IJslandse bergen.

Ik wil verder nog Marcel Post bedanken voor zijn bijdrage aan mijn artikelen als co-auteur. Je achtergrond als psycholoog (naast al die bewegingswetenschappers) heeft zeker tot nuttige aanpassingen geleid. Dank ook aan Thomas Janssen voor zijn inspanningsfysiologische tips; ik kom graag mee hockeyen als jullie te kort hebben in het RCA. Ook Edmond Angenot (en later) Inge Eriks bedankt voor het zitting nemen in de overleggroep en de nuttige tips en ondersteuning vanuit de praktijk.

Peter Hollander, dank voor je begeleiding op de achtergrond door de jaren heen en alle regelzaken op het einde. Tot slot Hans Slootman, als er weer eens wat tegen zat (een stagnerende instroom, uitval van proefpersonen etc.) dan was jij er altijd met je relativiserende kwajongenshumor en met creatieve inspirerende oplossingen en dan leken de problemen al meteen een stuk minder groot. Ik was net met mijn onderzoek begonnen en toen kwam Coen van Bennekom een echte R&D-afdeling op poten zetten in Heliomare. Coen, ik heb er de vruchten van mogen plukken dat jij eerst alleen en later samen met Cees Vente (en nu samen met Han Houdijk) de R&D-afdeling hebt opgebouwd tot een steeds belangrijker onderdeel binnen de organisatie. Voor het inhoudelijk deel als onderzoeksbegeleider nam Han halverwege het stokje van je over. Han, ontzettend bedankt voor jouw bijdrage aan mijn onderzoek als kritisch co-auteur en ook vanwege jouw positieve kijk op zaken. Judith van Velzen, ik ben af en toe een beetje een sloddervos en dan is het maar goed dat er mensen zijn zoals jij. Verder ben ik enorm blij met jouw luisterend oor, hulp bij onderzoeksprikelen en niet te vergeten de grondigheid waarmee jij een artikel doorspit op slordigheidfoutjes. Richard Fickert, ook al ben je er nog niet zo heel

¹ *Buitensport en spel, waarbij gebruik wordt gemaakt van een GPS-ontvanger om ergens ter wereld een zogenaamde cache (schat) te vinden.*

Dankwoord

lang (vergeleken met de tijd dat ik met het onderzoek bezig ben) het voelt alsof je er gewoon al jaren bij hoort. Ik ben blij dat ik ook weer deels bij R&D werk en gezellig met jullie (en uiteraard ook Daphne) leuke plannen kan maken in onze nieuwe ruimte.

Luc en Annet, jullie zijn voor mij de belangrijkste personen geweest tijdens mijn onderzoek. Het was een lange rit en ik heb veel van jullie geleerd. Toen ik begon had ik 4 jaar helemaal niets met mijn studie bewegingswetenschappen gedaan (2 jaar opleiding ergotherapie, 1 jaar werken als ET en 1 jaar werken en reizen door Australië.) Kortom, ik moest best weer wennen aan onderzoek doen en geleidelijk aan is dat, denk ik, toch weer behoorlijk aardig gelukt. Ik heb me in ieder geval altijd erg bij jullie op mijn gemak gevoeld en dat helpt ook.

Ik vond het vooral ook erg prettig dat jullie de weerbarstigheid van de revalidatiepraktijk ook goed kennen. Door het onderkennen van de praktijkproblemen en het oplossen hier van zijn we in staat geweest zo goed mogelijk wetenschappelijk onderzoek te doen binnen dit onderzoeksgebied. Ik zal de vruchtbare maar ook vooral gezellige afspraken met jullie missen na deze lange tijd!

Tessa en Sonja jullie staan straks aan mijn zijde; alvast dank hiervoor en de steun tijdens mijn onderzoek. Daarnaast lijkt het me ook prettig dat ik in ieder geval weer meer tijd zal overhouden om lekker buiten te spelen (lees: sporten) met jullie en ook met andere vriend(innet)jes.

Over spelen gesproken, Luna en Silas hebben het onderzoek altijd machtig interessant gevonden; in hun ogen was mama (ophalen van haar) werk erg leuk; je kon er n.l. rondrijden in een rolstoel, en rolstoelen van een loopband afduwen, liefst met je zusje of broertje er nog in. Gelukkig hebben Luna en Silas veel met de oma's en opa's mogen spelen op de momenten dat ik weer eens een dagje of in het weekeinde aan het werk was. Dank je wel oma en opa de Bruin en Valent! Het was een onderzoek van de lange adem maar ik heb het altijd leuk gevonden om te doen (ergens was mijn onderzoek ook een kindje van me) en dan kost het misschien wel veel tijd maar zeker niet te veel energie. Soms was ik wel eens verstrooid omdat ik aan het nadenken was over mijn onderzoek en dan stuurde Bas mij er gewoon op uit om hard te lopen en dan had ik of een geniale inval of ik was het gewoon kwijt (meestal het laatste). Bas heeft mij meer dan eens geholpen met metingen (want met een zwangere buik

Dankwoord

is meten niet zo handig). Dank je wel, Bas (xxx) samen met jou en uiteraard ook Luna en Silas gaan we hopelijk nog heel veel leuke uitdagingen aan in het leven.

Curriculum Vitae

Curriculum Vitae

Curriculum Vitae

De auteur is op 9 januari 1971 te Eindhoven geboren. Zij behaalde in 1989 haar VWO-diploma aan het Rythoviuscollege te Eersel. Van 1989 tot 1994 studeerde zij Bewegingswetenschappen aan de Faculteit der Bewegingswetenschappen te Amsterdam. Hierna volgde zij de korte opleiding ergotherapie aan de Hogeschool van Amsterdam.

Van 1997 tot heden (met een onderbreking van een jaar werken en rondreizen in Australië) werkt zij als ergotherapeut en later ook als (promotie)onderzoeker in Revalidatiecentrum Heliomare te Wijk aan Zee.

Articles in international journals

Valent LJM, Dallmeijer AJ, Houdijk H, Sloopman J, Janssen TW, Hollander AP et al: The individual relationship between heart rate and oxygen uptake in people with a tetraplegia during exercise. *Spinal Cord* (2007) 45, 104-111.

Valent LJM, Dallmeijer AJ, Houdijk H, Talsma E, van der Woude LHV: The effects of upper body exercise on the physical capacity of persons with a spinal cord injury. A systematic review. *Clinical rehabilitation* 21:315-30.

Valent Linda J.M, Dallmeijer Annet J., Houdijk Han, Sloopman Hans J., Van der Woude Lucas H: The relationship between hand cycling and physical capacity in rehabilitation of persons with a Spinal Cord Injury: a longitudinal cohort study. *Archives of physical medicine and rehabilitation* 89:1016-22.

van der Linden ML, Valent L, Veeger HE, van der Woude LH: The effect of wheelchair handrim tube diameter on propulsion efficiency and force application (tube diameter and efficiency in wheelchairs). *IEEE Trans Rehabil Eng.* 1996 Sep;4(3):123-32.

Conference Proceedings

Van der Woude LHV, De Groot S, Janssen TWJ, Haisma JA, Valent LJM, Veeger HEJ, The evaluation of manual wheelchair performance in everyday life, In: le fauteuil Roulant, Frison-Roche, Paris, 137-155, 2008

Valent LJ, Dallmeijer AJ, Houdijk H, Sloopman HJ, Janssen TW, Post MW, van der Woude LH: The effects of hand cycle training on physical capacity and health-related quality of life in individuals with tetraplegia: International Spinal Cord Society ISCOS, Durban South-Africa September 2008

Valent L.J.M., Dallmeijer A.J., Houdijk H., Sloopman J., Angenot E.L.D., van der Woude L.H.V.: Hand cycle use of persons with a Spinal Cord Injury in the Netherlands during and after rehabilitation; a descriptive analysis. ISCOS Reykjavik 26-30 juni 2007

Valent LJM, Dallmeijer AJ, Houdijk H, Sloopman J, Janssen TW, Hollander AP et al.:The individual relationship between heart rate and oxygen uptake in people with a tetraplegia. ISCOS, Munchen, 7 oktober 2005

L.J.M. Valent, Dallmeijer A.J., Sloopman J., Janssen T.W.J.(FACSM), Houdijk J.H.P, Hollander A.P., Woude L.H.V. van der: The individual relationship between heart rate and oxygen uptake in people with a tetraplegia. Medicine and Science in Sports and Exercise, Volume 37:5 Supplement

L.J.M. Valent, Dallmeijer A.J., Sloopman J., Angenot E.L.D., Asbeck F.W.A. van, Bennekom C. van, Janssen T.W.J., Hollander A.P., Woude L.H.V. van der.: Effect of hand cycle training on physical capacity in persons with a tetraplegia. Spinal Cord, august 2004.

L.J.M. Valent, Dallmeijer A.J., Sloopman J., Angenot E.L.D., Asbeck F.W.A. van, Bennekom C. van, Janssen T.W.J., Hollander A.P., Woude L.H.V. van der.: Effect of hand cycle training on physical capacity and wheelchair-skills in persons with a tetraplegia, 3rd International Congress Restoration of mobility in SCI rehabilitation: Journal of Rehabilitation Research Development (JRRD), Volume 41 (2), supplement 2, page 61, march/april 2004.

De totstandkoming van dit proefschrift werd mede mogelijk gemaakt door financiële steun van:
Printing of this thesis was financially supported by:



ZonMw-revalidatie



Heliomare Research & Development



De Stichting Wetenschappelijk Fonds De Hoogstraat te Utrecht



Duyvensz-Nagel Onderzoekslaboratorium,
Revalidatiecentrum Amsterdam



Speciaalzaak voor handbikes, sportrolstoelen en actief ADL rolstoelen



Bewegingstechnologisch adviesbureau in dynamische voetdrukmeting, custom-made rolstoelrugleuning, blessurepreventie, sportadvies, testen en ontwerpen



Speciaalzaak op het gebied van actief rolstoelgebruik en rolstoelsport



Producent van professionele fitnessapparatuur, waaronder arm crank apparatuur



Specialist in stomazorg, urologie en continenzorg, en wond- en huidzorg.



Onderzoeksinstituut MOVE met de onderzoeksschool IFKB

