

Publications

M.A.C. van der Weijden



Publications

- (1) John ML, **van der Weijden MA**, van der Bijl CM, Bruijnen ST, van der Laken CJ, Nurmohamed MT, van der Horst-Bruinsma IE. MRI is often negative in clinically suspected non-radiographic axial Spondyloarthritis.
Submitted.
- (2) **Van der Weijden MA**, van Denderen JC, Lems WF, Nurmohamed MT, Dijkmans BA, van der Horst-Bruinsma IE. Etanercept increases bone mineral density in ankylosing spondylitis, but does not prevent vertebral fractures.
Submitted major revision.
- (3) Claushuis TA, de Vries MK*, **van der Weijden MA***, Visman IM, Nurmohamed MT, Twisk JW, van der Horst-Bruinsma IE, Crusius JB. C-reactive protein polymorphisms influence serum CRP-levels independent of disease activity in ankylosing spondylitis.
*Clinical and Experimental Rheumatology 2014 [Accepted for publication]. *both authors contributed equally.*
- (4) **Van der Weijden MA**, Boonen A, Van der Horst-Bruinsma IE. Problems in work participation and resource utilisation should not be underestimated in patients with an early SpA.
Journal of Rheumatology 2014 [Accepted for publication].
- (5) **Van der Weijden MA**, Claushuis TA, Nazari T, Lems WF, Dijkmans BA, van der Horst-Bruinsma IE. High prevalence of low bone mineral density in patients within 10 years of onset of ankylosing spondylitis: a systematic review.
Clinical Rheumatology. 2012 Nov;31(11):1529-35.
- (6) **Van der Weijden MA**, van der Horst-Bruinsma IE, van Denderen JC, Dijkmans BA, Heymans MW, Lems WF. High frequency of vertebral fractures in early spondylarthropathies.
Osteoporosis International. 2012 Jun;23(6):1683-90.
- (7) Bruijnen ST*, **van der Weijden MA***, Klein JP, Hoekstra OS, Boellaard R, van Denderen JC, Dijkmans BA, Voskuyl AE, van der Horst-Bruinsma IE, van der Laken CJ. Bone formation rather than inflammation reflects ankylosing spondylitis activity on PET-CT: a pilot study.
*Arthritis Research & Therapy. 2012 Apr 2;14(2):R71. *both authors contributed equally.*
- (8) **Van der Weijden MA**, van Denderen JC, Lems WF, Heymans MW, Dijkmans BA, van der Horst-Bruinsma IE. Low bone mineral density is related to male gender and decreased functional capacity in early spondylarthropathies.
Clinical Rheumatology. 2011 Apr;30(4):497-503.

- (9) Ursum J, **van der Weijden MA**, van Schaardenburg D, Prins AP, Dijkmans BA, Twisk JW, Crusius JB, Van der Horst-Bruinsma IE. IL10 GGC haplotype is positively and HLA-DQA1*05-DQB1*02 is negatively associated with radiographic progression in undifferentiated arthritis.
Journal of Rheumatology. 2010 Jul;37(7):1431-8.
- (10) Dik VK, Peters MJ, Dijkmans PA, **van der Weijden MA**, de Vries MK, Dijkmans BA, van der Horst-Bruinsma IE, Nurmohamed MT. The relationship between disease-related characteristics and conduction disturbances in ankylosing spondylitis.
Scandinavian Journal of Rheumatology. 2010;39(1):38-41.