



Table of contents

TABLE OF CONTENTS

Chapter 1	General introduction.	9
Chapter 2	DNA-bound platinum is the major determinant of cisplatin sensitivity in head and neck squamous carcinoma cells. <i>PLoS One. 2013;8(4):e61555.</i> <i>doi: 10.1371/journal.pone.0061555.</i>	25
Chapter 3	A genome-wide siRNA screen identifies the FA/BRCA pathway as the strongest predictor of cisplatin response in head and neck cancer cells. <i>Manuscript in preparation.</i>	41
Chapter 4	Functional genetic screens identify genes essential for tumor cell survival in head-and-neck and lung cancer. <i>Clin Cancer Res. 2013;19(8):1994-2003.</i> <i>doi: 10.1158/1078-0432.CCR-12-2539.</i>	65
Chapter 5	Identification of lethal microRNAs specific for head and neck cancer. <i>Clin Cancer Res. 2013; 19(20):5647-5657.</i> <i>doi: 10.1158/1078-0432.CCR-12-2295.</i>	89
Chapter 6	CD98 marks a subpopulation of head and neck squamous cell carcinoma cells with stem cell properties. <i>Stem Cell Res. 2013;10(3):477-88.</i> <i>doi: 10.1016/j.scr.2013.02.004.</i>	115
Chapter 7	Cancer stem cell enrichment marker CD98: a prognostic factor for survival in patients with HPV-positive oropharyngeal cancer. <i>European Journal of Cancer, in press.</i> <i>doi: 10.1016/j.ejca.2013.11.010.</i>	139
Chapter 8	General discussion and future perspectives.	153
Chapter 9	Summary. Samenvatting in het Nederlands.	161
Chapter 10	Curriculum Vitae. Publications.	171
Chapter 11	Dankwoord.	175

