1	List of publications
2	•
3	
4	
5	
6	Breukers RM, de Wilde RB, van den Berg PC, Jansen JR, Faes TJ, Twisk JW, Groeneveld
7	AB. Assessing fluid responses after coronary surgery: role of mathematical coupling o
8	global end-diastolic volume to cardiac output measured by transpulmonary thermodi
9	lution. Eur J Anaesthesiol. 2009; 26: 954-960
10	Breukers RM, Willems JH, de Wilde R, Jansen JR, Groeneveld AJ. Less invasive indicators
11	of changes in the modilution cardiac output by ventilatory changes after cardiac surgery
12	Eur J Anaesthesiol. 2009; 26: 863-867
13	Breukers RM, Groeneveld AB, de Wilde RB, Jansen JR. Transpulmonary versus continu
14	ous thermodilution cardiac output after valvular and coronary artery surgery. Interac
15	Cardiovasc Thorac Surg. 2009; 9: 4-8
16	Breukers RM, Trof RJ, de Wilde RB, van den Berg PC, Twisk JW, Jansen JR, Groeneveld J
17	Relative value of pressures and volumes in assessing fluid responsiveness after valvula
18	and coronary artery surgery. Eur J Cardiothorac Surg. 2009; 35: 62-68
19	Breukers RM, Sepehrkhouy S, Spiegelenberg SR, Groeneveld AB. Cardiac output mea
20	sured by a new arterial pressure waveform analysis method without calibration com
21	pared with thermodilution after cardiac surgery. J Cardiothorac Vasc Anesth. 2007; 21
22	632-635
23	De Wilde RB, Breukers RB, van den Berg PC, Jansen JR. Monitoring cardiac output using
24	the femoral and radial arterial pressure waveform. <i>Anaesthesia</i> . 2006; 61: 743-746
25	Groeneveld ABJ, Breukers RBGE. Preload recruitability as a guide to fluid therapy in
26	shock. In: Redl H (Ed) 11 th Congress of the European Shock Society Medimond, pp 23-27
27	Breukers RB, Jansen JR. Pulmonary artery thermodilution cardiac output vs. transpulmo
28	nary thermodilution cardiac output in two patients with intrathoracic pathology. <i>Actor</i>
29 30	Anaesthesiol Scand. 2004; 48: 658-661 Mercelina-Roumans PE, Breukers RB, Ubachs JM, van Wersch JW. Hematological variables
31	in cord blood of neonates of smoking and nonsmoking mothers. <i>J Clin Epidemiol</i> . 1996
32	49: 449-454
33	Mercelina-Roumans PE, Breukers RB, Ubachs JM, van Wersch JW. Cord blood cells and
34	indices: smoking-related differences between the sexes. <i>Acta Paediatr</i> . 1995; 84: 371-374
35	Groeneveld ABJ, Breukers RMBG, Verheij J. Clinical value of intrathoracic volumes from
36	transpulmonary indicator dilution. <i>Pinsky MR, Payen D, eds. Update in Intensive Care and</i>
37	Emergency Medicine, Functional Hemodynamic Monitorina, Springer Verlag, Berlin 2004

pp 153-163

- 1 Breukers RMBGE, Trof RJ, Groeneveld ABJ. Cardiac filling volumes and pressures in
- assessing preload responsiveness upon fluid challenges. Vincent J.-L. ed. Yearbook of
- 3 Intensive Care and Emergency Medicine. Hemodynamic support. Springer Verlag, Berlin
- 4 2009; pp 265-274
- 5 Houtman S, Bouwman RA, Coumou JW, Vonk Noordergraaf A, Breukers RM. Tension
- 6 pneumothorax after accidental aspiration. Neth J Crit Care 2009; 13: 142-144
- 7 Slagt C, Breukers RMBGE, Groeneveld ABJ. Choosing patient-tailored hemodynamic
- 8 monitoring. Accepted for publication in Yearbook of Intensive Care and Emergency
- 9 Medicine 2010 and in Critical Care

Curriculum Vitae

1 2

Rosemarie B.G.E., listening to the name Rose-Marieke, Breukers was born on November 24th 1967 in Waalwijk. She graduated from the Dr. Mollercollege, Waalwijk in 1986. In 1987 she started medical school at the Rijksuniversiteit Limburg in Maastricht. She finished her study spending a few months in Kenya. She received her medical degree in 1994 and started her internal medicine training in 1996 at the Westeinde Hospital (Head: Dr. E.J. Buurke en Dr. P.H. Geelhoed-Duijvestijn) and the Leiden University Medical Center (Head: Prof.Dr. A.E. Meinders). In 2001 she started her fellowship Intensive Care Medicine at the LUMC (Head: Prof.Dr. P.C.M. van den Berg). In 2003 she she joined the intensive care staff at the VU Medical Center, Amsterdam. In 2008 she passed the European examination Transesophageale Echocardiography. In 2010 she will join the intensive care staff at the Flevohospital in Almere.