

## Contents

|                   |   |            |
|-------------------|---|------------|
| <b>Chapter 1</b>  | Introduction  | <b>7</b>   |
| <b>Chapter 2</b>  | Colorectal adenoma to carcinoma progression follows multiple pathways of chromosomal instability<br><i>Gastroenterology 2002, 123: 1109-1119</i>                    | <b>39</b>  |
| <b>Chapter 3</b>  | Promoter methylation precedes chromosomal alterations in colorectal cancer development<br><i>Cellular Oncology 2006, 28: 247-257</i>                                | <b>61</b>  |
| <b>Chapter 4</b>  | Chromosomal instability in flat adenomas and carcinomas of the colon<br><i>Journal of Pathology 2005, 205: 514-521</i>  | <b>79</b>  |
| <b>Chapter 5</b>  | Gain of chromosome 20q is an indicator of poor prognosis in colorectal cancer<br><i>Based on Cellular Oncology 2007, 29: 73-75</i>                                  | <b>95</b>  |
| <b>Chapter 6</b>  | Multiple putative oncogenes at the chromosome 20q amplicon contribute to colorectal adenoma to carcinoma progression<br><i>Gut 2009, 58: 79-89</i>                  | <b>103</b> |
| <b>Chapter 7</b>  | DNA copy number profiles of primary tumors as predictors of response to chemotherapy in advanced colorectal cancer<br><i>Annals of Oncology 2009, 20: 1048-1056</i> | <b>131</b> |
| <b>Chapter 8</b>  | DNA copy number gain of FAK in wild-type <i>KRAS</i> colorectal cancer<br><i>Submitted for publication</i>  | <b>151</b> |
| <b>Chapter 9</b>  | Summarizing discussion and future perspectives  | <b>169</b> |
| <b>Chapter 10</b> | Summary in Dutch (Nederlandse samenvatting)   | <b>177</b> |
|                   | Curriculum Vitae  | <b>185</b> |
|                   | Publications  | <b>187</b> |
|                   | Color figures   | <b>189</b> |