



Appendix

&

References

- Aarsland, D, Larsen, JP, Lim, NG, et al. (1999). "Range of neuropsychiatric disturbances in patients with Parkinson's disease." *J Neurol Neurosurg Psychiatry* 67(4): 492-6.
- Aarsland, D, Marsh, L and Schrag, A (2009). "Neuropsychiatric symptoms in Parkinson's disease." *Mov Disord* 24(15): 2175-86.
- Aarsland, D, Pahlhagen, S, Ballard, CG, et al. (2012). "Depression in Parkinson disease—epidemiology, mechanisms and management." *Nat Rev Neurol* 8(1): 35-47.
- Aarts, E, Helmich, RC, Janssen, MJ, et al. (2012). "Aberrant reward processing in Parkinson's disease is associated with dopamine cell loss." *Neuroimage* 59(4): 3339-46.
- Abi-Dargham, A and Laruelle, M (2005). "Mechanisms of action of second generation antipsychotic drugs in schizophrenia: insights from brain imaging studies." *Eur Psychiatry* 20(1): 15-27.
- Albin, RL and Mink, JW (2006). "Recent advances in Tourette syndrome research." *Trends Neurosci* 29(3): 175-82.
- Alderson, RM, Rapport, MD and Kofler, MJ (2007). "Attention-deficit/hyperactivity disorder and behavioral inhibition: a meta-analytic review of the stop-signal paradigm." *J Abnorm Child Psychol* 35(5): 745-58.
- Alegret, M, Junque, C, Pueyo, R, et al. (2001). "MRI atrophy parameters related to cognitive and motor impairment in Parkinson's disease." *Neurologia* 16(2): 63-9.
- Alexander, GE, DeLong, MR and Strick, PL (1986). "Parallel organization of functionally segregated circuits linking basal ganglia and cortex." *Annu Rev Neurosci* 9: 357-81.
- American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders*. Washington, DC, Amer Psychiatric Pub Inc,.
- American Psychiatric Association (2013). *Diagnostic and statistical manual of mental disorders*. Arlington, VA, American Psychiatric Publishing.
- Anderson, IM, Clark, L, Elliott, R, et al. (2002). "5-HT(2C) receptor activation by m-chlorophenylpiperazine detected in humans with fMRI." *Neuroreport* 13(12): 1547-51.
- Antonini, A and Cilia, R (2009). "Behavioural adverse effects of dopaminergic treatments in Parkinson's disease: incidence, neurobiological basis, management and prevention." *Drug Saf* 32(6): 475-88.
- Aron, AR, Dowson, JH, Sahakian, BJ, et al. (2003a). "Methylphenidate improves response inhibition in adults with attention-deficit/hyperactivity disorder." *Biol Psychiatry* 54(12): 1465-8.
- Aron, AR, Fletcher, PC, Bullmore, ET, et al. (2003b). "Stop-signal inhibition disrupted by damage to right inferior frontal gyrus in humans." *Nat Neurosci* 6(2): 115-6.
- Aron, AR (2011). "From reactive to proactive and selective control: developing a richer model for stopping inappropriate responses." *Biol Psychiatry* 69(12): e55-68.
- Asghari, V, Sanyal, S, Buchwaldt, S, et al. (1995). "Modulation of intracellular cyclic AMP levels by different human dopamine D4 receptor variants." *J Neurochem* 65(3): 1157-65.
- Assefa, D, Haque, FN and Wong, AH (2012). "Case report: anxiety and fear in a patient with meningioma compressing the left amygdala." *Neurocase* 18(2): 91-4.
- Aupperle, RL, Allard, CB, Grimes, EM, et al. (2012). "Dorsolateral prefrontal cortex activation during emotional anticipation and neuropsychological performance in posttraumatic stress disorder." *Arch Gen Psychiatry* 69(4): 360-71.
- Baarendse, PJ and Vanderschuren, LJ (2012). "Dissociable effects of monoamine reuptake inhibitors on distinct forms of impulsive behavior in rats." *Psychopharmacology (Berl)* 219(2): 313-26.
- Baarendse, PJ, Winstanley, CA and Vanderschuren, LJ (2013). "Simultaneous blockade of dopamine and noradrenaline reuptake promotes disadvantageous decision making in a rat gambling task." *Psychopharmacology (Berl)* 225(3): 719-31.
- Baas, D, Aleman, A and Kahn, RS (2004). "Lateralization of amygdala activation: a systematic review of functional neuroimaging studies." *Brain Res Brain Res Rev* 45(2): 96-103.
- Baehne, CG, Ehliis, AC, Plichta, MM, et al. (2009). "Tph2 gene variants modulate response control processes in adult ADHD patients and healthy individuals." *Mol Psychiatry* 14(11): 1032-9.

- Baglio, F, Blasi, V, Falini, A, et al. (2011). "Functional brain changes in early Parkinson's disease during motor response and motor inhibition." *Neurobiol Aging* 32(1): 115-24.
- Baik, K, Cha, J, Ham, JH, et al. (2014). "Dopaminergic modulation of resting-state functional connectivity in de novo patients with Parkinson's disease." *Hum Brain Mapp* 35(11): 5431-41.
- Ballanger, B, Klingler, H, Eche, J, et al. (2012). "Role of serotonergic 1A receptor dysfunction in depression associated with Parkinson's disease." *Mov Disord* 27(1): 84-9.
- Banich, MT, Burgess, GC, Depue, BE, et al. (2009). "The neural basis of sustained and transient attentional control in young adults with ADHD." *Neuropsychologia* 47(14): 3095-104.
- Bannon, S, Gonsalvez, CJ, Croft, RJ, et al. (2002). "Response inhibition deficits in obsessive-compulsive disorder." *Psychiatry Res* 110(2): 165-74.
- Barbelivien, A, Billy, E, Lazarus, C, et al. (2008). "Rats with different profiles of impulsive choice behavior exhibit differences in responses to caffeine and d-amphetamine and in medial prefrontal cortex 5-HT utilization." *Behav Brain Res* 187(2): 273-83.
- Bari, A, Eagle, DM, Mar, AC, et al. (2009). "Dissociable effects of noradrenaline, dopamine, and serotonin uptake blockade on stop task performance in rats." *Psychopharmacology (Berl)* 205(2): 273-83.
- Bari, A and Robbins, TW (2013a). "Noradrenergic versus dopaminergic modulation of impulsivity, attention and monitoring behaviour in rats performing the stop-signal task: possible relevance to ADHD." *Psychopharmacology (Berl)* 230(1): 89-111.
- Bari, A and Robbins, TW (2013b). "Inhibition and impulsivity: behavioral and neural basis of response control." *Prog Neurobiol* 108: 44-79.
- Baron-Cohen, S, Cross, P, Crowson, M, et al. (1994). "Can children with Gilles de la Tourette syndrome edit their intentions?" *Psychol Med* 24(1): 29-40.
- Barone, P, Poewe, W, Albrecht, S, et al. (2010). "Pramipexole for the treatment of depressive symptoms in patients with Parkinson's disease: a randomised, double-blind, placebo-controlled trial." *Lancet Neurol* 9(6): 573-80.
- Bastiaens, J, Dorfman, BJ, Christos, PJ, et al. (2013). "Prospective cohort study of impulse control disorders in Parkinson's disease." *Mov Disord* 28(3): 327-33.
- Batty, MJ, Liddle, EB, Pitiot, A, et al. (2010). "Cortical gray matter in attention-deficit/hyperactivity disorder: a structural magnetic resonance imaging study." *J Am Acad Child Adolesc Psychiatry* 49(3): 229-38.
- Beck, AT, Ward, CH, Mendelson, M, et al. (1961). "An inventory for measuring depression." *Arch Gen Psychiatry* 4: 561-71.
- Beck, AT, Epstein, N, Brown, G, et al. (1988). "An inventory for measuring clinical anxiety: psychometric properties." *J Consult Clin Psychol* 56(6): 893-7.
- Bedard, AC, Schulz, KP, Cook, EH, Jr., et al. (2010). "Dopamine transporter gene variation modulates activation of striatum in youth with ADHD." *Neuroimage* 53(3): 935-42.
- Bellgrove, MA, Hawi, Z, Lowe, N, et al. (2005). "DRD4 gene variants and sustained attention in attention deficit hyperactivity disorder (ADHD): effects of associated alleles at the VNTR and -521 SNP." *Am J Med Genet B Neuropsychiatr Genet* 136B(1): 81-6.
- Benamer, HT, Patterson, J, Wyper, DJ, et al. (2000). "Correlation of Parkinson's disease severity and duration with 123I-FP-CIT SPECT striatal uptake." *Mov Disord* 15(4): 692-8.
- Benarroch, EE (2009). "The locus ceruleus norepinephrine system: functional organization and potential clinical significance." *Neurology* 73(20): 1699-704.
- Bendor, JT, Logan, TP and Edwards, RH (2013). "The function of alpha-synuclein." *Neuron* 79(6): 1044-66.
- Benoit, M and Robert, PH (2011). "Imaging correlates of apathy and depression in Parkinson's disease." *J Neurol Sci* 310(1-2): 58-60.
- Bentivoglio, AR, Baldonero, E, Ricciardi, L, et al. (2013). "Neuropsychological features of patients with Parkinson's disease and impulse control disorders." *Neurol Sci* 34(7): 1207-13.
- Beraha, E, Eggers, J, Hindi Attar, C, et al. (2012). "Hemispheric asymmetry for affective stimulus processing in healthy subjects—a fMRI study." *PLoS One* 7(10): e46931.
- Berrios, GE, Campbell, C and Politynska, BE

References

- (1995). "Autonomic failure, depression and anxiety in Parkinson's disease." *Br J Psychiatry* 166(6): 789-92.
- Berthoz, S, Artiges, E, Van De Moortele, PF, et al. (2002). "Effect of impaired recognition and expression of emotions on frontocingulate cortices: an fMRI study of men with alexithymia." *Am J Psychiatry* 159(6): 961-7.
- Beste, C, Dziobek, I, Hielscher, H, et al. (2009). "Effects of stimulus-response compatibility on inhibitory processes in Parkinson's disease." *Eur J Neurosci* 29(4): 855-60.
- Beste, C, Willemsen, R, Saft, C, et al. (2010). "Response inhibition subprocesses and dopaminergic pathways: basal ganglia disease effects." *Neuropsychologia* 48(2): 366-73.
- Beucke, JC, Plotkin, M, Winter, C, et al. (2011). "Midbrain serotonin transporters in de novo and L-DOPA-treated patients with early Parkinson's disease—a [123 I]-ADAM SPECT study." *Eur J Neurol* 18(5): 750-5.
- Bjorklund, A and Dunnett, SB (2007). "Dopamine neuron systems in the brain: an update." *Trends Neurosci* 30(5): 194-202.
- Blalock, HM (1963). "Correlated independent variables: The problem of multicollinearity." *Social Forces* 42(2): 233-7.
- Blasi, G, Goldberg, TE, Weickert, T, et al. (2006). "Brain regions underlying response inhibition and interference monitoring and suppression." *Eur J Neurosci* 23(6): 1658-64.
- Bloch, M, State, M and Pittenger, C (2011). "Recent advances in Tourette syndrome." *Curr Opin Neurol* 24(2): 119-25.
- Bodi, N, Keri, S, Nagy, H, et al. (2009). "Reward-learning and the novelty-seeking personality: a between- and within-subjects study of the effects of dopamine agonists on young Parkinson's patients." *Brain* 132(Pt 9): 2385-95.
- Bogdanova, Y and Cronin-Golomb, A (2013). "Alexithymia and apathy in Parkinson's disease: neurocognitive correlates." *Behav Neurol* 27(4): 535-45.
- Boggio, PS, Ferrucci, R, Rigonatti, SP, et al. (2006). "Effects of transcranial direct current stimulation on working memory in patients with Parkinson's disease." *J Neurol Sci* 249(1): 31-8.
- Bohne, A, Keuthen, NJ, Tuschen-Caffier, B, et al. (2005). "Cognitive inhibition in trichotillomania and obsessive-compulsive disorder." *Behav Res Ther* 43(7): 923-42.
- Bohne, A, Savage, CR, Deckersbach, T, et al. (2008). "Motor inhibition in trichotillomania and obsessive-compulsive disorder." *J Psychiatr Res* 42(2): 141-50.
- Bohnen, NI, Albin, RL, Koeppe, RA, et al. (2006). "Positron emission tomography of monoaminergic vesicular binding in aging and Parkinson disease." *J Cereb Blood Flow Metab* 26(9): 1198-212.
- Boileau, I, Warsh, JJ, Guttman, M, et al. (2008). "Elevated serotonin transporter binding in depressed patients with Parkinson's disease: a preliminary PET study with [11C]DASB." *Mov Disord* 23(12): 1776-80.
- Boileau, I, Guttman, M, Rusjan, P, et al. (2009). "Decreased binding of the D3 dopamine receptor-preferring ligand [11C](+)-PHNO in drug-naive Parkinson's disease." *Brain* 132(Pt 5): 1366-75.
- Bokura, H, Yamaguchi, S and Kobayashi, S (2005). "Event-related potentials for response inhibition in Parkinson's disease." *Neuropsychologia* 43(6): 967-75.
- Bolger, N, Davis, A and Rafaeli, E (2003). "Diary methods: capturing life as it is lived." *Annu Rev Psychol* 54: 579-616.
- Bonnin, CA, Houeto, JL, Gil, R, et al. (2010). "Adjustments of conflict monitoring in Parkinson's disease." *Neuropsychology* 24(4): 542-6.
- Booij, J, Tissingh, G, Winogrodzka, A, et al. (1999). "Imaging of the dopaminergic neurotransmission system using single-photon emission tomography and positron emission tomography in patients with parkinsonism." *Eur J Nucl Med* 26(2): 171-82.
- Booij, J, Bergmans, P, Winogrodzka, A, et al. (2001). "Imaging of dopamine transporters with [123I]FP-CIT SPECT does not suggest a significant effect of age on the symptomatic threshold of disease in Parkinson's disease." *Synapse* 39(2): 101-8.
- Booij, J and Kemp, P (2008). "Dopamine transporter imaging with [(123)I]FP-CIT SPECT: potential effects of drugs." *Eur J Nucl Med Mol Imaging* 35(2): 424-38.
- Booth, JR, Burman, DD, Meyer, JR, et al. (2005). "Larger deficits in brain networks for response inhibition than for visual selective attention in

- attention deficit hyperactivity disorder (ADHD)." *J Child Psychol Psychiatry* 46(1): 94-111.
- Bouchard, TP, Malykhin, N, Martin, WR, et al. (2008). "Age and dementia-associated atrophy predominates in the hippocampal head and amygdala in Parkinson's disease." *Neurobiol Aging* 29(7): 1027-39.
- Boureau, Y-L and Dayan, P (2010). "Opponency revisited: competition and cooperation between dopamine and serotonin." *Neuropsychopharmacology* 36(1): 74-97.
- Braak, H, Braak, E, Yilmazer, D, et al. (1994). "Amygdala pathology in Parkinson's disease." *Acta Neuropathol* 88(6): 493-500.
- Braak, H, Del Tredici, K, Rub, U, et al. (2003). "Staging of brain pathology related to sporadic Parkinson's disease." *Neurobiol Aging* 24(2): 197-211.
- Braak, H, Ghebremedhin, E, Rub, U, et al. (2004). "Stages in the development of Parkinson's disease-related pathology." *Cell Tissue Res* 318(1): 121-34.
- Braet, W, Johnson, KA, Tobin, CT, et al. (2011). "fMRI activation during response inhibition and error processing: the role of the DAT1 gene in typically developing adolescents and those diagnosed with ADHD." *Neuropsychologia* 49(7): 1641-50.
- Breuer, ME, Groenink, L, Oosting, RS, et al. (2009). "Antidepressant effects of pramipexole, a dopamine D3/D2 receptor agonist, and 7-OH-DPAT, a dopamine D3 receptor agonist, in olfactory bulbectomized rats." *Eur J Pharmacol* 616(1-3): 134-40.
- Brevers, D, Cleeremans, A, Verbruggen, F, et al. (2012). "Impulsive action but not impulsive choice determines problem gambling severity." *PLoS One* 7(11): e50647.
- Brookes, KJ, Neale, BM, Sugden, K, et al. (2007). "Relationship between VNTR polymorphisms of the human dopamine transporter gene and expression in post-mortem midbrain tissue." *Am J Med Genet B Neuropsychiatr Genet* 144B(8): 1070-8.
- Broussolle, E, Dentresangle, C, Landais, P, et al. (1999). "The relation of putamen and caudate nucleus 18F-Dopa uptake to motor and cognitive performances in Parkinson's disease." *J Neurol Sci* 166(2): 141-51.
- Brucke, T, Kornhuber, J, Angelberger, P, et al. (1993). "SPECT imaging of dopamine and serotonin transporters with [¹²³I]beta-CIT. Binding kinetics in the human brain." *J Neural Transm Gen Sect* 94(2): 137-46.
- Buckholtz, JW, Treadway, MT, Cowan, RL, et al. (2010). "Dopaminergic network differences in human impulsivity." *Science* 329(5991): 532.
- Burgess, GC, Depue, BE, Ruzic, L, et al. (2010). "Attentional control activation relates to working memory in attention-deficit/hyperactivity disorder." *Biol Psychiatry* 67(7): 632-40.
- Buse, J, Schoenefeld, K, Munchau, A, et al. (2013). "Neuromodulation in Tourette syndrome: dopamine and beyond." *Neurosci Biobehav Rev* 37(6): 1069-84.
- Bush, G, Frazier, JA, Rauch, SL, et al. (1999). "Anterior cingulate cortex dysfunction in attention-deficit/hyperactivity disorder revealed by fMRI and the Counting Stroop." *Biol Psychiatry* 45(12): 1542-52.
- Cagigas, XE, Filoteo, JV, Stricker, JL, et al. (2007). "Flanker compatibility effects in patients with Parkinson's disease: impact of target onset delay and trial-by-trial stimulus variation." *Brain Cogn* 63(3): 247-59.
- Cai, W, George, JS, Verbruggen, F, et al. (2012). "The role of the right presupplementary motor area in stopping action: two studies with event-related transcranial magnetic stimulation." *J Neurophysiol* 108(2): 380-9.
- Cardoso, EF, Fregni, F, Martins Maia, F, et al. (2008). "rTMS treatment for depression in Parkinson's disease increases BOLD responses in the left prefrontal cortex." *Int J Neuropsychopharmacol* 11(2): 173-83.
- Cardoso, EF, Maia, FM, Fregni, F, et al. (2009). "Depression in Parkinson's disease: convergence from voxel-based morphometry and functional magnetic resonance imaging in the limbic thalamus." *Neuroimage* 47(2): 467-72.
- Carlson, PJ, Singh, JB, Zarate, CA, Jr., et al. (2006). "Neural circuitry and neuroplasticity in mood disorders: insights for novel therapeutic targets." *NeuroRx* 3(1): 22-41.
- Carnicella, S, Drui, G, Boulet, S, et al. (2014). "Implication of dopamine D3 receptor activation in the reversion of Parkinson's disease-related motivational deficits." *Transl Psychiatry* 4: e401.
- Casey, BJ, Castellanos, FX, Giedd, JN, et al.

References

- (1997). "Implication of right frontostriatal circuitry in response inhibition and attention-deficit/hyperactivity disorder." *J Am Acad Child Adolesc Psychiatry* 36(3): 374-83.
- Cera, N, Bifolchetti, S, Martinotti, G, et al. (2014). "Amantadine and cognitive flexibility: decision making in Parkinson's patients with severe pathological gambling and other impulse control disorders." *Neuropsychiatr Dis Treat* 10: 1093-101.
- Ceravolo, R, Frosini, D, Poletti, M, et al. (2013). "Mild affective symptoms in de novo Parkinson's disease patients: relationship with dopaminergic dysfunction." *Eur J Neurol* 20(3): 480-5.
- Chamberlain, SR, Blackwell, AD, Fineberg, NA, et al. (2005). "The neuropsychology of obsessive compulsive disorder: the importance of failures in cognitive and behavioural inhibition as candidate endophenotypic markers." *Neurosci Biobehav Rev* 29(3): 399-419.
- Chamberlain, SR, Fineberg, NA, Blackwell, AD, et al. (2006a). "Motor inhibition and cognitive flexibility in obsessive-compulsive disorder and trichotillomania." *Am J Psychiatry* 163(7): 1282-4.
- Chamberlain, SR, Muller, U, Blackwell, AD, et al. (2006b). "Neurochemical modulation of response inhibition and probabilistic learning in humans." *Science* 311(5762): 861-3.
- Chamberlain, SR, Del Campo, N, Dowson, J, et al. (2007a). "Atomoxetine improved response inhibition in adults with attention deficit/hyperactivity disorder." *Biol Psychiatry* 62(9): 977-84.
- Chamberlain, SR, Fineberg, NA, Menzies, LA, et al. (2007b). "Impaired cognitive flexibility and motor inhibition in unaffected first-degree relatives of patients with obsessive-compulsive disorder." *Am J Psychiatry* 164(2): 335-8.
- Chamberlain, SR, Menzies, L, Hampshire, A, et al. (2008a). "Orbitofrontal dysfunction in patients with obsessive-compulsive disorder and their unaffected relatives." *Science* 321(5887): 421-2.
- Chamberlain, SR, Menzies, LA, Fineberg, NA, et al. (2008b). "Grey matter abnormalities in trichotillomania: morphometric magnetic resonance imaging study." *Br J Psychiatry* 193(3): 216-21.
- Chamberlain, SR and Menzies, L (2009). "Endophenotypes of obsessive-compulsive disorder: rationale, evidence and future potential." *Expert Rev Neurother* 9(8): 1133-46.
- Chambers, CD, Bellgrove, MA, Stokes, MG, et al. (2006). "Executive "brake failure" following deactivation of human frontal lobe." *J Cogn Neurosci* 18(3): 444-55.
- Chambers, CD, Garavan, H and Bellgrove, MA (2009). "Insights into the neural basis of response inhibition from cognitive and clinical neuroscience." *Neurosci Biobehav Rev* 33(5): 631-46.
- Channon, S, Gunning, A, Frankl, J, et al. (2006). "Tourette's syndrome (TS): cognitive performance in adults with uncomplicated TS." *Neuropsychology* 20(1): 58-65.
- Channon, S, Drury, H, Martinos, M, et al. (2009). "Tourette's syndrome (TS): inhibitory performance in adults with uncomplicated TS." *Neuropsychology* 23(3): 359-66.
- Chen, H, Machado-de-Sousa, JP, Osório, FdL, et al. (2014). "Increased Amygdalar and Hippocampal Volumes in Young Adults with Social Anxiety." *PLoS ONE* 9(2): e88523.
- Chen, J, Lipska, BK, Halim, N, et al. (2004). "Functional analysis of genetic variation in catechol-O-methyltransferase (COMT): effects on mRNA, protein, and enzyme activity in postmortem human brain." *Am J Hum Genet* 75(5): 807-21.
- Cheng, HC, Ulane, CM and Burke, RE (2010). "Clinical progression in Parkinson disease and the neurobiology of axons." *Ann Neurol* 67(6): 715-25.
- Cheon, KA, Ryu, YH, Namkoong, K, et al. (2004). "Dopamine transporter density of the basal ganglia assessed with [¹²³I]IPT SPECT in drug-naive children with Tourette's disorder." *Psychiatry Res* 130(1): 85-95.
- Chudasama, Y and Robbins, TW (2006). "Functions of frontostriatal systems in cognition: comparative neuropsychopharmacological studies in rats, monkeys and humans." *Biol Psychol* 73(1): 19-38.
- Cilia, R, Siri, C, Marotta, G, et al. (2008). "Functional abnormalities underlying pathological gambling in Parkinson disease." *Arch Neurol* 65(12): 1604-11.
- Cilia, R, Ko, JH, Cho, SS, et al. (2010). "Reduced dopamine transporter density in the ventral striatum of patients with Parkinson's disease and pathological gambling." *Neurobiol Dis* 39(1): 98-104.

- Cilia, R, Cho, SS, van Eimeren, T, et al. (2011). "Pathological gambling in patients with Parkinson's disease is associated with fronto-striatal disconnection: a path modeling analysis." *Mov Disord* 26(2): 225-33.
- Claassen, DO, van den Wildenberg, WP, Ridderinkhof, KR, et al. (2011). "The risky business of dopamine agonists in Parkinson disease and impulse control disorders." *Behav Neurosci* 125(4): 492-500.
- Clark, L, Roiser, JP, Cools, R, et al. (2005). "Stop signal response inhibition is not modulated by tryptophan depletion or the serotonin transporter polymorphism in healthy volunteers: implications for the 5-HT theory of impulsivity." *Psychopharmacology (Berl)* 182(4): 570-8.
- Clark, US, Nearing, S and Cronin-Golomb, A (2008). "Specific impairments in the recognition of emotional facial expressions in Parkinson's disease." *Neuropsychologia* 46(9): 2300-9.
- Coghill, DR, Seth, S, Pedroso, S, et al. (2014). "Effects of methylphenidate on cognitive functions in children and adolescents with attention-deficit/hyperactivity disorder: evidence from a systematic review and a meta-analysis." *Biol Psychiatry* 76(8): 603-15.
- Cohen, MX, Schoene-Bake, JC, Elger, CE, et al. (2009). "Connectivity-based segregation of the human striatum predicts personality characteristics." *Nat Neurosci* 12(1): 32-4.
- Cole, BJ and Robbins, TW (1987). "Amphetamine impairs the discriminative performance of rats with dorsal noradrenergic bundle lesions on a 5-choice serial reaction time task: new evidence for central dopaminergic-noradrenergic interactions." *Psychopharmacology (Berl)* 91(4): 458-66.
- Cole, BJ and Robbins, TW (1989). "Effects of 6-hydroxydopamine lesions of the nucleus accumbens septi on performance of a 5-choice serial reaction time task in rats: implications for theories of selective attention and arousal." *Behav Brain Res* 33(2): 165-79.
- Collier, TJ, Kanaan, NM and Kordower, JH (2011). "Ageing as a primary risk factor for Parkinson's disease: evidence from studies of non-human primates." *Nat Rev Neurosci* 12(6): 359-66.
- Colzato, LS, van den Wildenberg, WP, Van der Does, AJ, et al. (2010). "Genetic markers of striatal dopamine predict individual differences in dysfunctional, but not functional impulsivity." *Neuroscience* 170(3): 782-8.
- Congdon, E, Lesch, KP and Canli, T (2008). "Analysis of DRD4 and DAT polymorphisms and behavioral inhibition in healthy adults: implications for impulsivity." *Am J Med Genet B Neuropsychiatr Genet* 147B(1): 27-32.
- Congdon, E, Constance, RT, Lesch, KP, et al. (2009). "Influence of SLC6A3 and COMT variation on neural activation during response inhibition." *Biol Psychol* 81(3): 144-52.
- Congdon, E, Mumford, JA, Cohen, JR, et al. (2012). "Measurement and reliability of response inhibition." *Front Psychol* 3: 37.
- Cools, R (2006). "Dopaminergic modulation of cognitive function-implications for L-DOPA treatment in Parkinson's disease." *Neurosci Biobehav Rev* 30(1): 1-23.
- Cools, R and D'Esposito, M (2011). "Inverted-U-shaped dopamine actions on human working memory and cognitive control." *Biol Psychiatry* 69(12): e113-25.
- Coplan, JD, Fathy, HM, Jackowski, AP, et al. (2014). "Early life stress and macaque amygdala hypertrophy: preliminary evidence for a role for the serotonin transporter gene." *Frontiers in behavioral neuroscience* 8: 342.
- Cormier, F, Muellner, J and Corvol, JC (2013). "Genetics of impulse control disorders in Parkinson's disease." *J Neural Transm* 120(4): 665-71.
- Cornish, KM, Manly, T, Savage, R, et al. (2005). "Association of the dopamine transporter (DAT1) 10/10-repeat genotype with ADHD symptoms and response inhibition in a general population sample." *Mol Psychiatry* 10(7): 686-98.
- Cortese, S (2012). "The neurobiology and genetics of Attention-Deficit/Hyperactivity Disorder (ADHD): what every clinician should know." *Eur J Paediatr Neurol* 16(5): 422-33.
- Costa, A, Peppe, A, Carlesimo, GA, et al. (2010). "Prevalence and characteristics of alexithymia in Parkinson's disease." *Psychosomatics* 51(1): 22-8.
- Costa, A, Peppe, A, Mazzu, I, et al. (2014). "Dopamine treatment and cognitive functioning in individuals with Parkinson's disease: the "cognitive flexibility" hypothesis seems to work." *Behav Neurol*

References

2014; 260896.

Cramer, D (2003). "A cautionary tale of two statistics: partial correlation and standardized partial regression." *J Psychol* 137(5): 507-11.

Crawford, S, Channon, S and Robertson, MM (2005). "Tourette's syndrome: performance on tests of behavioural inhibition, working memory and gambling." *J Child Psychol Psychiatry* 46(12): 1327-36.

Cubillo, A, Halari, R, Ecker, C, et al. (2010). "Reduced activation and inter-regional functional connectivity of fronto-striatal networks in adults with childhood Attention-Deficit Hyperactivity Disorder (ADHD) and persisting symptoms during tasks of motor inhibition and cognitive switching." *J Psychiatr Res* 44(10): 629-39.

Cubillo, A, Halari, R, Giampietro, V, et al. (2011). "Fronto-striatal underactivation during interference inhibition and attention allocation in grown up children with attention deficit/hyperactivity disorder and persistent symptoms." *Psychiatry Res* 193(1): 17-27.

Cubillo, A, Smith, AB, Barrett, N, et al. (2014). "Shared and drug-specific effects of atomoxetine and methylphenidate on inhibitory brain dysfunction in medication-naïve ADHD boys." *Cereb Cortex* 24(1): 174-85.

Cubo, E, Martin, PM, Martin-Gonzalez, JA, et al. (2010). "Motor laterality asymmetry and nonmotor symptoms in Parkinson's disease." *Mov Disord* 25(1): 70-5.

Cummins, TD, Hawi, Z, Hocking, J, et al. (2012). "Dopamine transporter genotype predicts behavioural and neural measures of response inhibition." *Mol Psychiatry* 17(11): 1086-92.

Dalley, JW, Fryer, TD, Brichard, L, et al. (2007). "Nucleus accumbens D2/3 receptors predict trait impulsivity and cocaine reinforcement." *Science* 315(5816): 1267-70.

Dalley, JW and Roiser, JP (2012). "Dopamine, serotonin and impulsivity." *Neuroscience* 215: 42-58.

Damier, P, Hirsch, EC, Agid, Y, et al. (1999). "The substantia nigra of the human brain. II. Patterns of loss of dopamine-containing neurons in Parkinson's disease." *Brain* 122 (Pt 8): 1437-48.

Daniel, SE and Lees, AJ (1993). "Parkinson's Disease Society Brain Bank, London: overview and

research." *J Neural Transm Suppl* 39: 165-72.

Dara, C, Monetta, L and Pell, MD (2008). "Vocal emotion processing in Parkinson's disease: reduced sensitivity to negative emotions." *Brain Res* 1188: 100-11.

de Bartolomeis, A, Buonaguro, E and Iasevoli, F (2013). "Serotonin-glutamate and serotonin-dopamine reciprocal interactions as putative molecular targets for novel antipsychotic treatments: from receptor heterodimers to postsynaptic scaffolding and effector proteins." *Psychopharmacology* 225(1): 1-19.

de Lau, LM and Breteler, MM (2006). "Epidemiology of Parkinson's disease." *Lancet Neurol* 5(6): 525-35.

de Vries, FE, de Wit, SJ, Cath, DC, et al. (2014). "Compensatory frontoparietal activity during working memory: an endophenotype of obsessive-compulsive disorder." *Biol Psychiatry* 76(11): 878-87.

de Wit, SJ, de Vries, FE, van der Werf, YD, et al. (2012). "Presupplementary motor area hyperactivity during response inhibition: a candidate endophenotype of obsessive-compulsive disorder." *Am J Psychiatry* 169(10): 1100-8.

Del-Ben, CM, Deakin, JF, McKie, S, et al. (2005). "The effect of citalopram pretreatment on neuronal responses to neuropsychological tasks in normal volunteers: an fMRI study." *Neuropsychopharmacology* 30(9): 1724-34.

Delaville, C, Chetrit, J, Abdallah, K, et al. (2012). "Emerging dysfunctions consequent to combined monoaminergic depletions in Parkinsonism." *Neurobiol Dis* 45(2): 763-73.

Denys, D, de Geus, F, van Megen, HJ, et al. (2004a). "A double-blind, randomized, placebo-controlled trial of quetiapine addition in patients with obsessive-compulsive disorder refractory to serotonin reuptake inhibitors." *J Clin Psychiatry* 65(8): 1040-8.

Denys, D, van der Wee, N, Janssen, J, et al. (2004b). "Low level of dopaminergic D2 receptor binding in obsessive-compulsive disorder." *Biol Psychiatry* 55(10): 1041-5.

Depue, BE, Burgess, GC, Bidwell, LC, et al. (2010). "Behavioral performance predicts grey matter reductions in the right inferior frontal gyrus in young adults with combined type ADHD." *Psychiatry Res*

- 182(3): 231-7.
- DeVito, EE, Blackwell, AD, Clark, L, et al. (2009). "Methylphenidate improves response inhibition but not reflection-impulsivity in children with attention deficit hyperactivity disorder (ADHD)." *Psychopharmacology (Berl)* 202(1-3): 531-9.
- DeVito, TJ, Drost, DJ, Pavlosky, W, et al. (2005). "Brain magnetic resonance spectroscopy in Tourette's disorder." *J Am Acad Child Adolesc Psychiatry* 44(12): 1301-8.
- Dibbets, P, Evers, L, Hurks, P, et al. (2009). "Differences in feedback- and inhibition-related neural activity in adult ADHD." *Brain Cogn* 70(1): 73-83.
- Dickson, DW, Braak, H, Duda, JE, et al. (2009). "Neuropathological assessment of Parkinson's disease: refining the diagnostic criteria." *Lancet Neurol* 8(12): 1150-7.
- Dillo, W, Goke, A, Prox-Vagedes, V, et al. (2010). "Neuronal correlates of ADHD in adults with evidence for compensation strategies—a functional MRI study with a Go/No-Go paradigm." *Ger Med Sci* 8: Doc09.
- Ding, WN, Sun, JH, Sun, YW, et al. (2014). "Trait impulsivity and impaired prefrontal impulse inhibition function in adolescents with internet gaming addiction revealed by a Go/No-Go fMRI study." *Behav Brain Funct* 10: 20.
- Dissanayaka, NN, White, E, O'Sullivan, JD, et al. (2014). "The clinical spectrum of anxiety in Parkinson's disease." *Mov Disord* 29(8): 967-75.
- Djamshidian, A, Averbeck, BB, Lees, AJ, et al. (2011). "Clinical aspects of impulsive compulsive behaviours in Parkinson's disease." *J Neurol Sci* 310(1-2): 183-8.
- Donders, FC (1969). "On the speed of mental processes." *Acta Psychol (Amst)* 30: 412-31.
- Dong, G, DeVito, EE, Du, X, et al. (2012). "Impaired inhibitory control in 'internet addiction disorder': a functional magnetic resonance imaging study." *Psychiatry Res* 203(2-3): 153-8.
- Doruk, D, Gray, Z, Bravo, GL, et al. (2014). "Effects of tDCS on executive function in Parkinson's disease." *Neurosci Lett* 582: 27-31.
- Draganski, B, Martino, D, Cavanna, AE, et al. (2010). "Multispectral brain morphometry in Tourette syndrome persisting into adulthood." *Brain* 133(Pt 12): 3661-75.
- Dreher, JC, Kohn, P, Kolachana, B, et al. (2009). "Variation in dopamine genes influences responsivity of the human reward system." *Proc Natl Acad Sci U S A* 106(2): 617-22.
- Drueke, B, Boecker, M, Schlaegel, S, et al. (2010). "Serotonergic modulation of response inhibition and re-engagement? Results of a study in healthy human volunteers." *Hum Psychopharmacol* 25(6): 472-80.
- Drui, G, Carnicella, S, Carcenac, C, et al. (2014). "Loss of dopaminergic nigrostriatal neurons accounts for the motivational and affective deficits in Parkinson's disease." *Mol Psychiatry* 19(3): 358-67.
- Dujardin, K, Degreef, JF, Rogelet, P, et al. (1999). "Impairment of the supervisory attentional system in early untreated patients with Parkinson's disease." *J Neurol* 246(9): 783-8.
- Dujardin, K, Blairy, S, Defebvre, L, et al. (2004). "Deficits in decoding emotional facial expressions in Parkinson's disease." *Neuropsychologia* 42(2): 239-50.
- Durston, S (2003). "A review of the biological bases of ADHD: what have we learned from imaging studies?" *Ment Retard Dev Disabil Res Rev* 9(3): 184-95.
- Durston, S, Tottenham, NT, Thomas, KM, et al. (2003). "Differential patterns of striatal activation in young children with and without ADHD." *Biol Psychiatry* 53(10): 871-8.
- Durston, S, Fossella, JA, Mulder, MJ, et al. (2008). "Dopamine transporter genotype conveys familial risk of attention-deficit/hyperactivity disorder through striatal activation." *J Am Acad Child Adolesc Psychiatry* 47(1): 61-7.
- Duthoo, W, Braem, S, Houtman, F, et al. (2013). "Dopaminergic medication counteracts conflict adaptation in patients with Parkinson's disease." *Neuropsychology* 27(5): 556-61.
- Duvarci, S and Pare, D (2014). "Amygdala microcircuits controlling learned fear." *Neuron* 82(5): 966-80.
- Eagle, DM, Tufft, MR, Goodchild, HL, et al. (2007). "Differential effects of modafinil and methylphenidate on stop-signal reaction time task performance in the rat, and interactions with the dopamine receptor antagonist cis-flupenthixol." *Psychopharmacology (Berl)* 192(2): 193-206.

References

- Eagle, DM, Bari, A and Robbins, TW (2008). "The neuropsychopharmacology of action inhibition: cross-species translation of the stop-signal and go/no-go tasks." *Psychopharmacology (Berl)* 199(3): 439-56.
- Eagle, DM, Lehmann, O, Theobald, DE, et al. (2009). "Serotonin depletion impairs waiting but not stop-signal reaction time in rats: implications for theories of the role of 5-HT in behavioral inhibition." *Neuropsychopharmacology* 34(5): 1311-21.
- Eagle, DM, Wong, JC, Allan, ME, et al. (2011). "Contrasting roles for dopamine D1 and D2 receptor subtypes in the dorsomedial striatum but not the nucleus accumbens core during behavioral inhibition in the stop-signal task in rats." *J Neurosci* 31(20): 7349-56.
- Eichele, H, Eichele, T, Hammar, A, et al. (2010). "Go/NoGo performance in boys with Tourette syndrome." *Child Neuropsychol* 16(2): 162-8.
- Eichenbaum, H and Cohen, NJ (2014). "Can we reconcile the declarative memory and spatial navigation views on hippocampal function?" *Neuron* 83(4): 764-70.
- Ekman, U, Eriksson, J, Forsgren, L, et al. (2012). "Functional brain activity and presynaptic dopamine uptake in patients with Parkinson's disease and mild cognitive impairment: a cross-sectional study." *Lancet Neurol* 11(8): 679-87.
- Engeln, M, Fasano, S, Ahmed, SH, et al. (2013). "Levodopa gains psychostimulant-like properties after nigral dopaminergic loss." *Ann Neurol* 74(1): 140-4.
- Erro, R, Pappata, S, Amboni, M, et al. (2012). "Anxiety is associated with striatal dopamine transporter availability in newly diagnosed untreated Parkinson's disease patients." *Parkinsonism Relat Disord* 18(9): 1034-8.
- Eser, D, Leicht, G, Lutz, J, et al. (2009). "Functional neuroanatomy of CCK-4-induced panic attacks in healthy volunteers." *Hum Brain Mapp* 30(2): 511-22.
- Eshuis, SA, Maguire, RP, Leenders, KL, et al. (2006). "Comparison of FP-CIT SPECT with F-DOPA PET in patients with de novo and advanced Parkinson's disease." *Eur J Nucl Med Mol Imaging* 33(2): 200-9.
- Etkin, A and Wager, TD (2007). "Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia." *Am J Psychiatry* 164(10): 1476-88.
- Evans, AH, Strafella, AP, Weintraub, D, et al. (2009). "Impulsive and compulsive behaviors in Parkinson's disease." *Mov Disord* 24(11): 1561-70.
- Evers, EA, van der Veen, FM, van Deursen, JA, et al. (2006). "The effect of acute tryptophan depletion on the BOLD response during performance monitoring and response inhibition in healthy male volunteers." *Psychopharmacology (Berl)* 187(2): 200-8.
- Fahn, S, Elton, RL and (Members of the UPDRS Development Committee) (1987). Unified Parkinson's Disease Rating Scale. Recent Developments in Parkinson's Disease. S. Fahn, C. D. Marsden, G. M. and D. B. Calne. Florham Park, NJ, Macmillan Healthcare Information: 153-63.
- Falkenstein, M, Willemsen, R, Hohnsbein, J, et al. (2006). "Effects of stimulus-response compatibility in Parkinson's disease: a psychophysiological analysis." *J Neural Transm* 113(10): 1449-62.
- Farid, K, Sibon, I, Guehl, D, et al. (2009). "Brain dopaminergic modulation associated with executive function in Parkinson's disease." *Mov Disord* 24(13): 1962-9.
- Fearnley, JM and Lees, AJ (1991). "Ageing and Parkinson's disease: substantia nigra regional selectivity." *Brain* 114 (Pt 5): 2283-301.
- Feldmann, A, Illes, Z, Kosztolanyi, P, et al. (2008). "Morphometric changes of gray matter in Parkinson's disease with depression: a voxel-based morphometry study." *Mov Disord* 23(1): 42-6.
- Felicio, AC, Moriyama, TS, Godeiro-Junior, C, et al. (2010). "Higher dopamine transporter density in Parkinson's disease patients with depression." *Psychopharmacology (Berl)* 211(1): 27-31.
- Felling, RJ and Singer, HS (2011). "Neurobiology of tourette syndrome: current status and need for further investigation." *J Neurosci* 31(35): 12387-95.
- Felmingham, K, Kemp, A, Williams, L, et al. (2007). "Changes in anterior cingulate and amygdala after cognitive behavior therapy of posttraumatic stress disorder." *Psychol Sci* 18(2): 127-9.
- Fielding, J, Georgiou-Karistianis, N, Bradshaw, J, et al. (2005). "No sequence dependent modulation of the Simon effect in Parkinson's disease." *Brain Res Cogn Brain Res* 25(1): 251-60.
- Filoteo, JV, Reed, JD, Litvan, I, et al. (2014).

- “Volumetric correlates of cognitive functioning in nondemented patients with Parkinson’s disease.” *Mov Disord* 29(3): 360-7.
- Fineberg, NA, Sivakumaran, T, Roberts, A, et al. (2005). “Adding quetiapine to SRI in treatment-resistant obsessive-compulsive disorder: a randomized controlled treatment study.” *Int Clin Psychopharmacol* 20(4): 223-6.
- First, MB, Spitzer, RL, Gibbon, M, et al. (2002). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Patient Edition (SCID-I/P)*. New York, Biometrics Research Department, New York State Psychiatric Institute.
- Fischl, B, Salat, DH, Busa, E, et al. (2002). “Whole brain segmentation: automated labeling of neuroanatomical structures in the human brain.” *Neuron* 33(3): 341-55.
- Fischl, B, van der Kouwe, A, Destrieux, C, et al. (2004). “Automatically parcellating the human cerebral cortex.” *Cereb Cortex* 14(1): 11-22.
- Fisler, MS, Federspiel, A, Horn, H, et al. (2013). “Spider phobia is associated with decreased left amygdala volume: a cross-sectional study.” *BMC Psychiatry* 13: 70.
- Fitzgerald, DA, Angstadt, M, Jelsone, LM, et al. (2006). “Beyond threat: amygdala reactivity across multiple expressions of facial affect.” *Neuroimage* 30(4): 1441-8.
- Fitzgerald, KD, Welsh, RC, Gehring, WJ, et al. (2005). “Error-related hyperactivity of the anterior cingulate cortex in obsessive-compulsive disorder.” *Biol Psychiatry* 57(3): 287-94.
- Floden, D and Stuss, DT (2006). “Inhibitory control is slowed in patients with right superior medial frontal damage.” *J Cogn Neurosci* 18(11): 1843-9.
- Folstein, MF, Folstein, SE and McHugh, PR (1975). ““Mini-mental state”. A practical method for grading the cognitive state of patients for the clinician.” *J Psychiatr Res* 12(3): 189-98.
- Fornai, F, Bassi, L, Bonaccorsi, I, et al. (1997). “Noradrenaline loss selectivity exacerbates nigrostriatal toxicity in different species of rodents.” *Funct Neurol* 12(3-4): 193-8.
- Frank, MJ, Seeberger, LC and O’Reilly R, C (2004). “By carrot or by stick: cognitive reinforcement learning in parkinsonism.” *Science* 306(5703): 1940-3.
- Friedman, A, Friedman, Y, Dremencov, E, et al. (2008). “VTA dopamine neuron bursting is altered in an animal model of depression and corrected by desipramine.” *J Mol Neurosci* 34(3): 201-9.
- Frisina, PG, Haroutunian, V and Libow, LS (2009). “The neuropathological basis for depression in Parkinson’s disease.” *Parkinsonism Relat Disord* 15(2): 144-8.
- Friston, KJ (1999). “Schizophrenia and the disconnection hypothesis.” *Acta Psychiatr Scand Suppl* 395: 68-79.
- Frodl, T and Skokauskas, N (2012). “Meta-analysis of structural MRI studies in children and adults with attention deficit hyperactivity disorder indicates treatment effects.” *Acta Psychiatr Scand* 125(2): 114-26.
- Froehlich, TE, Lanphear, BP, Epstein, JN, et al. (2007). “Prevalence, recognition, and treatment of attention-deficit/hyperactivity disorder in a national sample of US children.” *Arch Pediatr Adolesc Med* 161(9): 857-64.
- Frosini, D, Pesaresi, I, Cosottini, M, et al. (2010). “Parkinson’s disease and pathological gambling: results from a functional MRI study.” *Mov Disord* 25(14): 2449-53.
- Furmark, T, Appel, L, Michelgard, A, et al. (2005). “Cerebral blood flow changes after treatment of social phobia with the neurokinin-1 antagonist GR205171, citalopram, or placebo.” *Biol Psychiatry* 58(2): 132-42.
- Fusar-Poli, P, Placentino, A, Carletti, F, et al. (2009a). “Laterality effect on emotional faces processing: ALE meta-analysis of evidence.” *Neurosci Lett* 452(3): 262-7.
- Fusar-Poli, P, Placentino, A, Carletti, F, et al. (2009b). “Functional atlas of emotional faces processing: a voxel-based meta-analysis of 105 functional magnetic resonance imaging studies.” *J Psychiatry Neurosci* 34(6): 418-32.
- Gabbay, V, Hess, DA, Liu, S, et al. (2007). “Lateralized caudate metabolic abnormalities in adolescent major depressive disorder: a proton MR spectroscopy study.” *Am J Psychiatry* 164(12): 1881-9.
- Gadde, KM, Ryan Wagner, H, 2nd, Connor, KM, et al. (2007). “Escitalopram treatment of trichotillomania.” *Int Clin Psychopharmacol* 22(1): 39-42.

References

- Gauggel, S, Rieger, M and Feghoff, TA (2004). "Inhibition of ongoing responses in patients with Parkinson's disease." *J Neurol Neurosurg Psychiatry* 75(4): 539-44.
- Gelb, DJ, Oliver, E and Gilman, S (1999). "Diagnostic criteria for Parkinson disease." *Arch Neurol* 56(1): 33-9.
- Gerfen, CR, Miyachi, S, Paletzki, R, et al. (2002). "D1 dopamine receptor supersensitivity in the dopamine-depleted striatum results from a switch in the regulation of ERK1/2/MAP kinase." *J Neurosci* 22(12): 5042-54.
- Gerfen, CR and Surmeier, DJ (2011). "Modulation of striatal projection systems by dopamine." *Annu Rev Neurosci* 34: 441-66.
- Gerlach, M, Double, K, Arzberger, T, et al. (2003). "Dopamine receptor agonists in current clinical use: comparative dopamine receptor binding profiles defined in the human striatum." *J Neural Transm* 110(10): 1119-27.
- Gerlach, M, Grunblatt, E and Lange, KW (2013). "Is the treatment with psychostimulants in children and adolescents with attention deficit hyperactivity disorder harmful for the dopaminergic system?" *Atten Defic Hyperact Disord* 5(2): 71-81.
- Gerrits, NJ, van der Werf, YD, Hofman, M, et al. (2014a). "Gray matter differences contribute to variation in cognitive performance in Parkinson's disease." *Eur J Neurol* 21(2): 245-52.
- Gerrits, NJ, van der Werf, YD, Verhoef, KM, et al. (2015). "Compensatory fronto-parietal hyperactivation during set-shifting in unmedicated patients with Parkinson's disease." *Neuropsychologia*.
- Gerrits, NJHM, van den Heuvel, OA and Van der Werf, YD (2014b). Decreased set-shifting performance, neural activity, and neural connectivity after inhibiting repetitive transcranial magnetic stimulation on the left dorsal prefrontal cortex. Amsterdam, The Netherlands, VU University medical center.
- Ghahremani, DG, Lee, B, Robertson, CL, et al. (2012). "Striatal dopamine D(2)/D(3) receptors mediate response inhibition and related activity in frontostriatal neural circuitry in humans." *J Neurosci* 32(21): 7316-24.
- Ghanizadeh, A and Mosallaei, S (2009). "Psychiatric disorders and behavioral problems in children and adolescents with Tourette syndrome." *Brain Dev* 31(1): 15-9.
- Gilbert, DL, Christian, BT, Gelfand, MJ, et al. (2006). "Altered mesolimbocortical and thalamic dopamine in Tourette syndrome." *Neurology* 67(9): 1695-7.
- Glascher, J and Adolphs, R (2003). "Processing of the arousal of subliminal and supraliminal emotional stimuli by the human amygdala." *J Neurosci* 23(32): 10274-82.
- Goerlich-Dobre, KS, Probst, C, Winter, L, et al. (2014). "Alexithymia-an independent risk factor for impulsive-compulsive disorders in Parkinson's disease." *Mov Disord* 29(2): 214-20.
- Goldstein, DS, Sullivan, P, Holmes, C, et al. (2011). "Catechols in post-mortem brain of patients with Parkinson disease." *Eur J Neurol* 18(5): 703-10.
- Goossens, L, Sunaert, S, Peeters, R, et al. (2007). "Amygdala hyperfunction in phobic fear normalizes after exposure." *Biol Psychiatry* 62(10): 1119-25.
- Gottesman, II and Gould, TD (2003a). "The endophenotype concept in psychiatry: etymology and strategic intentions." *Am J Psychiatry* 160(4): 636-45.
- Gottesman, II and Gould, TD (2003b). "The endophenotype concept in psychiatry: etymology and strategic intentions." *The American journal of psychiatry* 160(4): 636-45.
- Grachev, ID (1997). "MRI-based morphometric topographic parcellation of human neocortex in trichotillomania." *Psychiatry Clin Neurosci* 51(5): 315-21.
- Grahn, JA, Parkinson, JA and Owen, AM (2009). "The role of the basal ganglia in learning and memory: neuropsychological studies." *Behav Brain Res* 199(1): 53-60.
- Grimm, S, Beck, J, Schuepbach, D, et al. (2008). "Imbalance between left and right dorsolateral prefrontal cortex in major depression is linked to negative emotional judgment: an fMRI study in severe major depressive disorder." *Biol Psychiatry* 63(4): 369-76.
- Groenewegen, HJ and Trimble, M (2007). "The ventral striatum as an interface between the limbic and motor systems." *CNS Spectr* 12(12): 887-92.
- Groenewegen, HJ and Uylings, HBM (2010). Organization of prefrontal-striatal connections. *Handbook of basal ganglia structure and function.*

- H. Steiner and K. Y. Tseng. San Diego, CA, Academic Press.
- Gryglewski, G, Lanzenberger, R, Kranz, GS, et al. (2014). "Meta-analysis of molecular imaging of serotonin transporters in major depression." *J Cereb Blood Flow Metab* 34(7): 1096-103.
- Guttman, M, Boileau, I, Warsh, J, et al. (2007). "Brain serotonin transporter binding in non-depressed patients with Parkinson's disease." *Eur J Neurol* 14(5): 523-8.
- Haber, SN, Ryoo, H, Cox, C, et al. (1995). "Subsets of midbrain dopaminergic neurons in monkeys are distinguished by different levels of mRNA for the dopamine transporter: comparison with the mRNA for the D2 receptor, tyrosine hydroxylase and calbindin immunoreactivity." *J Comp Neurol* 362(3): 400-10.
- Haber, SN and McFarland, NR (1999). "The concept of the ventral striatum in nonhuman primates." *Ann N Y Acad Sci* 877: 33-48.
- Haber, SN and Calzavara, R (2009). "The cortico-basal ganglia integrative network: the role of the thalamus." *Brain Res Bull* 78(2-3): 69-74.
- Haber, SN and Knutson, B (2010). "The reward circuit: linking primate anatomy and human imaging." *Neuropsychopharmacology* 35(1): 4-26.
- Haenisch, B, Bilkei-Gorzo, A, Caron, MG, et al. (2009). "Knockout of the norepinephrine transporter and pharmacologically diverse antidepressants prevent behavioral and brain neurotrophin alterations in two chronic stress models of depression." *J Neurochem* 111(2): 403-16.
- Haenisch, B and Bonisch, H (2011). "Depression and antidepressants: insights from knockout of dopamine, serotonin or noradrenaline re-uptake transporters." *Pharmacol Ther* 129(3): 352-68.
- Harding, AJ, Stimson, E, Henderson, JM, et al. (2002). "Clinical correlates of selective pathology in the amygdala of patients with Parkinson's disease." *Brain* 125(Pt 11): 2431-45.
- Hariri, AR, Tessitore, A, Mattay, VS, et al. (2002). "The amygdala response to emotional stimuli: a comparison of faces and scenes." *Neuroimage* 17(1): 317-23.
- Harrison, AA, Everitt, BJ and Robbins, TW (1999). "Central serotonin depletion impairs both the acquisition and performance of a symmetrically reinforced go/no-go conditional visual discrimination." *Behav Brain Res* 100(1-2): 99-112.
- Hart, H, Radua, J, Nakao, T, et al. (2013). "Meta-analysis of functional magnetic resonance imaging studies of inhibition and attention in attention-deficit/hyperactivity disorder: exploring task-specific, stimulant medication, and age effects." *JAMA Psychiatry* 70(2): 185-98.
- Haugbol, S, Pinborg, LH, Regeur, L, et al. (2007). "Cerebral 5-HT_{2A} receptor binding is increased in patients with Tourette's syndrome." *Int J Neuropsychopharmacol* 10(2): 245-52.
- Hawkes, CH (2008). "The prodromal phase of sporadic Parkinson's disease: does it exist and if so how long is it?" *Mov Disord* 23(13): 1799-807.
- Hayano, F, Nakamura, M, Asami, T, et al. (2009). "Smaller amygdala is associated with anxiety in patients with panic disorder." *Psychiatry Clin Neurosci* 63(3): 266-76.
- Helmich, RC, Derikx, LC, Bakker, M, et al. (2010). "Spatial remapping of cortico-striatal connectivity in Parkinson's disease." *Cereb Cortex* 20(5): 1175-86.
- Hershey, T, Black, KJ, Hartlein, J, et al. (2004). "Dopaminergic modulation of response inhibition: an fMRI study." *Brain Res Cogn Brain Res* 20(3): 438-48.
- Hesse, S, Muller, U, Lincke, T, et al. (2005). "Serotonin and dopamine transporter imaging in patients with obsessive-compulsive disorder." *Psychiatry Res* 140(1): 63-72.
- Hesse, S, Meyer, PM, Strecker, K, et al. (2009). "Monoamine transporter availability in Parkinson's disease patients with or without depression." *Eur J Nucl Med Mol Imaging* 36(3): 428-35.
- Hirvonen, MM, Laakso, A, Nagren, K, et al. (2009). "C957T polymorphism of dopamine D2 receptor gene affects striatal DRD2 in vivo availability by changing the receptor affinity." *Synapse* 63(10): 907-12.
- Ho, PS, Ho, KK, Huang, WS, et al. (2013). "Association study of serotonin transporter availability and SLC6A4 gene polymorphisms in patients with major depression." *Psychiatry Res* 212(3): 216-22.
- Hoehn, MM and Yahr, MD (1967). "Parkinsonism: onset, progression and mortality." *Neurology* 17(5): 427-42.

References

- Hoexter, MQ, Fadel, G, Felicio, AC, et al. (2012). "Higher striatal dopamine transporter density in PTSD: an in vivo SPECT study with [(99m)Tc]TRODAT-1." *Psychopharmacology (Berl)* 224(2): 337-45.
- Holman, AJ (2009). "Impulse control disorder behaviors associated with pramipexole used to treat fibromyalgia." *J Gambli Stud* 25(3): 425-31.
- Holmes, AJ, Bogdan, R and Pizzagalli, DA (2010). "Serotonin transporter genotype and action monitoring dysfunction: a possible substrate underlying increased vulnerability to depression." *Neuropsychopharmacology* 35(5): 1186-97.
- Holzschneider, K and Mulert, C (2011). "Neuroimaging in anxiety disorders." *Dialogues Clin Neurosci* 13(4): 453-61.
- Homberg, JR, Pattij, T, Janssen, MC, et al. (2007). "Serotonin transporter deficiency in rats improves inhibitory control but not behavioural flexibility." *Eur J Neurosci* 26(7): 2066-73.
- Horacek, J, Zavesicka, L, Tintera, J, et al. (2005). "The effect of tryptophan depletion on brain activation measured by functional magnetic resonance imaging during the Stroop test in healthy subjects." *Physiol Res* 54(2): 235-44.
- Hou, H, Jia, S, Hu, S, et al. (2012). "Reduced striatal dopamine transporters in people with internet addiction disorder." *J Biomed Biotechnol* 2012: 854524.
- Houlden, H and Singleton, AB (2012). "The genetics and neuropathology of Parkinson's disease." *Acta Neuropathol* 124(3): 325-38.
- Housden, CR, O'Sullivan, SS, Joyce, EM, et al. (2010). "Intact reward learning but elevated delay discounting in Parkinson's disease patients with impulsive-compulsive spectrum behaviors." *Neuropsychopharmacology* 35(11): 2155-64.
- Hsiao, IT, Weng, YH, Hsieh, CJ, et al. (2014a). "Correlation of Parkinson disease severity and 18F-DTBZ positron emission tomography." *JAMA Neurol* 71(6): 758-66.
- Hsiao, IT, Weng, YH, Lin, WY, et al. (2014b). "Comparison of 99mTc-TRODAT-1 SPECT and 18 F-AV-133 PET imaging in healthy controls and Parkinson's disease patients." *Nucl Med Biol* 41(4): 322-9.
- Huot, P and Fox, SH (2013). "The serotonergic system in motor and non-motor manifestations of Parkinson's disease." *Exp Brain Res* 230(4): 463-76.
- Hurt, CS, Landau, S, Burn, DJ, et al. (2012). "Cognition, coping, and outcome in Parkinson's disease." *Int Psychogeriatr* 24(10): 1656-63.
- Huster, RJ, Enriquez-Geppert, S, Lavalley, CF, et al. (2013). "Electroencephalography of response inhibition tasks: functional networks and cognitive contributions." *Int J Psychophysiol* 87(3): 217-33.
- Huysen, C, Veltman, DJ, Wolters, LH, et al. (2011). "Developmental aspects of error and high-conflict-related brain activity in pediatric obsessive-compulsive disorder: a fMRI study with a Flanker task before and after CBT." *J Child Psychol Psychiatry* 52(12): 1251-60.
- Hwang, WJ, Yao, WJ, Fu, YK, et al. (2008). "[99mTc]TRODAT-1/[123I]IBZM SPECT studies of the dopaminergic system in Tourette syndrome." *Psychiatry Res* 162(2): 159-66.
- Ibarretxe-Bilbao, N, Junque, C, Tolosa, E, et al. (2009). "Neuroanatomical correlates of impaired decision-making and facial emotion recognition in early Parkinson's disease." *Eur J Neurosci* 30(6): 1162-71.
- Ipser, JC, Singh, L and Stein, DJ (2013). "Meta-analysis of functional brain imaging in specific phobia." *Psychiatry Clin Neurosci* 67(5): 311-22.
- Irle, E, Ruhleder, M, Lange, C, et al. (2010). "Reduced amygdalar and hippocampal size in adults with generalized social phobia." *J Psychiatry Neurosci* 35(2): 126-31.
- Jellinger, KA (2012). "Neuropathology of sporadic Parkinson's disease: evaluation and changes of concepts." *Mov Disord* 27(1): 8-30.
- Johannes, S, Wieringa, BM, Mantey, M, et al. (2001). "Altered inhibition of motor responses in Tourette Syndrome and Obsessive-Compulsive Disorder." *Acta Neurol Scand* 104(1): 36-43.
- John, B and Lewis, KR (1966). "Chromosome variability and geographic distribution in insects." *Science* 152(3723): 711-21.
- Johnson, PS, Madden, GJ, Brewer, AT, et al. (2011). "Effects of acute pramipexole on preference for gambling-like schedules of reinforcement in rats." *Psychopharmacology (Berl)* 213(1): 11-8.
- Joutsa, J, Johansson, J, Niemela, S, et al. (2012a). "Mesolimbic dopamine release is linked to symptom severity in pathological gambling." *Neuroimage*

- 60(4): 1992-9.
- Joutsa, J, Martikainen, K, Niemela, S, et al. (2012b). "Increased medial orbitofrontal [¹⁸F]fluorodopa uptake in Parkinsonian impulse control disorders." *Mov Disord* 27(6): 778-82.
- Joutsa, J, Martikainen, K, Vahlberg, T, et al. (2012c). "Effects of dopamine agonist dose and gender on the prognosis of impulse control disorders in Parkinson's disease." *Parkinsonism Relat Disord* 18(10): 1079-83.
- Joutsa, J, Martikainen, K, Vahlberg, T, et al. (2012d). "Impulse control disorders and depression in Finnish patients with Parkinson's disease." *Parkinsonism Relat Disord* 18(2): 155-60.
- Kamagata, K, Tomiyama, H, Hatano, T, et al. (2014). "A preliminary diffusional kurtosis imaging study of Parkinson disease: comparison with conventional diffusion tensor imaging." *Neuroradiology* 56(3): 251-8.
- Kan, Y, Kawamura, M, Hasegawa, Y, et al. (2002). "Recognition of emotion from facial, prosodic and written verbal stimuli in Parkinson's disease." *Cortex* 38(4): 623-30.
- Kang, DH, Jang, JH, Han, JY, et al. (2013). "Neural correlates of altered response inhibition and dysfunctional connectivity at rest in obsessive-compulsive disorder." *Prog Neuropsychopharmacol Biol Psychiatry* 40: 340-6.
- Kano, M, Fukudo, S, Gyoba, J, et al. (2003). "Specific brain processing of facial expressions in people with alexithymia: an H₂ 15O-PET study." *Brain* 126(Pt 6): 1474-84.
- Kano, O, Ikeda, K, Cridebring, D, et al. (2011). "Neurobiology of depression and anxiety in Parkinson's disease." *Parkinsons Dis* 2011: 143547.
- Karl, A, Schaefer, M, Malta, LS, et al. (2006). "A meta-analysis of structural brain abnormalities in PTSD." *Neurosci Biobehav Rev* 30(7): 1004-31.
- Karukivi, M, Polonen, T, Vahlberg, T, et al. (2014). "Stability of alexithymia in late adolescence: results of a 4-year follow-up study." *Psychiatry Res* 219(2): 386-90.
- Kas, A, Payoux, P, Habert, MO, et al. (2007). "Validation of a standardized normalization template for statistical parametric mapping analysis of 123I-FP-CIT images." *J Nucl Med* 48(9): 1459-67.
- Kehagia, AA, Barker, RA and Robbins, TW (2010). "Neuropsychological and clinical heterogeneity of cognitive impairment and dementia in patients with Parkinson's disease." *Lancet Neurol* 9(12): 1200-13.
- Kehagia, AA, Housden, CR, Regenthal, R, et al. (2014). "Targeting impulsivity in Parkinson's disease using atomoxetine." *Brain* 137(Pt 7): 1986-97.
- Kerenyi, L, Ricuarte, GA, Schretlen, DJ, et al. (2003). "Positron emission tomography of striatal serotonin transporters in Parkinson disease." *Arch Neurol* 60(9): 1223-9.
- Kertzman, S, Lowengrub, K, Aizer, A, et al. (2008). "Go-no-go performance in pathological gamblers." *Psychiatry Res* 161(1): 1-10.
- Kessler, RC, Coccaro, EF, Fava, M, et al. (2006). "The prevalence and correlates of DSM-IV intermittent explosive disorder in the National Comorbidity Survey Replication." *Arch Gen Psychiatry* 63(6): 669-78.
- Kessler, RC, Hwang, I, LaBrie, R, et al. (2008). "DSM-IV pathological gambling in the National Comorbidity Survey Replication." *Psychol Med* 38(9): 1351-60.
- Kim, CH, Koo, MS, Cheon, KA, et al. (2003). "Dopamine transporter density of basal ganglia assessed with [¹²³I]IPT SPET in obsessive-compulsive disorder." *Eur J Nucl Med Mol Imaging* 30(12): 1637-43.
- Kim, J, Kim, M, Kwon do, Y, et al. (2013). "Clinical characteristics of impulse control and repetitive behavior disorders in Parkinson's disease." *J Neurol* 260(2): 429-37.
- Kim, S, Park, JM, Moon, J, et al. (2014). "Alpha-synuclein interferes with cAMP/PKA-dependent upregulation of dopamine beta-hydroxylase and is associated with abnormal adaptive responses to immobilization stress." *Exp Neurol* 252: 63-74.
- Kirsch-Darrow, L, Marsiske, M, Okun, MS, et al. (2011). "Apathy and depression: separate factors in Parkinson's disease." *J Int Neuropsychol Soc* 17(6): 1058-66.
- Kish, SJ, Shannak, K and Hornykiewicz, O (1988). "Uneven pattern of dopamine loss in the striatum of patients with idiopathic Parkinson's disease. Pathophysiologic and clinical implications." *N Engl J Med* 318(14): 876-80.
- Knutson, KM, Rakowsky, ST, Solomon, J, et al. (2013). "Injured brain regions associated with anxiety

References

- in Vietnam veterans.” *Neuropsychologia* 51(4): 686-94.
- Ko, CH, Yen, JY, Yen, CF, et al. (2013). “Brain activation deficit in increased-load working memory tasks among adults with ADHD using fMRI.” *European Archives of Psychiatry and Clinical Neuroscience* 263(7): 561-73.
- Ko, CH, Hsieh, TJ, Chen, CY, et al. (2014). “Altered brain activation during response inhibition and error processing in subjects with Internet gaming disorder: a functional magnetic imaging study.” *Eur Arch Psychiatry Clin Neurosci* 264(8): 661-72.
- Kobayakawa, M, Koyama, S, Mimura, M, et al. (2008). “Decision making in Parkinson’s disease: Analysis of behavioral and physiological patterns in the Iowa gambling task.” *Mov Disord* 23(4): 547-52.
- Kooistra, L, van der Meere, JJ, Edwards, JD, et al. (2010). “Preliminary fMRI findings on the effects of event rate in adults with ADHD.” *J Neural Transm* 117(5): 655-62.
- Koolschijn, PC, van Haren, NE, Lensvelt-Mulders, GJ, et al. (2009). “Brain volume abnormalities in major depressive disorder: a meta-analysis of magnetic resonance imaging studies.” *Hum Brain Mapp* 30(11): 3719-35.
- Kostic, VS, Agosta, F, Petrovic, I, et al. (2010). “Regional patterns of brain tissue loss associated with depression in Parkinson disease.” *Neurology* 75(10): 857-63.
- Kramer, UM, Cunillera, T, Camara, E, et al. (2007). “The impact of catechol-O-methyltransferase and dopamine D4 receptor genotypes on neurophysiological markers of performance monitoring.” *J Neurosci* 27(51): 14190-8.
- Kramer, UM, Rojo, N, Schule, R, et al. (2009). “ADHD candidate gene (DRD4 exon III) affects inhibitory control in a healthy sample.” *BMC Neurosci* 10: 150.
- Langley, K, Marshall, L, van den Bree, M, et al. (2004). “Association of the dopamine D4 receptor gene 7-repeat allele with neuropsychological test performance of children with ADHD.” *Am J Psychiatry* 161(1): 133-8.
- Lauterbach, EC, Freeman, A and Vogel, RL (2003). “Correlates of generalized anxiety and panic attacks in dystonia and Parkinson disease.” *Cogn Behav Neurol* 16(4): 225-33.
- Lavalaye, J, Booij, J, Reneman, L, et al. (2000). “Effect of age and gender on dopamine transporter imaging with [123I]FP-CIT SPECT in healthy volunteers.” *Eur J Nucl Med* 27(7): 867-9.
- Lawrence, AD, Goerendt, IK and Brooks, DJ (2007). “Impaired recognition of facial expressions of anger in Parkinson’s disease patients acutely withdrawn from dopamine replacement therapy.” *Neuropsychologia* 45(1): 65-74.
- Lee, JE, Cho, KH, Song, SK, et al. (2014a). “Exploratory analysis of neuropsychological and neuroanatomical correlates of progressive mild cognitive impairment in Parkinson’s disease.” *J Neurol Neurosurg Psychiatry* 85(1): 7-16.
- Lee, JY, Lee, EK, Park, SS, et al. (2009). “Association of DRD3 and GRIN2B with impulse control and related behaviors in Parkinson’s disease.” *Mov Disord* 24(12): 1803-10.
- Lee, JY, Seo, SH, Kim, YK, et al. (2014b). “Extrastriatal dopaminergic changes in Parkinson’s disease patients with impulse control disorders.” *J Neurol Neurosurg Psychiatry* 85(1): 23-30.
- Leeman, RF and Potenza, MN (2013). “A targeted review of the neurobiology and genetics of behavioural addictions: an emerging area of research.” *Can J Psychiatry* 58(5): 260-73.
- Leentjens, AF, Van den Akker, M, Metsemakers, JF, et al. (2003). “Higher incidence of depression preceding the onset of Parkinson’s disease: a register study.” *Mov Disord* 18(4): 414-8.
- Leentjens, AF, Dujardin, K, Marsh, L, et al. (2008). “Anxiety rating scales in Parkinson’s disease: critique and recommendations.” *Mov Disord* 23(14): 2015-25.
- Leentjens, AF, Dujardin, K, Marsh, L, et al. (2011a). “Symptomatology and markers of anxiety disorders in Parkinson’s disease: a cross-sectional study.” *Mov Disord* 26(3): 484-92.
- Leentjens, AF, Dujardin, K, Marsh, L, et al. (2011b). “Anxiety rating scales in Parkinson’s disease: a validation study of the Hamilton anxiety rating scale, the Beck anxiety inventory, and the hospital anxiety and depression scale.” *Mov Disord* 26(3): 407-15.
- Leentjens, AF, Dujardin, K, Pontone, GM, et al. (2014). “The Parkinson Anxiety Scale (PAS): development and validation of a new anxiety scale.”

- Mov Disord 29(8): 1035-43.
- Leh, SE, Ptito, A, Chakravarty, MM, et al. (2007). "Fronto-striatal connections in the human brain: a probabilistic diffusion tractography study." *Neurosci Lett* 419(2): 113-8.
- Leh, SE, Petrides, M and Strafella, AP (2010). "The neural circuitry of executive functions in healthy subjects and Parkinson's disease." *Neuropsychopharmacology* 35(1): 70-85.
- Lemke, MR, Brecht, HM, Koester, J, et al. (2005). "Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole." *J Neuropsychiatry Clin Neurosci* 17(2): 214-20.
- Lenze, EJ, Mulsant, BH, Shear, MK, et al. (2005). "Efficacy and tolerability of citalopram in the treatment of late-life anxiety disorders: results from an 8-week randomized, placebo-controlled trial." *Am J Psychiatry* 162(1): 146-50.
- Leroi, I, Andrews, M, McDonald, K, et al. (2012). "Apathy and impulse control disorders in Parkinson's disease: a direct comparison." *Parkinsonism Relat Disord* 18(2): 198-203.
- Lipszyc, J and Schachar, R (2010). "Inhibitory control and psychopathology: a meta-analysis of studies using the stop signal task." *J Int Neuropsychol Soc* 16(6): 1064-76.
- Liu, H, Dong, F, Meng, Z, et al. (2010). "Evaluation of Tourette's syndrome by (99m)Tc-TRODAT-1 SPECT/CT imaging." *Ann Nucl Med* 24(7): 515-21.
- Liu, L, Guan, LL, Chen, Y, et al. (2011). "Association analyses of MAOA in Chinese Han subjects with attention-deficit/hyperactivity disorder: family-based association test, case-control study, and quantitative traits of impulsivity." *Am J Med Genet B Neuropsychiatr Genet* 156B(6): 737-48.
- Logan, GD (1994). *On the ability to inhibit thought and action. A user's guide to the stop signal paradigm.* San Diego, CA, USA, Academic press.
- Loo, SK, Rich, EC, Ishii, J, et al. (2008). "Cognitive functioning in affected sibling pairs with ADHD: familial clustering and dopamine genes." *J Child Psychol Psychiatry* 49(9): 950-7.
- Lotze, M, Reimold, M, Heymans, U, et al. (2009). "Reduced ventrolateral fMRI response during observation of emotional gestures related to the degree of dopaminergic impairment in Parkinson disease." *J Cogn Neurosci* 21(7): 1321-31.
- Luo, C, Song, W, Chen, Q, et al. (2014). "Reduced functional connectivity in early-stage drug-naive Parkinson's disease: a resting-state fMRI study." *Neurobiol Aging* 35(2): 431-41.
- Lupien, SJ, McEwen, BS, Gunnar, MR, et al. (2009). "Effects of stress throughout the lifespan on the brain, behaviour and cognition." *Nat Rev Neurosci* 10(6): 434-45.
- Lyons, KE and Pahwa, R (2011). "The impact and management of nonmotor symptoms of Parkinson's disease." *Am J Manag Care* 17 Suppl 12: S308-14.
- MacMaster, FP, Carrey, N, Sparkes, S, et al. (2003). "Proton spectroscopy in medication-free pediatric attention-deficit/hyperactivity disorder." *Biol Psychiatry* 53(2): 184-7.
- Macoveanu, J, Hornboll, B, Elliott, R, et al. (2012). "Serotonin 2A Receptors, Citalopram and Tryptophan-Depletion: a Multimodal Imaging Study of their Interactions During Response Inhibition." *Neuropsychopharmacology* 38(6): 996-1005.
- Madsen, K, Erritzoe, D, Mortensen, EL, et al. (2010). "Cognitive function is related to fronto-striatal serotonin transporter levels – a brain PET study in young healthy subjects." *Psychopharmacology* 213(2-3): 573-81.
- Mak, E, Zhou, J, Tan, LCS, et al. (2014). "Cognitive deficits in mild Parkinson's disease are associated with distinct areas of grey matter atrophy." *Journal of Neurology Neurosurgery and Psychiatry* 85(5): 576-80.
- Malison, RT, McDougle, CJ, van Dyck, CH, et al. (1995). "[123I]beta-CIT SPECT imaging of striatal dopamine transporter binding in Tourette's disorder." *Am J Psychiatry* 152(9): 1359-61.
- Maltby, N, Tolin, DF, Worhunsky, P, et al. (2005). "Dysfunctional action monitoring hyperactivates frontal-striatal circuits in obsessive-compulsive disorder: an event-related fMRI study." *Neuroimage* 24(2): 495-503.
- Maren, S, Phan, KL and Liberzon, I (2013). "The contextual brain: implications for fear conditioning, extinction and psychopathology." *Nat Rev Neurosci* 14(6): 417-28.
- Maricle, RA, Nutt, JG, Valentine, RJ, et al. (1995).

References

- “Dose-response relationship of levodopa with mood and anxiety in fluctuating Parkinson’s disease: a double-blind, placebo-controlled study.” *Neurology* 45(9): 1757-60.
- Marin, RS (1991). “Apathy: a neuropsychiatric syndrome.” *J Neuropsychiatry Clin Neurosci* 3(3): 243-54.
- Marsh, R, Zhu, H, Wang, Z, et al. (2007). “A developmental fMRI study of self-regulatory control in Tourette’s syndrome.” *Am J Psychiatry* 164(6): 955-66.
- Marsh, R, Horga, G, Parashar, N, et al. (2014). “Altered activation in fronto-striatal circuits during sequential processing of conflict in unmedicated adults with obsessive-compulsive disorder.” *Biol Psychiatry* 75(8): 615-22.
- Massana, G, Serra-Grabulosa, JM, Salgado-Pineda, P, et al. (2003). “Amygdalar atrophy in panic disorder patients detected by volumetric magnetic resonance imaging.” *Neuroimage* 19(1): 80-90.
- Mataix-Cols, D and van den Heuvel, OA (2006). “Common and distinct neural correlates of obsessive-compulsive and related disorders.” *Psychiatr Clin North Am* 29(2): 391-410, viii.
- Mavridis, M, Degryse, AD, Lategan, AJ, et al. (1991). “Effects of locus coeruleus lesions on parkinsonian signs, striatal dopamine and substantia nigra cell loss after 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in monkeys: a possible role for the locus coeruleus in the progression of Parkinson’s disease.” *Neuroscience* 41(2-3): 507-23.
- Mayberg, HS, Starkstein, SE, Sadzot, B, et al. (1990). “Selective hypometabolism in the inferior frontal lobe in depressed patients with Parkinson’s disease.” *Ann Neurol* 28(1): 57-64.
- McAlonan, GM, Cheung, V, Chua, SE, et al. (2009). “Age-related grey matter volume correlates of response inhibition and shifting in attention-deficit hyperactivity disorder.” *Br J Psychiatry* 194(2): 123-9.
- Meijer, FJ, Bloem, BR, Mahlkecht, P, et al. (2013). “Update on diffusion MRI in Parkinson’s disease and atypical parkinsonism.” *J Neurol Sci* 332(1-2): 21-9.
- Melillo, R and Leisman, G (2009). “Autistic Spectrum Disorders as Functional Disconnection Syndrome.” *Reviews in the Neurosciences* 20(2): 111-31.
- Meng, Y, Lui, S, Qiu, C, et al. (2013). “Neuroanatomical deficits in drug-naive adult patients with generalized social anxiety disorder: a voxel-based morphometry study.” *Psychiatry Res* 214(1): 9-15.
- Mentis, MJ, McIntosh, AR, Perrine, K, et al. (2002). “Relationships among the metabolic patterns that correlate with mnemonic, visuospatial, and mood symptoms in Parkinson’s disease.” *Am J Psychiatry* 159(5): 746-54.
- Menza, M, Dobkin, RD, Marin, H, et al. (2009). “A controlled trial of antidepressants in patients with Parkinson disease and depression.” *Neurology* 72(10): 886-92.
- Menzies, L, Achard, S, Chamberlain, SR, et al. (2007). “Neurocognitive endophenotypes of obsessive-compulsive disorder.” *Brain* 130(Pt 12): 3223-36.
- Mitrovic, DV and Brown, J (2009). “Poker mania and problem gambling: a study of distorted cognitions, motivation and alexithymia.” *J Gambli Stud* 25(4): 489-502.
- Monahan, AJ, Warren, M and Carvey, PM (2008). “Neuroinflammation and peripheral immune infiltration in Parkinson’s disease: an autoimmune hypothesis.” *Cell Transplant* 17(4): 363-72.
- Monchi, O, Petrides, M, Mejia-Constain, B, et al. (2007). “Cortical activity in Parkinson’s disease during executive processing depends on striatal involvement.” *Brain* 130(Pt 1): 233-44.
- Mooi, B, Comijs, HC, Cladder, MA, et al. (2010). “[Alexithymia: important for understanding mood disorders with older adults?].” *Tijdschr Gerontol Geriatr* 41(3): 126-35.
- Moon, CM, Kim, GW and Jeong, GW (2014). “Whole-brain gray matter volume abnormalities in patients with generalized anxiety disorder: voxel-based morphometry.” *Neuroreport* 25(3): 184-9.
- Morey, RA, Petty, CM, Xu, Y, et al. (2009). “A comparison of automated segmentation and manual tracing for quantifying hippocampal and amygdala volumes.” *Neuroimage* 45(3): 855-66.
- Morgen, K, Sammer, G, Weber, L, et al. (2011). “Structural brain abnormalities in patients with Parkinson disease: a comparative voxel-based analysis using T1-weighted MR imaging and magnetization

- transfer imaging." *AJNR Am J Neuroradiol* 32(11): 2080-6.
- Moriyama, TS, Felicio, AC, Chagas, MH, et al. (2011). "Increased dopamine transporter density in Parkinson's disease patients with Social Anxiety Disorder." *J Neurol Sci* 310(1-2): 53-7.
- Mozley, LH, Gur, RC, Mozley, PD, et al. (2001). "Striatal dopamine transporters and cognitive functioning in healthy men and women." *Am J Psychiatry* 158(9): 1492-9.
- Muller-Vahl, KR, Berding, G, Brucke, T, et al. (2000). "Dopamine transporter binding in Gilles de la Tourette syndrome." *J Neurol* 247(7): 514-20.
- Mulligan, RC, Knopik, VS, Sweet, LH, et al. (2011). "Neural correlates of inhibitory control in adult attention deficit/hyperactivity disorder: evidence from the Milwaukee longitudinal sample." *Psychiatry Res* 194(2): 119-29.
- Muscat, R, Papp, M and Willner, P (1992). "Antidepressant-like effects of dopamine agonists in an animal model of depression." *Biol Psychiatry* 31(9): 937-46.
- Nabeyama, M, Nakagawa, A, Yoshiura, T, et al. (2008). "Functional MRI study of brain activation alterations in patients with obsessive-compulsive disorder after symptom improvement." *Psychiatry Res* 163(3): 236-47.
- Nader, MA, Morgan, D, Gage, HD, et al. (2006). "PET imaging of dopamine D2 receptors during chronic cocaine self-administration in monkeys." *Nat Neurosci* 9(8): 1050-6.
- Nakao, T, Nakagawa, A, Yoshiura, T, et al. (2005a). "A functional MRI comparison of patients with obsessive-compulsive disorder and normal controls during a Chinese character Stroop task." *Psychiatry Res* 139(2): 101-14.
- Nakao, T, Nakagawa, A, Yoshiura, T, et al. (2005b). "Brain activation of patients with obsessive-compulsive disorder during neuropsychological and symptom provocation tasks before and after symptom improvement: a functional magnetic resonance imaging study." *Biol Psychiatry* 57(8): 901-10.
- Nakao, T, Nakagawa, A, Yoshiura, T, et al. (2009). "Duration effect of obsessive-compulsive disorder on cognitive function: a functional MRI study." *Depress Anxiety* 26(9): 814-23.
- Nandam, LS, Hester, R, Wagner, J, et al. (2011). "Methylphenidate but not atomoxetine or citalopram modulates inhibitory control and response time variability." *Biol Psychiatry* 69(9): 902-4.
- Nandam, LS, Hester, R, Wagner, J, et al. (2013). "Dopamine D(2) receptor modulation of human response inhibition and error awareness." *J Cogn Neurosci* 25(4): 649-56.
- Nee, DE, Wager, TD and Jonides, J (2007). "Interference resolution: insights from a meta-analysis of neuroimaging tasks." *Cogn Affect Behav Neurosci* 7(1): 1-17.
- Neve, KA, Seamans, JK and Trantham-Davidson, H (2004). "Dopamine receptor signaling." *J Recept Signal Transduct Res* 24(3): 165-205.
- Newberg, AB, Amsterdam, JD, Wintering, N, et al. (2005). "123I-ADAM binding to serotonin transporters in patients with major depression and healthy controls: a preliminary study." *J Nucl Med* 46(6): 973-7.
- Nigg, JT (2000). "On inhibition/disinhibition in developmental psychopathology: views from cognitive and personality psychology and a working inhibition taxonomy." *Psychol Bull* 126(2): 220-46.
- Nombela, C, Rittman, T, Robbins, TW, et al. (2014). "Multiple modes of impulsivity in Parkinson's disease." *PLoS One* 9(1): e85747.
- Nymberg, C, Jia, T, Lubbe, S, et al. (2013). "Neural mechanisms of attention-deficit/hyperactivity disorder symptoms are stratified by MAOA genotype." *Biol Psychiatry* 74(8): 607-14.
- O'Callaghan, C, Moustafa, AA, de Wit, S, et al. (2013a). "Fronto-striatal gray matter contributions to discrimination learning in Parkinson's disease." *Front Comput Neurosci* 7: 180.
- O'Callaghan, C, Naismith, SL, Hodges, JR, et al. (2013b). "Fronto-striatal atrophy correlates of inhibitory dysfunction in Parkinson's disease versus behavioural variant frontotemporal dementia." *Cortex* 49(7): 1833-43.
- O'Callaghan, C, Bertoux, M and Hornberger, M (2014). "Beyond and below the cortex: the contribution of striatal dysfunction to cognition and behaviour in neurodegeneration." *J Neurol Neurosurg Psychiatry* 85(4): 371-8.

References

- O'Sullivan, RL, Rauch, SL, Breiter, HC, et al. (1997). "Reduced basal ganglia volumes in trichotillomania measured via morphometric magnetic resonance imaging." *Biol Psychiatry* 42(1): 39-45.
- O'Sullivan, SS, Wu, K, Politis, M, et al. (2011). "Cue-induced striatal dopamine release in Parkinson's disease-associated impulsive-compulsive behaviours." *Brain* 134(Pt 4): 969-78.
- Oades, RD, Slusarek, M, Velling, S, et al. (2002). "Serotonin platelet-transporter measures in childhood attention-deficit/hyperactivity disorder (ADHD): clinical versus experimental measures of impulsivity." *World J Biol Psychiatry* 3(2): 96-100.
- Obeso, I, Wilkinson, L, Casabona, E, et al. (2011a). "Deficits in inhibitory control and conflict resolution on cognitive and motor tasks in Parkinson's disease." *Exp Brain Res* 212(3): 371-84.
- Obeso, I, Wilkinson, L and Jahanshahi, M (2011b). "Levodopa medication does not influence motor inhibition or conflict resolution in a conditional stop-signal task in Parkinson's disease." *Exp Brain Res* 213(4): 435-45.
- Ochsner, KN and Gross, JJ (2007). "The neural architecture of emotion regulation." *Handbook of emotion regulation* 1(1): 87-109.
- Odlaug, BL, Chamberlain, SR, Kim, SW, et al. (2011). "A neurocognitive comparison of cognitive flexibility and response inhibition in gamblers with varying degrees of clinical severity." *Psychol Med* 41(10): 2111-9.
- Okamura, N, Villemagne, VL, Drago, J, et al. (2010). "In vivo measurement of vesicular monoamine transporter type 2 density in Parkinson disease with (18)F-AV-133." *J Nucl Med* 51(2): 223-8.
- Olanow, CW and Brundin, P (2013). "Parkinson's disease and alpha synuclein: is Parkinson's disease a prion-like disorder?" *Mov Disord* 28(1): 31-40.
- Olde Dubbelink, KT, Stoffers, D, Deijen, JB, et al. (2013). "Cognitive decline in Parkinson's disease is associated with slowing of resting-state brain activity: a longitudinal study." *Neurobiol Aging* 34(2): 408-18.
- Olver, JS, O'Keefe, G, Jones, GR, et al. (2009). "Dopamine D1 receptor binding in the striatum of patients with obsessive-compulsive disorder." *J Affect Disord* 114(1-3): 321-6.
- Osinsky, R, Schmitz, A, Alexander, N, et al. (2009). "TPH2 gene variation and conflict processing in a cognitive and an emotional Stroop task." *Behav Brain Res* 198(2): 404-10.
- Ozonoff, S, Strayer, DL, McMahon, WM, et al. (1994). "Executive function abilities in autism and Tourette syndrome: an information processing approach." *J Child Psychol Psychiatry* 35(6): 1015-32.
- Ozonoff, S and Jensen, J (1999). "Brief report: specific executive function profiles in three neurodevelopmental disorders." *J Autism Dev Disord* 29(2): 171-7.
- Page, LA, Rubia, K, Deeley, Q, et al. (2009). "A functional magnetic resonance imaging study of inhibitory control in obsessive-compulsive disorder." *Psychiatry Res* 174(3): 202-9.
- Pagonabarraga, J, Garcia-Sanchez, C, Llebaria, G, et al. (2007). "Controlled study of decision-making and cognitive impairment in Parkinson's disease." *Mov Disord* 22(10): 1430-5.
- Pan-Montojo, F and Reichmann, H (2014). "Considerations on the role of environmental toxins in idiopathic Parkinson's disease pathophysiology." *Transl Neurodegener* 3: 10.
- Parkinson, J (2002). "An essay on the shaking palsy. 1817." *J Neuropsychiatry Clin Neurosci* 14(2): 223-36; discussion 2.
- Passamonti, L, Fera, F, Magariello, A, et al. (2006). "Monoamine oxidase-a genetic variations influence brain activity associated with inhibitory control: new insight into the neural correlates of impulsivity." *Biol Psychiatry* 59(4): 334-40.
- Passarotti, AM, Sweeney, JA and Pavuluri, MN (2010). "Neural correlates of response inhibition in pediatric bipolar disorder and attention deficit hyperactivity disorder." *Psychiatry Res* 181(1): 36-43.
- Pattij, T, Janssen, MC, Vanderschuren, LJ, et al. (2007). "Involvement of dopamine D1 and D2 receptors in the nucleus accumbens core and shell in inhibitory response control." *Psychopharmacology (Berl)* 191(3): 587-98.
- Pattij, T and Vanderschuren, LJ (2008). "The neuropharmacology of impulsive behaviour." *Trends Pharmacol Sci* 29(4): 192-9.
- Pattij, T and Schoffelmeer, AN (2014). "Serotonin and inhibitory response control: Focusing on the role of 5-HT receptors." *Eur J Pharmacol*.

- Pavese, N, Rivero-Bosch, M, Lewis, SJ, et al. (2011). "Progression of monoaminergic dysfunction in Parkinson's disease: a longitudinal 18F-dopa PET study." *Neuroimage* 56(3): 1463-8.
- Penades, R, Catalan, R, Rubia, K, et al. (2007). "Impaired response inhibition in obsessive compulsive disorder." *Eur Psychiatry* 22(6): 404-10.
- Perani, D, Garibotto, V, Gorini, A, et al. (2008). "In vivo PET study of 5HT(2A) serotonin and D(2) dopamine dysfunction in drug-naïve obsessive-compulsive disorder." *Neuroimage* 42(1): 306-14.
- Peron, J, Dondaine, T, Le Jeune, F, et al. (2012). "Emotional processing in Parkinson's disease: a systematic review." *Mov Disord* 27(2): 186-99.
- Perona, MT, Waters, S, Hall, FS, et al. (2008). "Animal models of depression in dopamine, serotonin, and norepinephrine transporter knockout mice: prominent effects of dopamine transporter deletions." *Behav Pharmacol* 19(5-6): 566-74.
- Peterson, BS, Skudlarski, P, Anderson, AW, et al. (1998). "A functional magnetic resonance imaging study of tic suppression in Tourette syndrome." *Arch Gen Psychiatry* 55(4): 326-33.
- Peterson, BS, Potenza, MN, Wang, Z, et al. (2009). "An fMRI study of the effects of psychostimulants on default-mode processing during Stroop task performance in youths with ADHD." *Am J Psychiatry* 166(11): 1286-94.
- Pezze, MA, Dalley, JW and Robbins, TW (2007). "Differential roles of dopamine D1 and D2 receptors in the nucleus accumbens in attentional performance on the five-choice serial reaction time task." *Neuropsychopharmacology* 32(2): 273-83.
- Phillips, ML, Drevets, WC, Rauch, SL, et al. (2003a). "Neurobiology of emotion perception II: Implications for major psychiatric disorders." *Biol Psychiatry* 54(5): 515-28.
- Phillips, ML, Drevets, WC, Rauch, SL, et al. (2003b). "Neurobiology of emotion perception I: The neural basis of normal emotion perception." *Biol Psychiatry* 54(5): 504-14.
- Phillips, ML, Ladouceur, CD and Drevets, WC (2008). "A neural model of voluntary and automatic emotion regulation: implications for understanding the pathophysiology and neurodevelopment of bipolar disorder." *Mol Psychiatry* 13(9): 829, 33-57.
- Pintor, L, Bailles, E, Vallderiola, F, et al. (2006). "Response to 4-month treatment with reboxetine in Parkinson's disease patients with a major depressive episode." *Gen Hosp Psychiatry* 28(1): 59-64.
- Pioli, EY, Meissner, W, Sohr, R, et al. (2008). "Differential behavioral effects of partial bilateral lesions of ventral tegmental area or substantia nigra pars compacta in rats." *Neuroscience* 153(4): 1213-24.
- Pirker, W (2003). "Correlation of dopamine transporter imaging with parkinsonian motor handicap: how close is it?" *Mov Disord* 18 Suppl 7: S43-51.
- Pizzagalli, DA, Holmes, AJ, Dillon, DG, et al. (2009). "Reduced caudate and nucleus accumbens response to rewards in unmedicated individuals with major depressive disorder." *Am J Psychiatry* 166(6): 702-10.
- Pliszka, SR, Glahn, DC, Semrud-Clikeman, M, et al. (2006). "Neuroimaging of inhibitory control areas in children with attention deficit hyperactivity disorder who were treatment naïve or in long-term treatment." *Am J Psychiatry* 163(6): 1052-60.
- Politis, M, Wu, K, Loane, C, et al. (2010a). "Staging of serotonergic dysfunction in Parkinson's disease: an in vivo 11C-DASB PET study." *Neurobiol Dis* 40(1): 216-21.
- Politis, M, Wu, K, Loane, C, et al. (2010b). "Depressive symptoms in PD correlate with higher 5-HTT binding in raphe and limbic structures." *Neurology* 75(21): 1920-7.
- Politis, M, Wu, K, Loane, C, et al. (2012). "Serotonin neuron loss and nonmotor symptoms continue in Parkinson's patients treated with dopamine grafts." *Sci Transl Med* 4(128): 128ra41.
- Politis, M, Loane, C, Wu, K, et al. (2013). "Neural response to visual sexual cues in dopamine treatment-linked hypersexuality in Parkinson's disease." *Brain* 136(Pt 2): 400-11.
- Politis, M and Niccolini, F (2015). "Serotonin in Parkinson's disease." *Behav Brain Res* 277C: 136-45.
- Pontone, G, Williams, JR, Bassett, SS, et al. (2006). "Clinical features associated with impulse control disorders in Parkinson disease." *Neurology* 67(7): 1258-61.
- Pontone, GM, Williams, JR, Anderson, KE, et al. (2009). "Prevalence of anxiety disorders and anxiety subtypes in patients with Parkinson's disease." *Mov*

References

- Disord 24(9): 1333-8.
- Potenza, MN, Koran, LM and Pallanti, S (2009). "The relationship between impulse-control disorders and obsessive-compulsive disorder: a current understanding and future research directions." *Psychiatry Res* 170(1): 22-31.
- Praamstra, P, Stegeman, DF, Cools, AR, et al. (1998). "Reliance on external cues for movement initiation in Parkinson's disease. Evidence from movement-related potentials." *Brain* 121 (Pt 1): 167-77.
- Praamstra, P, Plat, EM, Meyer, AS, et al. (1999). "Motor cortex activation in Parkinson's disease: dissociation of electrocortical and peripheral measures of response generation." *Mov Disord* 14(5): 790-9.
- Praamstra, P and Plat, FM (2001). "Failed suppression of direct visuomotor activation in Parkinson's disease." *J Cogn Neurosci* 13(1): 31-43.
- Prediger, RD, Matheus, FC, Schwarzbald, ML, et al. (2012). "Anxiety in Parkinson's disease: a critical review of experimental and clinical studies." *Neuropharmacology* 62(1): 115-24.
- Price, JL and Drevets, WC (2012). "Neural circuits underlying the pathophysiology of mood disorders." *Trends Cogn Sci* 16(1): 61-71.
- Prieto, GA, Perez-Burgos, A, Fiordeliso, T, et al. (2009). "Dopamine D(2)-class receptor supersensitivity as reflected in Ca²⁺ current modulation in neostriatal neurons." *Neuroscience* 164(2): 345-50.
- Prieto, GA, Perez-Burgos, A, Palomero-Rivero, M, et al. (2011). "Upregulation of D2-class signaling in dopamine-denervated striatum is in part mediated by D3 receptors acting on Ca V 2.1 channels via PIP2 depletion." *J Neurophysiol* 105(5): 2260-74.
- Prince, J (2008). "Catecholamine dysfunction in attention-deficit/hyperactivity disorder: an update." *J Clin Psychopharmacol* 28(3 Suppl 2): S39-45.
- Quelhas, R and Costa, M (2009). "Anxiety, depression, and quality of life in Parkinson's disease." *J Neuropsychiatry Clin Neurosci* 21(4): 413-9.
- Rankins, D, Bradshaw, JL and Georgiou-Karistianis, N (2006). "The semantic Simon effect in Tourette's syndrome and obsessive-compulsive disorder." *Brain Cogn* 61(3): 225-34.
- Rao, H, Mamikonyan, E, Detre, JA, et al. (2010). "Decreased ventral striatal activity with impulse control disorders in Parkinson's disease." *Mov Disord* 25(11): 1660-9.
- Rauch, SL, Shin, LM and Phelps, EA (2006). "Neurocircuitry models of posttraumatic stress disorder and extinction: human neuroimaging research—past, present, and future." *Biol Psychiatry* 60(4): 376-82.
- Ravina, B, Marek, K, Eberly, S, et al. (2012). "Dopamine transporter imaging is associated with long-term outcomes in Parkinson's disease." *Mov Disord* 27(11): 1392-7.
- Ray Li, CS, Chang, HL, Hsu, YP, et al. (2006). "Motor response inhibition in children with Tourette's disorder." *J Neuropsychiatry Clin Neurosci* 18(3): 417-9.
- Ray, NJ, Miyasaki, JM, Zurowski, M, et al. (2012). "Extrastriatal dopaminergic abnormalities of DA homeostasis in Parkinson's patients with medication-induced pathological gambling: a [11C] FLB-457 and PET study." *Neurobiol Dis* 48(3): 519-25.
- Raz, A, Zhu, H, Yu, S, et al. (2009). "Neural substrates of self-regulatory control in children and adults with Tourette syndrome." *Can J Psychiatry* 54(9): 579-88.
- Reijnders, JS, Scholtissen, B, Weber, WE, et al. (2010). "Neuroanatomical correlates of apathy in Parkinson's disease: A magnetic resonance imaging study using voxel-based morphometry." *Mov Disord* 25(14): 2318-25.
- Rektorova, I, Srovnalova, H, Kubikova, R, et al. (2008). "Striatal dopamine transporter imaging correlates with depressive symptoms and tower of London task performance in Parkinson's disease." *Mov Disord* 23(11): 1580-7.
- Remy, P, Doder, M, Lees, A, et al. (2005). "Depression in Parkinson's disease: loss of dopamine and noradrenaline innervation in the limbic system." *Brain* 128(Pt 6): 1314-22.
- Reuter-Lorenz, PA and Lustig, C (2005). "Brain aging: reorganizing discoveries about the aging mind." *Current Opinion in Neurobiology* 15(2): 245-51.
- Richard, IH, Schiffer, RB and Kurlan, R (1996). "Anxiety and Parkinson's disease." *J Neuropsychiatry Clin Neurosci* 8(4): 383-92.
- Richard, IH (2005). "Anxiety disorders in

- Parkinson's disease." *Adv Neurol* 96: 42-55.
- Richard, IH, McDermott, MP, Kurlan, R, et al. (2012). "A randomized, double-blind, placebo-controlled trial of antidepressants in Parkinson disease." *Neurology* 78(16): 1229-36.
- Rickards, H (2005). "Depression in neurological disorders: Parkinson's disease, multiple sclerosis, and stroke." *J Neurol Neurosurg Psychiatry* 76 Suppl 1: i48-52.
- Ring, HA, Bench, CJ, Trimble, MR, et al. (1994). "Depression in Parkinson's disease. A positron emission study." *Br J Psychiatry* 165(3): 333-9.
- Rive, MM, van Rooijen, G, Veltman, DJ, et al. (2013). "Neural correlates of dysfunctional emotion regulation in major depressive disorder. A systematic review of neuroimaging studies." *Neurosci Biobehav Rev* 37(10 Pt 2): 2529-53.
- Robbins, TW (2007). "Shifting and stopping: fronto-striatal substrates, neurochemical modulation and clinical implications." *Philos Trans R Soc Lond B Biol Sci* 362(1481): 917-32.
- Robbins, TW and Cools, R (2014). "Cognitive deficits in Parkinson's disease: a cognitive neuroscience perspective." *Mov Disord* 29(5): 597-607.
- Robert, G, Le Jeune, F, Lozachmeur, C, et al. (2012). "Apathy in patients with Parkinson disease without dementia or depression: a PET study." *Neurology* 79(11): 1155-60.
- Robertson, MM (2008). "The prevalence and epidemiology of Gilles de la Tourette syndrome. Part 1: the epidemiological and prevalence studies." *J Psychosom Res* 65(5): 461-72.
- Robertson, MM (2011). "Gilles de la Tourette syndrome: the complexities of phenotype and treatment." *Br J Hosp Med (Lond)* 72(2): 100-7.
- Robinson, ES, Eagle, DM, Mar, AC, et al. (2008). "Similar effects of the selective noradrenaline reuptake inhibitor atomoxetine on three distinct forms of impulsivity in the rat." *Neuropsychopharmacology* 33(5): 1028-37.
- Roca, M, Torralva, T, Lopez, P, et al. (2008). "Executive functions in pathologic gamblers selected in an ecologic setting." *Cogn Behav Neurol* 21(1): 1-4.
- Rocha, FL, Murad, MG, Stumpf, BP, et al. (2013). "Antidepressants for depression in Parkinson's disease: systematic review and meta-analysis." *J Psychopharmacol* 27(5): 417-23.
- Rodriguez, M, Morales, I, Rodriguez-Sabate, C, et al. (2014). "The degeneration and replacement of dopamine cells in Parkinson's disease: the role of aging." *Front Neuroanat* 8: 80.
- Roesch-Ely, D, Scheffel, H, Weiland, S, et al. (2005). "Differential dopaminergic modulation of executive control in healthy subjects." *Psychopharmacology (Berl)* 178(4): 420-30.
- Roessner, V, Plessen, KJ, Rothenberger, A, et al. (2011). "European clinical guidelines for Tourette syndrome and other tic disorders. Part II: pharmacological treatment." *Eur Child Adolesc Psychiatry* 20(4): 173-96.
- Rokosik, SL and Napier, TC (2012). "Pramipexole-induced increased probabilistic discounting: comparison between a rodent model of Parkinson's disease and controls." *Neuropsychopharmacology* 37(6): 1397-408.
- Rommelfanger, KS, Weinschenker, D and Miller, GW (2004). "Reduced MPTP toxicity in noradrenaline transporter knockout mice." *J Neurochem* 91(5): 1116-24.
- Rommelfanger, KS and Weinschenker, D (2007). "Norepinephrine: The redheaded stepchild of Parkinson's disease." *Biochem Pharmacol* 74(2): 177-90.
- Roskopf, J, Muller, HP, Huppertz, HJ, et al. (2014). "Frontal Corpus Callosum Alterations in Progressive Supranuclear Palsy but Not in Parkinson's Disease." *Neurodegener Dis*.
- Roth, RM, Saykin, AJ, Flashman, LA, et al. (2007). "Event-related functional magnetic resonance imaging of response inhibition in obsessive-compulsive disorder." *Biol Psychiatry* 62(8): 901-9.
- Rubia, K, Overmeyer, S, Taylor, E, et al. (1999). "Hypofrontality in attention deficit hyperactivity disorder during higher-order motor control: a study with functional MRI." *Am J Psychiatry* 156(6): 891-6.
- Rubia, K, Russell, T, Overmeyer, S, et al. (2001). "Mapping motor inhibition: conjunctive brain activations across different versions of go/no-go and stop tasks." *Neuroimage* 13(2): 250-61.
- Rubia, K, Lee, F, Cleare, AJ, et al. (2005a). "Tryptophan depletion reduces right inferior prefrontal activation during response inhibition in

References

- fast, event-related fMRI." *Psychopharmacology (Berl)* 179(4): 791-803.
- Rubia, K, Smith, AB, Brammer, MJ, et al. (2005b). "Abnormal brain activation during inhibition and error detection in medication-naive adolescents with ADHD." *Am J Psychiatry* 162(6): 1067-75.
- Rubia, K, Cubillo, A, Smith, AB, et al. (2010). "Disorder-specific dysfunction in right inferior prefrontal cortex during two inhibition tasks in boys with attention-deficit hyperactivity disorder compared to boys with obsessive-compulsive disorder." *Hum Brain Mapp* 31(2): 287-99.
- Rubia, K, Cubillo, A, Woolley, J, et al. (2011a). "Disorder-specific dysfunctions in patients with attention-deficit/hyperactivity disorder compared to patients with obsessive-compulsive disorder during interference inhibition and attention allocation." *Hum Brain Mapp* 32(4): 601-11.
- Rubia, K, Halari, R, Cubillo, A, et al. (2011b). "Methylphenidate normalizes fronto-striatal underactivation during interference inhibition in medication-naive boys with attention-deficit hyperactivity disorder." *Neuropsychopharmacology* 36(8): 1575-86.
- Ruscio, AM, Stein, DJ, Chiu, WT, et al. (2010). "The epidemiology of obsessive-compulsive disorder in the National Comorbidity Survey Replication." *Mol Psychiatry* 15(1): 53-63.
- Rustamov, N, Rodriguez-Raecke, R, Timm, L, et al. (2013). "Absence of congruency sequence effects reveals neurocognitive inflexibility in Parkinson's disease." *Neuropsychologia* 51(14): 2976-87.
- Rustamov, N, Rodriguez-Raecke, R, Timm, L, et al. (2014). "Attention shifting in Parkinson's disease: an analysis of behavioral and cortical responses." *Neuropsychology* 28(6): 929-44.
- Rutten, S, Vriend, C, van den Heuvel, OA, et al. (2012). "Bright light therapy in Parkinson's disease: an overview of the background and evidence." *Parkinsons Dis* 2012: 767105.
- Rutten, S, Ghielen, I, Vriend, C, et al. (2014). "Anxiety in Parkinson's disease: symptom dimensions and overlap with depression and autonomic failure (in press)." *Parkinsonism Relat Disord*.
- Sagna, A, Gallo, JJ and Pontone, GM (2014). "Systematic review of factors associated with depression and anxiety disorders among older adults with Parkinson's disease." *Parkinsonism Relat Disord* 20(7): 708-15.
- Salgado-Pineda, P, Delaveau, P, Blin, O, et al. (2005). "Dopaminergic contribution to the regulation of emotional perception." *Clin Neuropharmacol* 28(5): 228-37.
- Santamaria, J, Tolosa, E and Valles, A (1986). "Parkinson's disease with depression: a possible subgroup of idiopathic parkinsonism." *Neurology* 36(8): 1130-3.
- Schachar, R, Logan, GD, Robaey, P, et al. (2007). "Restraint and cancellation: multiple inhibition deficits in attention deficit hyperactivity disorder." *J Abnorm Child Psychol* 35(2): 229-38.
- Scherfler, C, Schwarz, J, Antonini, A, et al. (2007). "Role of DAT-SPECT in the diagnostic work up of parkinsonism." *Mov Disord* 22(9): 1229-38.
- Schienle, A, Ebner, F and Schafer, A (2011). "Localized gray matter volume abnormalities in generalized anxiety disorder." *Eur Arch Psychiatry Clin Neurosci* 261(4): 303-7.
- Schlosser, RG, Wagner, G, Schachtzabel, C, et al. (2010). "Fronto-cingulate effective connectivity in obsessive compulsive disorder: a study with fMRI and dynamic causal modeling." *Hum Brain Mapp* 31(12): 1834-50.
- Schmand, B, Bakker, D, Saan, R, et al. (1991). "[The Dutch Reading Test for Adults: a measure of premorbid intelligence level]." *Tijdschr Gerontol Geriatr* 22(1): 15-9.
- Schmiedt-Fehr, C, Schwendemann, G, Herrmann, M, et al. (2007). "Parkinson's disease and age-related alterations in brain oscillations during a Simon task." *Neuroreport* 18(3): 277-81.
- Schmitt, JA, Jorissen, BL, Sobczak, S, et al. (2000). "Tryptophan depletion impairs memory consolidation but improves focussed attention in healthy young volunteers." *J Psychopharmacol* 14(1): 21-9.
- Schneier, FR, Abi-Dargham, A, Martinez, D, et al. (2009). "Dopamine transporters, D2 receptors, and dopamine release in generalized social anxiety disorder." *Depress Anxiety* 26(5): 411-8.
- Scholes, KE, Harrison, BJ, O'Neill, BV, et al. (2007). "Acute serotonin and dopamine depletion improves attentional control: findings from the stroop task."

- Neuropsychopharmacology 32(7): 1600-10.
- Schrag, A, Jahanshahi, M and Quinn, NP (2001). "What contributes to depression in Parkinson's disease?" *Psychol Med* 31(1): 65-73.
- Schulz, KP, Fan, J, Tang, CY, et al. (2004). "Response inhibition in adolescents diagnosed with attention deficit hyperactivity disorder during childhood: an event-related fMRI study." *Am J Psychiatry* 161(9): 1650-7.
- Schuurman, AG, van den Akker, M, Ensink, KT, et al. (2002). "Increased risk of Parkinson's disease after depression: a retrospective cohort study." *Neurology* 58(10): 1501-4.
- Sebastian, A, Gerdes, B, Feige, B, et al. (2012). "Neural correlates of interference inhibition, action withholding and action cancellation in adult ADHD." *Psychiatry Res* 202(2): 132-41.
- Sebastian, A, Baldemann, C, Feige, B, et al. (2013a). "Differential effects of age on subcomponents of response inhibition." *Neurobiol Aging* 34(9): 2183-93.
- Sebastian, A, Pohl, MF, Kloppel, S, et al. (2013b). "Disentangling common and specific neural subprocesses of response inhibition." *Neuroimage* 64: 601-15.
- Selvaraj, S, Murthy, NV, Bhagwagar, Z, et al. (2011). "Diminished brain 5-HT transporter binding in major depression: a positron emission tomography study with [¹¹C]DASB." *Psychopharmacology (Berl)* 213(2-3): 555-62.
- Seppi, K, Weintraub, D, Coelho, M, et al. (2011). "The Movement Disorder Society Evidence-Based Medicine Review Update: Treatments for the non-motor symptoms of Parkinson's disease." *Mov Disord* 26 Suppl 3: S42-80.
- Serra-Mestres, J, Ring, HA, Costa, DC, et al. (2004). "Dopamine transporter binding in Gilles de la Tourette syndrome: a [¹²³I]FP-CIT/SPECT study." *Acta Psychiatr Scand* 109(2): 140-6.
- Shaw, P, Gornick, M, Lerch, J, et al. (2007). "Polymorphisms of the dopamine D4 receptor, clinical outcome, and cortical structure in attention-deficit/hyperactivity disorder." *Arch Gen Psychiatry* 64(8): 921-31.
- Shen, W, Flajolet, M, Greengard, P, et al. (2008). "Dichotomous dopaminergic control of striatal synaptic plasticity." *Science* 321(5890): 848-51.
- Shiba, M, Bower, JH, Maraganore, DM, et al. (2000). "Anxiety disorders and depressive disorders preceding Parkinson's disease: a case-control study." *Mov Disord* 15(4): 669-77.
- Shin, LM and Liberzon, I (2010). "The neurocircuitry of fear, stress, and anxiety disorders." *Neuropsychopharmacology* 35(1): 169-91.
- Shulman, LM, Taback, RL, Rabinstein, AA, et al. (2002). "Non-recognition of depression and other non-motor symptoms in Parkinson's disease." *Parkinsonism Relat Disord* 8(3): 193-7.
- Silveri, MM, Sneider, JT, Crowley, DJ, et al. (2013). "Frontal lobe gamma-aminobutyric acid levels during adolescence: associations with impulsivity and response inhibition." *Biol Psychiatry* 74(4): 296-304.
- Singer, HS, Szymanski, S, Giuliano, J, et al. (2002). "Elevated intrasynaptic dopamine release in Tourette's syndrome measured by PET." *Am J Psychiatry* 159(8): 1329-36.
- Skidmore, FM, Yang, M, Baxter, L, et al. (2013). "Apathy, depression, and motor symptoms have distinct and separable resting activity patterns in idiopathic Parkinson disease." *Neuroimage* 81: 484-95.
- Smith, AB, Taylor, E, Brammer, M, et al. (2006). "Task-specific hypoactivation in prefrontal and temporoparietal brain regions during motor inhibition and task switching in medication-naive children and adolescents with attention deficit hyperactivity disorder." *Am J Psychiatry* 163(6): 1044-51.
- Sokoloff, P, Giros, B, Martres, MP, et al. (1990). "Molecular cloning and characterization of a novel dopamine receptor (D₃) as a target for neuroleptics." *Nature* 347(6289): 146-51.
- Solis-Ortiz, S, Perez-Luque, E, Morado-Crespo, L, et al. (2010). "Executive functions and selective attention are favored in middle-aged healthy women carriers of the Val/Val genotype of the catechol-o-methyltransferase gene: a behavioral genetic study." *Behav Brain Funct* 6: 67.
- Sowell, ER, Thompson, PM, Welcome, SE, et al. (2003). "Cortical abnormalities in children and adolescents with attention-deficit hyperactivity disorder." *Lancet* 362(9397): 1699-707.
- Spiegel, J, Hellwig, D, Mollers, MO, et al. (2006). "Transcranial sonography and [¹²³I]FP-CIT SPECT

References

- disclose complementary aspects of Parkinson's disease." *Brain* 129(Pt 5): 1188-93.
- Spillantini, MG, Schmidt, ML, Lee, VM, et al. (1997). "Alpha-synuclein in Lewy bodies." *Nature* 388(6645): 839-40.
- Spillantini, MG, Crowther, RA, Jakes, R, et al. (1998). "alpha-Synuclein in filamentous inclusions of Lewy bodies from Parkinson's disease and dementia with lewy bodies." *Proc Natl Acad Sci U S A* 95(11): 6469-73.
- Spinelli, S, Joel, S, Nelson, TE, et al. (2011). "Different neural patterns are associated with trials preceding inhibitory errors in children with and without attention-deficit/hyperactivity disorder." *J Am Acad Child Adolesc Psychiatry* 50(7): 705-15 e3.
- Srovnalova, H, Marecek, R, Kubikova, R, et al. (2012). "The role of the right dorsolateral prefrontal cortex in the Tower of London task performance: repetitive transcranial magnetic stimulation study in patients with Parkinson's disease." *Exp Brain Res* 223(2): 251-7.
- Stacy, M, Bowron, A, Guttman, M, et al. (2005). "Identification of motor and nonmotor wearing-off in Parkinson's disease: comparison of a patient questionnaire versus a clinician assessment." *Mov Disord* 20(6): 726-33.
- Stacy, MA, Murck, H and Kroenke, K (2010). "Responsiveness of motor and nonmotor symptoms of Parkinson disease to dopaminergic therapy." *Prog Neuropsychopharmacol Biol Psychiatry* 34(1): 57-61.
- Stanley, MA, Breckenridge, JK, Swann, AC, et al. (1997a). "Fluvoxamine treatment of trichotillomania." *J Clin Psychopharmacol* 17(4): 278-83.
- Stanley, MA, Hannay, HJ and Breckenridge, JK (1997b). "The neuropsychology of trichotillomania." *J Anxiety Disord* 11(5): 473-88.
- Starck, G, Ljungberg, M, Nilsson, M, et al. (2008). "A 1H magnetic resonance spectroscopy study in adults with obsessive compulsive disorder: relationship between metabolite concentrations and symptom severity." *J Neural Transm* 115(7): 1051-62.
- Starkstein, SE and Leentjens, AF (2008). "The nosological position of apathy in clinical practice." *J Neurol Neurosurg Psychiatry* 79(10): 1088-92.
- Steeves, TD and Fox, SH (2008). "Neurobiological basis of serotonin-dopamine antagonists in the treatment of Gilles de la Tourette syndrome." *Prog Brain Res* 172: 495-513.
- Steeves, TD, Miyasaki, J, Zurowski, M, et al. (2009). "Increased striatal dopamine release in Parkinsonian patients with pathological gambling: a [¹¹C] raclopride PET study." *Brain* 132(Pt 5): 1376-85.
- Steeves, TD, Ko, JH, Kideckel, DM, et al. (2010). "Extrastriatal dopaminergic dysfunction in tourette syndrome." *Ann Neurol* 67(2): 170-81.
- Stein, DJ, Bouwer, C and Maud, CM (1997). "Use of the selective serotonin reuptake inhibitor citalopram in treatment of trichotillomania." *Eur Arch Psychiatry Clin Neurosci* 247(4): 234-6.
- Stoessel, AJ, Lehericy, S and Strafella, AP (2014). "Imaging insights into basal ganglia function, Parkinson's disease, and dystonia." *Lancet* 384(9942): 532-44.
- Stoltenberg, SF, Glass, JM, Chermack, ST, et al. (2006). "Possible association between response inhibition and a variant in the brain-expressed tryptophan hydroxylase-2 gene." *Psychiatr Genet* 16(1): 35-8.
- Storch, A, Schneider, CB, Wolz, M, et al. (2013). "Nonmotor fluctuations in Parkinson disease: severity and correlation with motor complications." *Neurology* 80(9): 800-9.
- Strecker, K, Wegner, F, Hesse, S, et al. (2011). "Preserved serotonin transporter binding in de novo Parkinson's disease: negative correlation with the dopamine transporter." *J Neurol* 258(1): 19-26.
- Streichenwein, SM and Thornby, JI (1995). "A long-term, double-blind, placebo-controlled crossover trial of the efficacy of fluoxetine for trichotillomania." *Am J Psychiatry* 152(8): 1192-6.
- Sukhodolsky, DG, Landeros-Weisenberger, A, Scahill, L, et al. (2010). "Neuropsychological functioning in children with Tourette syndrome with and without attention-deficit/hyperactivity disorder." *J Am Acad Child Adolesc Psychiatry* 49(11): 1155-64.
- Sun, DL, Chen, ZJ, Ma, N, et al. (2009). "Decision-making and prepotent response inhibition functions in excessive internet users." *CNS Spectr* 14(2): 75-81.
- Surdhar, I, Gee, M, Bouchard, T, et al. (2012). "Intact limbic-prefrontal connections and reduced amygdala volumes in Parkinson's disease with mild depressive symptoms." *Parkinsonism Relat Disord*

18(7): 809-13.

Surmeier, DJ, Ding, J, Day, M, et al. (2007). "D1 and D2 dopamine-receptor modulation of striatal glutamatergic signaling in striatal medium spiny neurons." *Trends Neurosci* 30(5): 228-35.

Suskauer, SJ, Simmonds, DJ, Fotedar, S, et al. (2008). "Functional magnetic resonance imaging evidence for abnormalities in response selection in attention deficit hyperactivity disorder: differences in activation associated with response inhibition but not habitual motor response." *J Cogn Neurosci* 20(3): 478-93.

Swain, JE, Scahill, L, Lombroso, PJ, et al. (2007). "Tourette syndrome and tic disorders: a decade of progress." *J Am Acad Child Adolesc Psychiatry* 46(8): 947-68.

Swick, D, Ashley, V and Turken, U (2011). "Are the neural correlates of stopping and not going identical? Quantitative meta-analysis of two response inhibition tasks." *Neuroimage* 56(3): 1655-65.

Szewczyk-Krolikowski, K, Menke, RA, Rolinski, M, et al. (2014). "Functional connectivity in the basal ganglia network differentiates PD patients from controls." *Neurology* 83(3): 208-14.

Takahashi, M and Yamada, T (1999). "Viral etiology for Parkinson's disease—a possible role of influenza A virus infection." *Jpn J Infect Dis* 52(3): 89-98.

Tamm, L, Menon, V, Ringel, J, et al. (2004). "Event-related fMRI evidence of frontotemporal involvement in aberrant response inhibition and task switching in attention-deficit/hyperactivity disorder." *J Am Acad Child Adolesc Psychiatry* 43(11): 1430-40.

Tan, SK, Hartung, H, Sharp, T, et al. (2011). "Serotonin-dependent depression in Parkinson's disease: a role for the subthalamic nucleus?" *Neuropharmacology* 61(3): 387-99.

Tansey, MG and Goldberg, MS (2010). "Neuroinflammation in Parkinson's disease: its role in neuronal death and implications for therapeutic intervention." *Neurobiol Dis* 37(3): 510-8.

Taylor, GJ, Bagby, RM and Parker, JD (1991). "The alexithymia construct. A potential paradigm for psychosomatic medicine." *Psychosomatics* 32(2): 153-64.

Tessitore, A, Hariri, AR, Fera, F, et al. (2002). "Dopamine modulates the response of the human

amygdala: a study in Parkinson's disease." *J Neurosci* 22(20): 9099-103.

Thenganatt, MA and Jankovic, J (2014). "Parkinson disease subtypes." *JAMA Neurol* 71(4): 499-504.

Thobois, S, Ardouin, C, Lhommee, E, et al. (2010). "Non-motor dopamine withdrawal syndrome after surgery for Parkinson's disease: predictors and underlying mesolimbic denervation." *Brain* 133(Pt 4): 1111-27.

Thomaes, K, Dorrepaal, E, Draijer, N, et al. (2014). "Can pharmacological and psychological treatment change brain structure and function in PTSD? A systematic review." *J Psychiatr Res* 50: 1-15.

Thompson, J, Thomas, N, Singleton, A, et al. (1997). "D2 dopamine receptor gene (DRD2) Taq1 A polymorphism: reduced dopamine D2 receptor binding in the human striatum associated with the A1 allele." *Pharmacogenetics* 7(6): 479-84.

Tiihonen, J, Kuikka, J, Bergstrom, K, et al. (1997). "Dopamine reuptake site densities in patients with social phobia." *Am J Psychiatry* 154(2): 239-42.

Tissingh, G, Booij, J, Bergmans, P, et al. (1998). "Iodine-123-N-omega-fluoropropyl-2beta-carbomethoxy-3beta-(4-iodophenyl)tropane SPECT in healthy controls and early-stage, drug-naive Parkinson's disease." *J Nucl Med* 39(7): 1143-8.

Troeung, L, Egan, SJ and Gasson, N (2013). "A meta-analysis of randomised placebo-controlled treatment trials for depression and anxiety in Parkinson's disease." *PLoS One* 8(11): e79510.

Truitt, WA, Johnson, PL, Dietrich, AD, et al. (2009). "Anxiety-like behavior is modulated by a discrete subpopulation of interneurons in the basolateral amygdala." *Neuroscience* 160(2): 284-94.

Trujillo, JP, Gerrits, NJHM, Veltman, DJ, et al. (2014). "Reduced neural connectivity but increased task-related activity during working memory in de novo Parkinson patients (in press)." *Human brain mapping*.

Turner, DC, Robbins, TW, Clark, L, et al. (2003). "Cognitive enhancing effects of modafinil in healthy volunteers." *Psychopharmacology (Berl)* 165(3): 260-9.

Tziortzi, AC, Searle, GE, Tzimopoulou, S, et al. (2011). "Imaging dopamine receptors in humans with [¹¹C]-(+)-PHNO: dissection of D3 signal and anatomy."

References

Neuroimage 54(1): 264-77.

Vaidya, CJ, Austin, G, Kirkorian, G, et al. (1998). "Selective effects of methylphenidate in attention deficit hyperactivity disorder: a functional magnetic resonance study." *Proc Natl Acad Sci U S A* 95(24): 14494-9.

Vaidya, CJ, Bunge, SA, Dudukovic, NM, et al. (2005). "Altered neural substrates of cognitive control in childhood ADHD: evidence from functional magnetic resonance imaging." *Am J Psychiatry* 162(9): 1605-13.

Vaillancourt, DE, Schonfeld, D, Kwak, Y, et al. (2013). "Dopamine overdose hypothesis: evidence and clinical implications." *Mov Disord* 28(14): 1920-9.

Vallelunga, A, Flaibani, R, Formento-Dojot, P, et al. (2012). "Role of genetic polymorphisms of the dopaminergic system in Parkinson's disease patients with impulse control disorders." *Parkinsonism Relat Disord* 18(4): 397-9.

Van Ameringen, M, Mancini, C, Patterson, B, et al. (2010). "A randomized, double-blind, placebo-controlled trial of olanzapine in the treatment of trichotillomania." *J Clin Psychiatry* 71(10): 1336-43.

van den Heuvel, OA, Veltman, DJ, Groenewegen, HJ, et al. (2005). "Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis." *Arch Gen Psychiatry* 62(8): 922-33.

van den Heuvel, OA, van der Werf, YD, Verhoef, KM, et al. (2010). "Frontal-striatal abnormalities underlying behaviours in the compulsive-impulsive spectrum." *J Neurol Sci* 289(1-2): 55-9.

van den Heuvel, OA, Mataix-Cols, D, Zwitter, G, et al. (2011). "Common limbic and frontal-striatal disturbances in patients with obsessive compulsive disorder, panic disorder and hypochondriasis." *Psychol Med* 41(11): 2399-410.

van den Heuvel, OA, Van Gersel, HC, Veltman, DJ, et al. (2013). "Impairment of executive performance after transcranial magnetic modulation of the left dorsal frontal-striatal circuit." *Hum Brain Mapp* 34(2): 347-55.

van der Vegt, JP, Hulme, OJ, Zittel, S, et al. (2013). "Attenuated neural response to gamble outcomes in drug-naive patients with Parkinson's disease." *Brain* 136(Pt 4): 1192-203.

van der Wee, NJ, Stevens, H, Hardeman, JA, et

al. (2004). "Enhanced dopamine transporter density in psychotropic-naive patients with obsessive-compulsive disorder shown by [¹²³I]β-CIT SPECT." *Am J Psychiatry* 161(12): 2201-6.

van der Wee, NJ, van Veen, JF, Stevens, H, et al. (2008). "Increased serotonin and dopamine transporter binding in psychotropic medication-naive patients with generalized social anxiety disorder shown by ¹²³I-beta-(4-iodophenyl)-tropane SPECT." *J Nucl Med* 49(5): 757-63.

van Eimeren, T, Ballanger, B, Pellecchia, G, et al. (2009). "Dopamine agonists diminish value sensitivity of the orbitofrontal cortex: a trigger for pathological gambling in Parkinson's disease?" *Neuropsychopharmacology* 34(13): 2758-66.

van Eimeren, T, Pellecchia, G, Cilia, R, et al. (2010). "Drug-induced deactivation of inhibitory networks predicts pathological gambling in PD." *Neurology* 75(19): 1711-6.

van Gaalen, MM, Brueggeman, RJ, Bronius, PF, et al. (2006a). "Behavioral disinhibition requires dopamine receptor activation." *Psychopharmacology (Berl)* 187(1): 73-85.

van Gaalen, MM, van Koten, R, Schoffemeer, AN, et al. (2006b). "Critical involvement of dopaminergic neurotransmission in impulsive decision making." *Biol Psychiatry* 60(1): 66-73.

van Holst, RJ, van Holstein, M, van den Brink, W, et al. (2012). "Response inhibition during cue reactivity in problem gamblers: an fMRI study." *PLoS One* 7(3): e30909.

van Laar, T (2003). "Levodopa-induced response fluctuations in patients with Parkinson's disease: strategies for management." *CNS Drugs* 17(7): 475-89.

van Mierlo, T, Chung, C, Foncke, EMJ, et al. (2014). "Affective symptoms in Parkinson's disease are related to decreased hippocampus and amygdala volume." *Mov Disord* (in press).

van Minnen, A, Hoogduin, KA, Keijsers, GP, et al. (2003). "Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study." *Arch Gen Psychiatry* 60(5): 517-22.

van Velzen, LS, De Wit, SJ, Ćurčić-Blake, B, et al. (2013). Altered inhibition-related fronto- limbic connectivity: endophenotype of obsessive-

- compulsive disorder (under review). Amsterdam, VU University medical center.
- van Velzen, LS, Vriend, C, de Wit, SJ, et al. (2014). "Response inhibition and interference control in obsessive-compulsive spectrum disorders." *Front Hum Neurosci* 8: 419.
- Vandenbossche, J, Deroost, N, Soetens, E, et al. (2012). "Conflict and freezing of gait in Parkinson's disease: support for a response control deficit." *Neuroscience* 206: 144-54.
- Varrone, A, Dickson, JC, Tossici-Bolt, L, et al. (2013). "European multicentre database of healthy controls for [¹²³I]FP-CIT SPECT (ENC-DAT): age-related effects, gender differences and evaluation of different methods of analysis." *Eur J Nucl Med Mol Imaging* 40(2): 213-27.
- Vasic, N, Plichta, MM, Wolf, RC, et al. (2014). "Reduced neural error signaling in left inferior prefrontal cortex in young adults with ADHD." *J Atten Disord* 18(8): 659-70.
- Vazquez, A, Jimenez-Jimenez, FJ, Garcia-Ruiz, P, et al. (1993). "Panic attacks" in Parkinson's disease. A long-term complication of levodopa therapy." *Acta Neurol Scand* 87(1): 14-8.
- Verbruggen, F, Chambers, CD and Logan, GD (2013). "Fictitious Inhibitory Differences: How Skewness and Slowing Distort the Estimation of Stopping Latencies." *Psychological Science* 24(3): 352-62.
- Verte, S, Geurts, HM, Roeyers, H, et al. (2005). "Executive functioning in children with autism and Tourette syndrome." *Dev Psychopathol* 17(2): 415-45.
- Viard, A, Flament, MF, Artiges, E, et al. (2005). "Cognitive control in childhood-onset obsessive-compulsive disorder: a functional MRI study." *Psychol Med* 35(7): 1007-17.
- Visser, M, Marinus, J, Stiggelbout, AM, et al. (2004). "Assessment of autonomic dysfunction in Parkinson's disease: the SCOPA-AUT." *Mov Disord* 19(11): 1306-12.
- Vitale, C, Santangelo, G, Trojano, L, et al. (2011). "Comparative neuropsychological profile of pathological gambling, hypersexuality, and compulsive eating in Parkinson's disease." *Mov Disord* 26(5): 830-6.
- Volkow, ND, Gur, RC, Wang, GJ, et al. (1998). "Association between decline in brain dopamine activity with age and cognitive and motor impairment in healthy individuals." *Am J Psychiatry* 155(3): 344-9.
- Volkow, ND, Wang, GJ, Fowler, JS, et al. (2002). "Brain DA D2 receptors predict reinforcing effects of stimulants in humans: replication study." *Synapse* 46(2): 79-82.
- Volkow, ND, Wang, GJ, Telang, F, et al. (2008). "Low dopamine striatal D2 receptors are associated with prefrontal metabolism in obese subjects: possible contributing factors." *Neuroimage* 42(4): 1537-43.
- Vollm, B, Richardson, P, McKie, S, et al. (2006). "Serotonergic modulation of neuronal responses to behavioural inhibition and reinforcing stimuli: an fMRI study in healthy volunteers." *Eur J Neurosci* 23(2): 552-60.
- Voon, V and Fox, SH (2007). "Medication-related impulse control and repetitive behaviors in Parkinson disease." *Arch Neurol* 64(8): 1089-96.
- Voon, V, Fernagut, PO, Wickens, J, et al. (2009). "Chronic dopaminergic stimulation in Parkinson's disease: from dyskinesias to impulse control disorders." *Lancet Neurol* 8(12): 1140-9.
- Voon, V, Pessiglione, M, Brezing, C, et al. (2010). "Mechanisms underlying dopamine-mediated reward bias in compulsive behaviors." *Neuron* 65(1): 135-42.
- Voon, V, Gao, J, Brezing, C, et al. (2011a). "Dopamine agonists and risk: impulse control disorders in Parkinson's disease." *Brain* 134(Pt 5): 1438-46.
- Voon, V, Mehta, AR and Hallett, M (2011b). "Impulse control disorders in Parkinson's disease: recent advances." *Curr Opin Neurol* 24(4): 324-30.
- Voon, V, Schoerling, A, Wenzel, S, et al. (2011c). "Frequency of impulse control behaviours associated with dopaminergic therapy in restless legs syndrome." *BMC Neurol* 11: 117.
- Voon, V, Sohr, M, Lang, AE, et al. (2011d). "Impulse control disorders in Parkinson disease: a multicenter case-control study." *Ann Neurol* 69(6): 986-96.
- Voon, V, Rizos, A, Chakravarty, R, et al. (2014). "Impulse control disorders in Parkinson's disease: decreased striatal dopamine transporter levels." *J Neurol Neurosurg Psychiatry* 85(2): 148-52.
- Vriend, C, de Boer, F, A., VdHO, et al. (2014a).

References

- Impaired coupling in the hyperdirect pathway during response inhibition in de novo Parkinson's disease patients (in preparation), VU University medical center.
- Vriend, C, Nordbeck, AH, Booij, J, et al. (2014b). "Reduced dopamine transporter binding predates impulse control disorders in Parkinson's disease." *Mov Disord* 29(7): 904-11.
- Vriend, C, Pattij, T, van der Werf, YD, et al. (2014c). "Depression and impulse control disorders in Parkinson's disease: two sides of the same coin?" *Neurosci Biobehav Rev* 38: 60-71.
- Vriend, C, Rajimakers, P, Veltman, DJ, et al. (2014d). "Depressive symptoms in Parkinson's disease are related to reduced [¹²³I]FP-CIT binding in the caudate nucleus." *J Neurol Neurosurg Psychiatry* 85(2): 159-64.
- Vriend, C, Gerrits, NJ, Berendse, HW, et al. (2015). "Failure of stop and go in de novo Parkinson's disease—a functional magnetic resonance imaging study." *Neurobiol Aging* 36(1): 470-5.
- Wager, TD, Phan, KL, Liberzon, I, et al. (2003). "Valence, gender, and lateralization of functional brain anatomy in emotion: a meta-analysis of findings from neuroimaging." *Neuroimage* 19(3): 513-31.
- Wager, TD, Sylvester, CY, Lacey, SC, et al. (2005). "Common and unique components of response inhibition revealed by fMRI." *Neuroimage* 27(2): 323-40.
- Walter, U, Hoepfner, J, Prudente-Morrissey, L, et al. (2007). "Parkinson's disease-like midbrain sonography abnormalities are frequent in depressive disorders." *Brain* 130(Pt 7): 1799-807.
- Walther, DJ and Bader, M (2003). "A unique central tryptophan hydroxylase isoform." *Biochem Pharmacol* 66(9): 1673-80.
- Wang, GJ, Volkow, ND, Wigal, T, et al. (2013). "Long-term stimulant treatment affects brain dopamine transporter level in patients with attention deficit hyperactive disorder." *PLoS One* 8(5): e63023.
- Watkins, LH, Sahakian, BJ, Robertson, MM, et al. (2005). "Executive function in Tourette's syndrome and obsessive-compulsive disorder." *Psychol Med* 35(4): 571-82.
- Wei, L, Zhang, J, Long, Z, et al. (2014). "Reduced topological efficiency in cortical-basal ganglia motor network of Parkinson's disease: a resting state fMRI study." *PLoS One* 9(10): e108124.
- Weintraub, D, Newberg, AB, Cary, MS, et al. (2005). "Striatal dopamine transporter imaging correlates with anxiety and depression symptoms in Parkinson's disease." *J Nucl Med* 46(2): 227-32.
- Weintraub, D (2008). "Dopamine and impulse control disorders in Parkinson's disease." *Ann Neurol* 64 Suppl 2: S93-100.
- Weintraub, D, Hoops, S, Shea, JA, et al. (2009). "Validation of the questionnaire for impulsive-compulsive disorders in Parkinson's disease." *Mov Disord* 24(10): 1461-7.
- Weintraub, D, Koester, J, Potenza, MN, et al. (2010a). "Impulse control disorders in Parkinson disease: a cross-sectional study of 3090 patients." *Arch Neurol* 67(5): 589-95.
- Weintraub, D, Mavandadi, S, Mamikonyan, E, et al. (2010b). "Atomoxetine for depression and other neuropsychiatric symptoms in Parkinson disease." *Neurology* 75(5): 448-55.
- Weintraub, D, Mamikonyan, E, Papay, K, et al. (2012). "Questionnaire for Impulsive-Compulsive Disorders in Parkinson's Disease-Rating Scale." *Mov Disord* 27(2): 242-7.
- Weintraub, D, Papay, K, Siderowf, A, et al. (2013). "Screening for impulse control symptoms in patients with de novo Parkinson disease: a case-control study." *Neurology* 80(2): 176-80.
- West, CH and Weiss, JM (2011). "Effects of chronic antidepressant drug administration and electroconvulsive shock on activity of dopaminergic neurons in the ventral tegmentum." *Int J Neuropsychopharmacol* 14(2): 201-10.
- White, MJ, Morris, CP, Lawford, BR, et al. (2008). "Behavioral phenotypes of impulsivity related to the ANKK1 gene are independent of an acute stressor." *Behav Brain Funct* 4: 54.
- White, MP and Koran, LM (2011). "Open-label trial of aripiprazole in the treatment of trichotillomania." *J Clin Psychopharmacol* 31(4): 503-6.
- Willemsen, R, Muller, T, Schwarz, M, et al. (2008). "Error processing in patients with Parkinson's disease: the influence of medication state." *J Neural Transm* 115(3): 461-8.
- Williams, JR, Hirsch, ES, Anderson, K, et al. (2012).

- “A comparison of nine scales to detect depression in Parkinson disease: which scale to use?” *Neurology* 78(13): 998-1006.
- Winstanley, CA, Dalley, JW, Theobald, DE, et al. (2004). “Fractionating impulsivity: contrasting effects of central 5-HT depletion on different measures of impulsive behavior.” *Neuropsychopharmacology* 29(7): 1331-43.
- Winstanley, CA (2011). “The utility of rat models of impulsivity in developing pharmacotherapies for impulse control disorders.” *Br J Pharmacol* 164(4): 1301-21.
- Wise, RA (2009). “Roles for nigrostriatal—not just mesocorticolimbic—dopamine in reward and addiction.” *Trends Neurosci* 32(10): 517-24.
- Witjas, T, Kaphan, E, Azulay, JP, et al. (2002). “Nonmotor fluctuations in Parkinson’s disease: frequent and disabling.” *Neurology* 59(3): 408-13.
- Wong, DF, Brasic, JR, Singer, HS, et al. (2008). “Mechanisms of dopaminergic and serotonergic neurotransmission in Tourette syndrome: clues from an in vivo neurochemistry study with PET.” *Neuropsychopharmacology* 33(6): 1239-51.
- Woodward, TS, Bub, DN and Hunter, MA (2002). “Task switching deficits associated with Parkinson’s disease reflect depleted attentional resources.” *Neuropsychologia* 40(12): 1948-55.
- Woolley, J, Heyman, I, Brammer, M, et al. (2008). “Brain activation in paediatric obsessive compulsive disorder during tasks of inhibitory control.” *Br J Psychiatry* 192(1): 25-31.
- Wu, K, Politis, M and Piccini, P (2009). “Parkinson disease and impulse control disorders: a review of clinical features, pathophysiology and management.” *Postgrad Med J* 85(1009): 590-6.
- Wylie, SA, van den Wildenberg, WP, Ridderinkhof, KR, et al. (2009). “The effect of speed-accuracy strategy on response interference control in Parkinson’s disease.” *Neuropsychologia* 47(8-9): 1844-53.
- Wylie, SA, Ridderinkhof, KR, Bashore, TR, et al. (2010). “The effect of Parkinson’s disease on the dynamics of on-line and proactive cognitive control during action selection.” *J Cogn Neurosci* 22(9): 2058-73.
- Wylie, SA, Claassen, DO, Huizenga, HM, et al. (2012). “Dopamine agonists and the suppression of impulsive motor actions in Parkinson disease.” *J Cogn Neurosci* 24(8): 1709-24.
- Wylie, SA, Claassen, DO, Kanoff, KE, et al. (2013). “Impaired inhibition of prepotent motor actions in patients with Tourette syndrome.” *J Psychiatry Neurosci* 38(5): 349-56.
- Ye, Z, Altena, E, Nombela, C, et al. (2014a). “Selective serotonin reuptake inhibition modulates response inhibition in Parkinson’s disease.” *Brain* 137(Pt 4): 1145-55.
- Ye, Z, Altena, E, Nombela, C, et al. (2014b). “Improving Response Inhibition in Parkinson’s Disease with Atomoxetine.” *Biol Psychiatry*.
- Yoshimura, N, Kawamura, M, Masaoka, Y, et al. (2005). “The amygdala of patients with Parkinson’s disease is silent in response to fearful facial expressions.” *Neuroscience* 131(2): 523-34.
- Yuan, P and Raz, N (2014). “Prefrontal cortex and executive functions in healthy adults: a meta-analysis of structural neuroimaging studies.” *Neurosci Biobehav Rev* 42: 180-92.
- Zarow, C, Lyness, SA, Mortimer, JA, et al. (2003). “Neuronal loss is greater in the locus coeruleus than nucleus basalis and substantia nigra in Alzheimer and Parkinson diseases.” *Arch Neurol* 60(3): 337-41.

Curriculum Vitae

Chris Vriend was born on March 17th 1987 in Amsterdam. After getting his high school diploma from the St. Ignatius Gymnasium in 2005 he went on to study Psychobiology and Biomedical Sciences at the University of Amsterdam. In 2009 he switched to the VU University to attain his master degree in Neurosciences. During the Master of Neurosciences he interned at the Netherlands Institute for Neurosciences in the sleep lab of prof. dr. Eus van Someren performing neuroimaging on patients with insomnia and sleep state misperception. His second internship he did at the department of Psychiatry of the VU University medical center working on the neural correlates of set-shifting capabilities in patients with obsessive-compulsive disorder with prof. dr. Dick Veltman and dr/ Odile van den Heuvel. After attaining his master degree in 2011, specializing with honor in clinical neurosciences he worked part-time as a data-manager at the Netherlands Twin Register and as a teaching assistant at the University of Amsterdam, teaching statistics to first-year biology students. In 2012 he went back to the department of Psychiatry to work with dr. Odile van den Heuvel and dr. Ysbrand van der Werf as a research assistant to assist Sonja Rutten on her project on the effect of bright light therapy on depression in Parkinson's disease patients. Later that year this position was converted into a PhD-course under supervision of prof. dr. Henk Berense and prof. dr. Jan Smit on the neural correlates of neuropsychiatric symptoms in Parkinson's disease. The results of this PhD-course are presented in this thesis. As of 2014, Chris is working as a postdoctoral researcher at the department of Anatomy and Neuroscience, Neurology and Psychiatry of the VU University medical center. Part of his job is to set-up and manage the Netherlands Parkinson Cohort, a national collaboration between the Dutch University Medical Centers to investigate the pathophysiology of Parkinson's disease and the heterogeneity of its clinical manifestations.



List of publications

Published/in press

Remijnse, P. L., van den Heuvel, O. A., Nielen, M. M., **Vriend, C.**, Hendriks, G. J., Hoogendijk, W. J., Uylings, H. B. and Veltman, D. J. (2013). "Cognitive inflexibility in obsessive-compulsive disorder and major depression is associated with distinct neural correlates." *PLoS One* 8(4): e59600.

Rutten, S, Ghielen, I, **Vriend, C**, Hoogendoorn, AW, Berendse, HW, Leentjens, AF, van der Werf, YD, Smit, JH and van den Heuvel, OA (2014). "Anxiety in Parkinson's disease: Symptom dimensions and overlap with depression and autonomic failure." *Parkinsonism Relat Disord*.

Rutten, S., **Vriend, C.**, van den Heuvel, O. A., Smit, J. H., Berendse, H. W. and van der Werf, Y. D. (2012). "Bright light therapy in Parkinson's disease: an overview of the background and evidence." *Parkinsons Dis* 2012: 767105.

Rutten, S., **Vriend, C.**, van der Werf, Y. D., Berendse, H. W. and van den Heuvel, O. A. (2014). "Depressie bij de ziekte van Parkinson: diagnostiek en behandeling." *Tijdschr Neurol Neurochir* 115: 121-128.

van Velzen, L. S.*, **Vriend, C.***, de Wit, S. J. and van den Heuvel, O. A. (2014). "Response inhibition and interference control in obsessive-compulsive spectrum disorders." *Front Hum Neurosci* 8: 419.

Vriend, C., de Wit, S. J., Remijnse, P. L., van Balkom, A. J., Veltman, D. J. and van den Heuvel, O. A. (2013). "Switch the itch: a naturalistic follow-up study on the neural correlates of cognitive flexibility in obsessive-compulsive disorder." *Psychiatry Res* 213(1): 31-38.

Vriend, C., Gerrits, N. J., Berendse, H. W., Veltman, D. J., van den Heuvel, O. A. and van der Werf, Y. D. (2015). "Failure of stop and go in de novo Parkinson's disease-a functional magnetic resonance imaging study." *Neurobiol Aging* 36(1): 470-475.

Vriend, C., Nordbeck, A. H., Booij, J., van der Werf, Y. D., Pattij, T., Voorn, P., Raijmakers, P., Foncke, E. M., van de Giessen, E., Berendse, H. W. and van den Heuvel, O. A. (2014). "Reduced dopamine transporter binding predates impulse control disorders in Parkinson's disease." *Mov Disord* 29(7): 904-911.

Vriend, C., Pattij, T., van der Werf, Y. D., Voorn, P., Booij, J., Rutten, S., Berendse, H. W. and van den Heuvel, O. A. (2014). "Depression and impulse control disorders in Parkinson's disease: two sides of the same coin?" *Neurosci Biobehav Rev* 38: 60-71.

Vriend, C., Raijmakers, P., Veltman, D. J., van Dijk, K. D., van der Werf, Y. D., Foncke, E. M., Smit, J. H., Berendse, H. W. and van den Heuvel, O. A. (2014). "Depressive symptoms in Parkinson's disease are related to reduced [¹²³I]FP-CIT binding in the caudate nucleus." *J Neurol Neurosurg Psychiatry* 85(2): 159-164.

Vriend, C., van der Werf, Y. D., Pattij, T., Voorn, P., Booij, J., Rutten, S., Berendse, H. W. and van den Heuvel, O. A. (2013). "De ziekte van Parkinson: van geremde motoriek tot ontremde impulsen." *Neuropraxis* 17(4): 106-112.

Submitted

Verfaillie, S. C. J., de Wit, S. J., **Vriend, C.**, Remijnse, P. L., Veltman, D. J. and van den Heuvel, O. A. (2013). The course of the neural correlates of reversal learning in obsessive-compulsive disorder and major depression: a naturalistic follow-up fMRI study. Amsterdam, The Netherlands, VU University medical center.

Vriend, C., Boedhoe, P. S. W., Rutten, S., Berendse, H. W., van der Werf, Y. D. and van den Heuvel, O. A. (2015). A smaller amygdala is associated with anxiety in Parkinson's disease - a combined FreeSurfer – voxel-based morphometry study (under review). Amsterdam, The Netherlands, VU University Medical Center.

* contributed equally

Department of Psychiatry, VU University medical center

2010-2015

N.M. (Neeltje) Batelaan (2010). Panic and Public Health: Diagnosis, Prognosis and Consequences. Vrije Universiteit Amsterdam . ISBN: 978 90 8659 411 5.

G.E. (Gideon) Anholt (2010). Obsessive-Compulsive Disorder: Spectrum Theory and Issues in Measurement. Vrije Universiteit Amsterdam. .

N. (Nicole) Vogelzangs (2010). Depression & Metabolic Syndrome. Vrije Universiteit Amsterdam. ISBN: 978 90 8659 447 4.

C.M.M. (Carmilla) Licht (2010). Autonomic Nervous System Functioning in Major Depression and Anxiety Disorders. Vrije Universiteit Amsterdam. ISBN: 978 90 8659 487 0.

S.A. (Sophie) Vreeburg (2010). Hypothalamic-Pituitary-Adrenal Axis Activity in Depressive and Anxiety Disorders. Vrije Universiteit Amsterdam. ISBN: 978 90 8659 491 7.

S.N.T.M. (Sigfried) Schouws (2011). Cognitive Impairment in Older Persons with Bipolar Disorder. Vrije Universiteit Amsterdam. ISBN:978 90 9025 904 8.

P.L. (Peter) Remijnse (2011). Cognitive Flexibility in Obsessive-Compulsive Disorder and Major Depression – Functional Neuroimaging Studies on Reversal Learning and Task Switching. Vrije Universiteit Amsterdam. ISBN: 978 90 6464 449 8.

S.P. (Saskia) Wolfensberger (2011). Functional, Structural, and Molecular Imaging of the Risk for Anxiety and Depression. Vrije Universiteit Amsterdam. ISBN: 978 90 8659 536 5.

J.E. (Jenneke) Wiersma (2011). Psychological Characteristics and Treatment of Chronic Depression. Vrije Universiteit Amsterdam. ISBN: 978 9491211508.

P.D. (Paul David) Meesters (2011). Schizophrenia in Later Life. Studies on Prevalence, Phenomenology and Care Needs (SOUL Study). Vrije Universiteit Amsterdam. ISBN: 9789086595631.

R. (Ritsaert) Lieveise (2011). Chronobiopsychosocial Perspectives of Old Age Major Depression: a Randomized Placebo Controlled Trial with Bright Light. Vrije Universiteit Amsterdam. ISBN: 978 90 8570 858 2.

A. (Adrie) Seldenrijk (2011). Depression, Anxiety and Subclinical Cardiovascular Disease. Vrije Universiteit Amsterdam. ISBN: 978 94 6191 052 3.

Y. (Yuri) Milaneschi (2012). Biological Aspects of Late-life Depression. Vrije Universiteit Amsterdam. ISBN: 978 90 8659 608 9

L. (Lynn) Boschloo (2012). The Co-occurrence of Depression and Anxiety with Alcohol Use Disorders. Vrije Universiteit Amsterdam. ISBN: 978-94-6191-327-2

D. (Didi) Rhebergen (2012). Insight into the heterogeneity of depressive disorders. Vrije Universiteit Amsterdam. ISBN: 978-94-6191-387-6

T.M. (Michiel) van den Boogaard (2012). The Negotiated Approach in the Treatment of Depressive Disorders: the impact on patient-treatment compatibility and outcome. Vrije Universiteit Amsterdam. ISBN: 978-90-8891-495-9.

M. (Marjon) Nadort (2012). The implementation of outpatient schema therapy for borderline personality disorder in regular mental healthcare. Vrije Universiteit Amsterdam. ISBN: 978-94-6191-463-7.

U. (Ursula) Klumpers (2013). Neuroreceptor imaging of mood disorder related systems .Vrije Universiteit Amsterdam. ISBN: 978-94-6191-575-7.

E. (Ethy) Dorrepaal (2013). Before and beyond. Stabilizing Group treatment for Complex posttraumatic stress disorder related to child abuse based on psycho-education and cognitive behavioral therapy. Vrije Universiteit Amsterdam. ISBN:978-94-6191-601-3.

K. (Kathleen) Thomaes (2013). Child abuse and recovery. Brain structure and function in child abuse related complex posttraumatic stress disorder and effects of treatment. Vrije Universiteit Amsterdam. ISBN:978-94-6191-600-6.

K.M.L. (Klaas) Huijbregts (2013). Effectiveness and cost-effectiveness of the implementation of a collaborative care model for depressive patients in primary care. Vrije Universiteit Amsterdam. ISBN: 978-90-9027404-1.

T.O. (Tessa) van den Beukel (2013). Ethnic differences in survival on dialysis in Europe. The role of demographic, clinical and psychosocial factors. Vrije Universiteit Amsterdam. ISBN: 978-94-6108410-1.

A.(Agnes) Schrier (2013). Depression and anxiety in migrants in the Netherlands. Population studies on diagnosis and risk factors. Vrije Universiteit Amsterdam ISBN: 978-94-6191-719-5.

B. (Barbara) Stringer (2013). Collaborative Care for patients with severe personality disorders. Challenges for the nursing profession. Vrije Universiteit Amsterdam ISBN: 978-94-6191-809-3.

C.M. (Caroline) Sonnenberg (2013). Late life depression: (sex differences in clinical presentation and medication use. Vrije Universiteit Amsterdam ISBN: 978-94-6191-866-6.

Z. (Zsuzsika) Sjoerds (2013). Alcohol dependence across the brain: from vulnerability to compulsive drinking. Vrije Universiteit Amsterdam. ISBN: 978-90-8891-695-3.

V.J.A.(Victor) Buwalda (2013). Routine Outcome Monitoring in Dutch Psychiatry: Measurement, Instruments, Implementation and Outcome. Vrije Universiteit Amsterdam. ISBN: 978-94-6191-905-2.

J.G. (Josine) van Mill (2013). Sleep, depression and anxiety: an epidemiological perspective.Vrije Universiteit Amsterdam. ISBN: 978-94-6108-525-2.

S.(Saskia) Woudstra (2013). Framing depression in a SN[a]Pshot: Imaging risk factors of MDD. Vrije Universiteit Amsterdam. ISBN: 978-90-8891-751-6.

N.C.M. (Nicole) Korten (2014). Stress, depression and cognition across the lifespan. Vrije Universiteit Amsterdam. ISBN: 978-94-6108-748-5.

M.K. (Maarten) van Dijk (2014). Applicability and effectiveness of the Dutch Multidisciplinary Guidelines for the treatment of Anxiety Disorders in everyday clinical practice. Vrije Universiteit Amsterdam. ISBN: 978-94-92096-00-5.

I.M.J. (Ilse) van Beljouw (2015). Need for Help for Depressive Symptoms from Older Persons Perspectives: The Implementation of an Outreaching Intervention Programme. Vrije Universiteit Amsterdam. ISBN: 978-94-6259-496-8.

A.M.J. (Annemarie) Braamse (2015). Psychological aspects of hematopoietic stem cell transplantation in patients with hemotological malignancies. Vrije Universiteit Amsterdam. ISBN: 978-94-6259-594-1.

A. (Annelies) van Loon (2015). The role of ethnicity in access to care and treatment of outpatients with depression and/or anxiety disorders in specialised care in Amsterdam the Netherlands. Vrije Universiteit Amsterdam. ISBN: 978-94-90791-34-6.

C. (Chris) Vriend (2015). (dis)inhibition: imaging neuropsychiatry in Parkinson's disease. Vrije Universiteit Amsterdam. ISBN: 978-94-6295-115-0.

A.M. (Andrea) Ruissen (2015). Patient competence in obsessive compulsive disorder; an empirical ethical study. Vrije Universiteit Amsterdam. ISBN: 978-90-6464-856-4.