
References

1. Parkinson J: An essay on the shaking palsy. 1817. *J Neuropsychiatry Clin Neurosci* 2002, 14(2):223-236; discussion 222.
2. Litvan I, Bhatia KP, Burn DJ, Goetz CG, Lang AE, McKeith I, Quinn N, Sethi KD, Shults C, Wenning GK: Movement Disorders Society Scientific Issues Committee report: SIC Task Force appraisal of clinical diagnostic criteria for Parkinsonian disorders. *Mov Disord* 2003, 18(5):467-486.
3. Lees AJ, Hardy J, Revesz T: Parkinson's disease. *Lancet* 2009, 373(9680):2055-2066.
4. de Lau LM, Breteler MM: Epidemiology of Parkinson's disease. *Lancet Neurol* 2006, 5(6):525-535.
5. Alexander GE, DeLong MR, Strick PL: Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annu Rev Neurosci* 1986, 9:357-381.
6. Albin RL, Young AB, Penney JB: The functional anatomy of basal ganglia disorders. *Trends Neurosci* 1989, 12(10):366-375.
7. Goedert M, Spillantini MG, Del Tredici K, Braak H: 100 years of Lewy pathology. *Nature reviews* 2013, 9(1):13-24.
8. Braak H, Ghebremedhin E, Rub U, Bratzke H, Del Tredici K: Stages in the development of Parkinson's disease-related pathology. *Cell and tissue research* 2004, 318(1):121-134.
9. Braak H, Del Tredici K, Rub U, de Vos RA, Jansen Steur EN, Braak E: Staging of brain pathology related to sporadic Parkinson's disease. *Neurobiol Aging* 2003, 24(2):197-211.
10. Hawkes CH, Del Tredici K, Braak H: A timeline for Parkinson's disease. *Parkinsonism Relat Disord* 2010, 16(2):79-84.
11. Chaudhuri KR, Healy DG, Schapira AH: Non-motor symptoms of Parkinson's disease: diagnosis and management. *Lancet Neurol* 2006, 5(3):235-245.
12. Kehagia AA, Barker RA, Robbins TW: Neuropsychological and clinical heterogeneity of cognitive impairment and dementia in patients with Parkinson's disease. *Lancet Neurol* 2010, 9(12):1200-1213.
13. Kudlicka A, Clare L, Hindle JV: Executive functions in Parkinson's disease: systematic review and meta-analysis. *Mov Disord* 2011, 26(13):2305-2315.
14. Muslimovic D, Post B, Speelman JD, Schmand B: Cognitive profile of patients with newly diagnosed Parkinson disease. *Neurology* 2005, 65(8):1239-1245.
15. Foltnie T, Brayne CE, Robbins TW, Barker RA: The cognitive ability of an incident cohort of Parkinson's patients in the UK. The CamPaIGN study. *Brain* 2004, 127(Pt 3):550-560.
16. Aarsland D, Bronnick K, Larsen JP, Tysnes OB, Alves G: Cognitive impairment in incident, untreated Parkinson disease: the Norwegian ParkWest study. *Neurology* 2009, 72(13):1121-1126.
17. Aarsland D, Bronnick K, Williams-Gray C, Weintraub D, Marder K, Kulisevsky J, Burn D, Barone P, Pagonabarraga J, Allcock L *et al*: Mild cognitive impairment in Parkinson disease: a multicenter pooled analysis. *Neurology* 2010, 75(12):1062-1069.
18. Muslimovic D, Post B, Speelman JD, De Haan RJ, Schmand B: Cognitive decline in Parkinson's disease: a prospective longitudinal study. *J Int Neuropsychol Soc* 2009, 15(3):426-437.

-
19. Emre M, Aarsland D, Brown R, Burn DJ, Duyckaerts C, Mizuno Y, Broe GA, Cummings J, Dickson DW, Gauthier S *et al*: Clinical diagnostic criteria for dementia associated with Parkinson's disease. *Mov Disord* 2007, 22(12):1689-1707; quiz 1837.
 20. Williams-Gray CH, Foltyne T, Brayne CE, Robbins TW, Barker RA: Evolution of cognitive dysfunction in an incident Parkinson's disease cohort. *Brain* 2007, 130(Pt 7):1787-1798.
 21. Williams-Gray CH, Evans JR, Goris A, Foltyne T, Ban M, Robbins TW, Brayne C, Kolachana BS, Weinberger DR, Sawcer SJ *et al*: The distinct cognitive syndromes of Parkinson's disease: 5 year follow-up of the CamPaIGN cohort. *Brain* 2009, 132(Pt 11):2958-2969.
 22. Williams-Gray CH, Mason SL, Evans JR, Foltyne T, Brayne C, Robbins TW, Barker RA: The CamPaIGN study of Parkinson's disease: 10-year outlook in an incident population-based cohort. *J Neurol Neurosurg Psychiatry* 2013, 84(11):1258-1264.
 23. Hely MA, Reid WG, Adena MA, Halliday GM, Morris JG: The Sydney multicenter study of Parkinson's disease: the inevitability of dementia at 20 years. *Mov Disord* 2008, 23(6):837-844.
 24. Brayne C, Ince PG, Keage HA, McKeith IG, Matthews FE, Polvikoski T, Sulkava R: Education, the brain and dementia: neuroprotection or compensation? *Brain* 2010, 133(Pt 8):2210-2216.
 25. Poletti M, Emre M, Bonuccelli U: Mild cognitive impairment and cognitive reserve in Parkinson's disease. *Parkinsonism Relat Disord* 2011, 17(8):579-586.
 26. Jurado MB, Rosselli M: The elusive nature of executive functions: a review of our current understanding. *Neuropsychol Rev* 2007, 17(3):213-233.
 27. Niendam TA, Laird AR, Ray KL, Dean YM, Glahn DC, Carter CS: Meta-analytic evidence for a superordinate cognitive control network subserving diverse executive functions. *Cognitive, affective & behavioral neuroscience* 2012, 12(2):241-268.
 28. Leh SE, Petrides M, Strafella AP: The neural circuitry of executive functions in healthy subjects and Parkinson's disease. *Neuropsychopharmacology* 2010, 35(1):70-85.
 29. Miyake A, Friedman NP, Emerson MJ, Witzki AH, Howerter A, Wager TD: The unity and diversity of executive functions and their contributions to complex "Frontal Lobe" tasks: a latent variable analysis. *Cognitive psychology* 2000, 41(1):49-100.
 30. Calabresi P, Picconi B, Tozzi A, Ghiglieri V, Di Filippo M: Direct and indirect pathways of basal ganglia: a critical reappraisal. *Nature neuroscience* 2014, 17(8):1022-1030.
 31. DeLong MR, Wichmann T: Circuits and circuit disorders of the basal ganglia. *Arch Neurol* 2007, 64(1):20-24.
 32. Grahn JA, Parkinson JA, Owen AM: The role of the basal ganglia in learning and memory: neuropsychological studies. *Behav Brain Res* 2009, 199(1):53-60.
 33. Owen AM: Cognitive dysfunction in Parkinson's disease: the role of frontostriatal circuitry. *Neuroscientist* 2004, 10(6):525-537.
 34. Ekman U, Eriksson J, Forsgren L, Mo SJ, Riklund K, Nyberg L: Functional brain activity and presynaptic dopamine uptake in patients with Parkinson's disease and mild cognitive impairment: a cross-sectional study. *Lancet Neurol* 2012, 11(8):679-687.
 35. Cools R, Miyakawa A, Sheridan M, D'Esposito M: Enhanced frontal function in Parkinson's disease. *Brain* 2010, 133(Pt 1):225-233.
 36. Cools R: Dopaminergic modulation of cognitive function-implications for L-DOPA treatment in Parkinson's disease. *Neurosci Biobehav Rev* 2006, 30(1):1-23.
 37. Cools R, Barker RA, Sahakian BJ, Robbins TW: Enhanced or impaired cognitive function in Parkinson's disease as a function of dopaminergic medication and task demands. *Cereb Cortex* 2001, 11(12):1136-1143.
 38. Cools R, Barker RA, Sahakian BJ, Robbins TW: L-Dopa medication remedies cognitive inflexibility, but increases impulsivity in patients with Parkinson's disease. *Neuropsychologia* 2003, 41(11):1431-1441.
 39. Robbins TW: Shifting and stopping: fronto-striatal substrates, neurochemical modulation and clinical implications. *Philos Trans R Soc Lond B Biol Sci* 2007, 362(1481):917-932.
 40. Pattij T, Schoffelmeer AN: Serotonin and inhibitory response control: Focusing on the role of 5-HT receptors. *European journal of pharmacology* 2014.
 41. Vazey EM, Aston-Jones G: The emerging role of norepinephrine in cognitive dysfunctions of Parkinson's disease. *Front Behav Neurosci* 2012, 6:48.
 42. Chamberlain SR, Robbins TW: Noradrenergic modulation of cognition: therapeutic implications. *Journal of psychopharmacology (Oxford, England)* 2013, 27(8):694-718.
 43. Yarnall A, Rochester L, Burn DJ: The interplay of cholinergic function, attention, and falls in Parkinson's disease. *Mov Disord* 2011, 26(14):2496-2503.

44. Barone P: Neurotransmission in Parkinson's disease: beyond dopamine. *Eur J Neural* 2010, 17(3):364-376.
45. Nagano-Saito A, Washimi Y, Arahata Y, Kachi T, Lerch JP, Evans AC, Dagher A, Ito K: Cerebral atrophy and its relation to cognitive impairment in Parkinson disease. *Neurology* 2005, 64(2):224-229.
46. Martin WR, Wieler M, Gee M, Camicioli R: Temporal lobe changes in early, untreated Parkinson's disease. *Mov Disord* 2009, 24(13):1949-1954.
47. Dalaker TO, Zivadinov R, Larsen JP, Beyer MK, Cox JL, Alves G, Bronnick K, Tysnes OB, Antulov R, Dwyer MG *et al*: Gray matter correlations of cognition in incident Parkinson's disease. *Mov Disord* 2010, 25(5):629-633.
48. Menke RA, Szewczyk-Krolikowski K, Jbabdi S, Jenkinson M, Talbot K, Mackay CE, Hu M: Comprehensive morphometry of subcortical grey matter structures in early-stage Parkinson's disease. *Human brain mapping* 2014, 35(4):1681-1690.
49. Beyer MK, Janvin CC, Larsen JP, Aarsland D: A magnetic resonance imaging study of patients with Parkinson's disease with mild cognitive impairment and dementia using voxel-based morphometry. *Journal of Neurology Neurosurgery and Psychiatry* 2007, 78(3):254-259.
50. Nishio Y, Hirayama K, Takeda A, Hosokai Y, Ishioka T, Suzuki K, Itoyama Y, Takahashi S, Mori E: Corticolimbic gray matter loss in Parkinson's disease without dementia. *Eur J Neurol* 2010, 17(8):1090-1097.
51. Song SK, Lee JE, Park HJ, Sohn YH, Lee JD, Lee PH: The pattern of cortical atrophy in patients with Parkinson's disease according to cognitive status. *Mov Disord* 2011, 26(2):289-296.
52. Pereira JB, Svenningsson P, Weintraub D, Bronnick K, Lebedev A, Westman E, Aarsland D: Initial cognitive decline is associated with cortical thinning in early Parkinson disease. *Neurology* 2014, 82(22):2017-2025.
53. Ramirez-Ruiz B, Martí MJ, Tolosa E, Bartres-Faz D, Summerfield C, Salgado-Pineda P, Gomez-Anson B, Junque C: Longitudinal evaluation of cerebral morphological changes in Parkinson's disease with and without dementia. *J Neurol* 2005, 252(11):1345-1352.
54. Melzer TR, Watts R, MacAskill MR, Pitcher TL, Livingston L, Keenan RJ, Dalrymple-Alford JC, Anderson TJ: Grey matter atrophy in cognitively impaired Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2012, 83(2):188-194.
55. Burton EJ, McKeith IG, Burn DJ, Williams ED, O'Brien JT: Cerebral atrophy in Parkinson's disease with and without dementia: a comparison with Alzheimer's disease, dementia with Lewy bodies and controls. *Brain* 2004, 127(Pt 4):791-800.
56. Zarei M, Ibarretxe-Bilbao N, Compta Y, Hough M, Junque C, Bargallo N, Tolosa E, Martí MJ: Cortical thinning is associated with disease stages and dementia in Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2013, 84(8):875-881.
57. Compta Y, Pereira JB, Rios J, Ibarretxe-Bilbao N, Junque C, Bargallo N, Camara A, Buongiorno M, Fernandez M, Pont-Sunyer C *et al*: Combined dementia-risk biomarkers in Parkinson's disease: a prospective longitudinal study. *Parkinsonism Relat Disord* 2013, 19(8):717-724.
58. Hangani A, Bedetti C, Degroot C, Mejia-Constance B, Lafontaine AL, Soland V, Chouinard S, Bruneau MA, Mellah S, Belleville S *et al*: Mild cognitive impairment is linked with faster rate of cortical thinning in patients with Parkinson's disease longitudinally. *Brain* 2014, 137(Pt 4):1120-1129.
59. Irwin DJ, Lee VM, Trojanowski JQ: Parkinson's disease dementia: convergence of alpha-synuclein, tau and amyloid-beta pathologies. *Nat Rev Neurosci* 2013, 14(9):626-636.
60. Horvath J, Herrmann FR, Burkhardt PR, Bouras C, Kovari E: Neuropathology of dementia in a large cohort of patients with Parkinson's disease. *Parkinsonism Relat Disord* 2013, 19(10):864-868; discussion 864.
61. Irwin DJ, White MT, Toledo JB, Xie SX, Robinson JL, Van Deerlin V, Lee VM, Leverenz JB, Montine TJ, Duda JE *et al*: Neuropathologic substrates of Parkinson disease dementia. *Ann Neurol* 2012, 72(4):587-598.
62. Gomperts SN: Imaging the role of amyloid in PD dementia and dementia with Lewy bodies. *Current neurology and neuroscience reports* 2014, 14(8):472.
63. Gomperts SN, Locascio JJ, Rentz D, Santarasci A, Marquie M, Johnson KA, Growdon JH: Amyloid is linked to cognitive decline in patients with Parkinson disease without dementia. *Neurology* 2013, 80(1):85-91.
64. Hallett M: Transcranial magnetic stimulation: a primer. *Neuron* 2007, 55(2):187-199.
65. van den Heuvel OA, Van Gorsel HC, Veltman DJ, Van Der Werf YD: Impairment of executive performance after transcranial magnetic modulation of the left dorsal frontal-striatal circuit. *Human brain mapping* 2013, 34(2):347-355.
66. Sole-Padulles C, Bartres-Faz D, Junque C, Clemente IC, Molinuevo JL, Bargallo N, Sanchez-Aldeguer J, Bosch B, Falcon C, Valls-Sole J: Repetitive transcranial magnetic stimulation effects on brain function and

-
- cognition among elders with memory dysfunction. A randomized sham-controlled study. *Cereb Cortex* 2006, 16(10):1487-1493.
- 67. Fox MD, Halko MA, Eldaief MC, Pascual-Leone A: Measuring and manipulating brain connectivity with resting state functional connectivity magnetic resonance imaging (fcMRI) and transcranial magnetic stimulation (TMS). *Neuroimage* 2012, 62(4):2232-2243.
 - 68. Buzsaki G, Draguhn A: Neuronal oscillations in cortical networks. *Science* 2004, 304(5679):1926-1929.
 - 69. Uhlhaas PJ, Singer W: Neuronal dynamics and neuropsychiatric disorders: toward a translational paradigm for dysfunctional large-scale networks. *Neuron* 2012, 75(6):963-980.
 - 70. Akam T, Kullmann DM: Oscillatory multiplexing of population codes for selective communication in the mammalian brain. *Nat Rev Neurosci* 2014, 15(2):111-122.
 - 71. Fries P: A mechanism for cognitive dynamics: neuronal communication through neuronal coherence. *Trends in cognitive sciences* 2005, 9(10):474-480.
 - 72. Stoffers D, Bosboom JL, Deijen JB, Wolters EC, Berendse HW, Stam CJ: Slowing of oscillatory brain activity is a stable characteristic of Parkinson's disease without dementia. *Brain* 2007, 130(Pt 7):1847-1860.
 - 73. Olde Dubbelink KT, Stoffers D, Deijen JB, Twisk JW, Stam CJ, Berendse HW: Cognitive decline in Parkinson's disease is associated with slowing of resting-state brain activity: a longitudinal study. *Neurobiol Aging* 2013, 34(2):408-418.
 - 74. Bosboom JL, Stoffers D, Stam CJ, van Dijk BW, Verbunt J, Berendse HW, Wolters E: Resting state oscillatory brain dynamics in Parkinson's disease: an MEG study. *Clin Neurophysiol* 2006, 117(11):2521-2531.
 - 75. Ponsen MM, Stam CJ, Bosboom JL, Berendse HW, Hillebrand A: A three dimensional anatomical view of oscillatory resting-state activity and functional connectivity in Parkinson's disease related dementia: An MEG study using atlas-based beamforming. *Neuroimage: Clinical* 2013, 2:95-102.
 - 76. Stoffers D, Bosboom JL, Deijen JB, Wolters E, Stam CJ, Berendse HW: Increased cortico-cortical functional connectivity in early-stage Parkinson's disease: an MEG study. *Neuroimage* 2008, 41(2):212-222.
 - 77. Olde Dubbelink KT, Stoffers D, Deijen JB, Twisk JW, Stam CJ, Hillebrand A, Berendse HW: Resting-state functional connectivity as a marker of disease progression in Parkinson's disease: A longitudinal MEG study. *Neuroimage: Clinical* 2013, 2.
 - 78. Olde Dubbelink KT, Hillebrand A, Twisk JW, Deijen JB, Stoffers D, Schmand BA, Stam CJ, Berendse HW: Predicting dementia in Parkinson disease by combining neurophysiologic and cognitive markers. *Neurology* 2014, 82(3):263-270.
 - 79. Klassen BT, Hentz JG, Shill HA, Driver-Dunckley E, Evidente VG, Sabbagh MN, Adler CH, Caviness JN: Quantitative EEG as a predictive biomarker for Parkinson disease dementia. *Neurology* 2011, 77(2):118-124.
 - 80. Brittain JS, Brown P: Oscillations and the basal ganglia: motor control and beyond. *Neuroimage* 2013, 85 Pt 2:637-647.
 - 81. Rowe JB, Hughes L, Ghosh BC, Eckstein D, Williams-Gray CH, Fallon S, Barker RA, Owen AM: Parkinson's disease and dopaminergic therapy--differential effects on movement, reward and cognition. *Brain* 2008, 131(Pt 8):2094-2105.
 - 82. Poewe W: Treatments for Parkinson disease--past achievements and current clinical needs. *Neurology* 2009, 72(7 Suppl):S65-73.
 - 83. Schapira AH, Olanow CW: Drug selection and timing of initiation of treatment in early Parkinson's disease. *Ann Neurol* 2008, 64 Suppl 2:S47-55.
 - 84. Chaudhuri KR, Schapira AH: Non-motor symptoms of Parkinson's disease: dopaminergic pathophysiology and treatment. *Lancet Neurol* 2009, 8(5):464-474.
 - 85. Stacy M, Bowron A, Guttman M, Hauser R, Hughes K, Larsen JP, LeWitt P, Oertel W, Quinn N, Sethi K *et al*: Identification of motor and nonmotor wearing-off in Parkinson's disease: comparison of a patient questionnaire versus a clinician assessment. *Mov Disord* 2005, 20(6):726-733.
 - 86. Gerrits NJ, Van der Werf YD, Verhoef KMW, Veltman DJ, Groenewegen HJ, Berendse HW, Van den Heuvel OA: Compensatory fronto-parietal hyperactivation during set-shifting in unmedicated patients with Parkinson's disease. *Neuropsychologia* In press.
 - 87. De Bondt CC, Gerrits NJ, Veltman DJ, Berendse HW, van den Heuvel OA, van der Werf YD: Reduced task-related functional connectivity during a set-shifting task in unmedicated Parkinson's disease patients. Submitted.
 - 88. Gerrits NJ, van den Heuvel OA, van der Werf YD: Decreased set-shifting performance, neural activity, and neural connectivity after inhibiting repetitive transcranial magnetic stimulation on the left dorsal prefrontal cortex. Submitted.

89. Trujillo JP, Gerrits NJ, Veltman DJ, Berendse HW, Van der Werf YD, Van den Heuvel OA: Reduced neural connectivity but increased task-related activity during working memory in de novo Parkinson patients. *Human brain mapping* In press.
90. Vriend C, Gerrits NJ, Berendse HW, Veltman DJ, van den Heuvel OA, van der Werf YD: Failure of stop and go in de novo Parkinson's disease-a functional magnetic resonance imaging study. *Neurobiol Aging* 2014.
91. Gerrits NJ, van der Werf YD, Hofman M, Foncke EM, Klein M, Berendse HW, van den Heuvel OA: Gray matter differences contribute to variation in cognitive performance in Parkinson's disease. *Eur J Neurol* 2013.
92. Gerrits NJ, van Loenhoud AC, van den Berg S, Berendse HW, Foncke EM, Klein M, Stoffers D, van der Werf YD, van den Heuvel OA: Cortical thickness, surface area and subcortical volume differentially contribute to cognitive heterogeneity in Parkinson's disease. Submitted.
93. Monchi O, Petrides M, Mejia-Constance B, Strafella AP: Cortical activity in Parkinson's disease during executive processing depends on striatal involvement. *Brain* 2007, 130(Pt 1):233-244.
94. Grant DA, Berg EA: A behavioral analysis of degree of reinforcement and ease of shifting to new responses in a Weigl-type card-sorting problem *Journal of experimental psychology* 1948, 38(4):404 -411.
95. Buchsbaum BR, Greer S, Chang WL, Berman KF: Meta-analysis of neuroimaging studies of the Wisconsin card-sorting task and component processes. *Human brain mapping* 2005, 25(1):35-45.
96. Kim C, Cilles SE, Johnson NF, Gold BT: Domain general and domain preferential brain regions associated with different types of task switching: a meta-analysis. *Human brain mapping* 2012, 33(1):130-142.
97. Witt ST, Stevens MC: fMRI task parameters influence hemodynamic activity in regions implicated in mental set switching. *Neuroimage* 2013, 65:139-151.
98. Monchi O, Petrides M, Doyon J, Postuma RB, Worsley K, Dagher A: Neural bases of set-shifting deficits in Parkinson's disease. *J Neurosci* 2004, 24(3):702-710.
99. Cools R, Barker RA, Sahakian BJ, Robbins TW: Mechanisms of cognitive set flexibility in Parkinson's disease. *Brain* 2001, 124(Pt 12):2503-2512.
100. Daniel SE, Lees AJ: Parkinson's Disease Society Brain Bank, London: overview and research. *Journal of neural transmission* 1993, 39:165-172.
101. Fahn S, Elton RL, Committee MotUD: Unified Parkinson's disease rating scale. In *Recent developments in Parkinson's disease*. Edited by Fahn S, Marsden CD, Calne D, Goldstein M. Florham Park, NJ: Macmillan Healthcare Information; 1987:p 153/164.
102. Hoehn MM, Yahr MD: Parkinsonism: onset, progression and mortality. *Neurology* 1967, 17(5):427-442.
103. Spitzer RL, Williams JB, Gibbon M, First MB: The Structured Clinical Interview for DSM-III-R (SCID). I: History, rationale, and description. *Arch Gen Psychiatry* 1992, 49(8):624-629.
104. Cockrell JR, Folstein MF: Mini-Mental State Examination (MMSE). *Psychopharmacol Bull* 1988, 24(4):689-692.
105. Beck AT, Steer RA, Ball R, Ranieri W: Comparison of Beck Depression Inventories -IA and -II in psychiatric outpatients. *J Pers Assess* 1996, 67(3):588-597.
106. Beck AT, Epstein N, Brown G, Steer RA: An inventory for measuring clinical anxiety: psychometric properties. *J Consult Clin Psychol* 1988, 56(6):893-897.
107. Oldfield RC: The assessment and analysis of handedness: the Edinburgh inventory. *Neuropsychologia* 1971, 9(1):97-113.
108. Monsell S: Task switching. *Trends in cognitive sciences* 2003, 7(3):134-140.
109. Vriend C, Raijmakers P, Veltman DJ, van Dijk KD, van der Werf YD, Foncke EM, Smit JH, Berendse HW, van den Heuvel OA: Depressive symptoms in Parkinson's disease are related to reduced [123I]FP-CIT binding in the caudate nucleus. *J Neurol Neurosurg Psychiatry* 2013, 85(2):159-164.
110. Jokinen P, Karrasch M, Bruck A, Johansson J, Bergman J, Rinne JO: Cognitive slowing in Parkinson's disease is related to frontostriatal dopaminergic dysfunction. *J Neurol Sci* 2013, 329(1-2):23-28.
111. Frank MJ, Seeberger LC, O'Reilly RC: By carrot or by stick: cognitive reinforcement learning in parkinsonism. *Science* 2004, 306(5703):1940-1943.
112. Smittenaar P, Chase HW, Aarts E, Nusselein B, Bloem BR, Cools R: Decomposing effects of dopaminergic medication in Parkinson's disease on probabilistic action selection--learning or performance? *Eur J Neurosci* 2012, 35(7):1144-1151.
113. Au WL, Zhou J, Palmes P, Sitoh YY, Tan LC, Rajapakse JC: Levodopa and the feedback process on set-shifting in Parkinson's disease. *Human brain mapping* 2012, 33(1):27-39.
114. Downes JJ, Roberts AC, Sahakian BJ, Evenden JL, Morris RG, Robbins TW: Impaired extra-dimensional shift performance in medicated and unmedicated Parkinson's disease: evidence for a specific attentional dysfunction. *Neuropsychologia* 1989, 27(11-12):1329-1343.

-
115. Sahakian BJ, Owen AM: Computerized assessment in neuropsychiatry using CANTAB: discussion paper. *J R Soc Med* 1992, 85(7):399-402.
116. Raichle ME, Snyder AZ: A default mode of brain function: a brief history of an evolving idea. *Neuroimage* 2007, 37(4):1083-1090; discussion 1097-1089.
117. Raichle ME, MacLeod AM, Snyder AZ, Powers WJ, Gusnard DA, Shulman GL: A default mode of brain function. *Proc Natl Acad Sci U S A* 2001, 98(2):676-682.
118. Greicius MD, Menon V: Default-mode activity during a passive sensory task: uncoupled from deactivation but impacting activation. *J Cogn Neurosci* 2004, 16(9):1484-1492.
119. Monchi O, Ko JH, Strafella AP: Striatal dopamine release during performance of executive functions: A [(11)C] raclopride PET study. *Neuroimage* 2006, 33(3):907-912.
120. Palmer SJ, Ng B, Abugharbieh R, Eigenraam L, McKeown MJ: Motor reserve and novel area recruitment: amplitude and spatial characteristics of compensation in Parkinson's disease. *Eur J Neurosci* 2009, 29(11):2187-2196.
121. Rottschy C, Kleiman A, Dogan I, Langner R, Mirzazade S, Kronenbuerger M, Werner C, Shah NJ, Schulz JB, Eickhoff SB *et al*: Diminished activation of motor working-memory networks in Parkinson's disease. *PLoS One* 2013, 8(4):e61786.
122. Braak H, Braak E: Pathoanatomy of Parkinson's disease. *J Neurol* 2000, 247 Suppl 2:II3-10.
123. Aarsland D, Larsen JP, Lim NG, Janvin C, Karlsen K, Tandberg E, Cummings JL: Range of neuropsychiatric disturbances in patients with Parkinson's disease. *J Neurol Neurosurg Psychiatry* 1999, 67(4):492-496.
124. Elliott R: Executive functions and their disorders. *Br Med Bull* 2003, 65:49-59.
125. Kehagia AA, Barker RA, Robbins TW: Revisiting the effects of Parkinson's disease and frontal lobe lesions on task switching: The role of rule reconfiguration. *J Neuropsychol* 2012.
126. Grant DA, Berg EA: A behavioral analysis of degree of reinforcement and ease of shifting to new responses in a Weigl-type card-sorting problem. *J Exp Psychol* 1948, 38(4):404-411.
127. Konishi S, Kawazu M, Uchida I, Kikyo H, Asakura I, Miyashita Y: Contribution of working memory to transient activation in human inferior prefrontal cortex during performance of the Wisconsin Card Sorting Test. *Cereb Cortex* 1999, 9(7):745-753.
128. Brittain JS, Brown P: Oscillations and the basal ganglia: motor control and beyond. *Neuroimage* 2014, 85 Pt 2:637-647.
129. Kelly C, de Zubicaray G, Di Martino A, Copland DA, Reiss PT, Klein DF, Castellanos FX, Milham MP, McMahon K: L-dopa modulates functional connectivity in striatal cognitive and motor networks: a double-blind placebo-controlled study. *J Neurosci* 2009, 29(22):7364-7378.
130. Szewczyk-Krolikowski K, Menke RA, Rolinski M, Duff E, Salimi-Khorshidi G, Filippini N, Zamboni G, Hu MT, Mackay CE: Functional connectivity in the basal ganglia network differentiates PD patients from controls. *Neurology* 2014, 83(3):208-214.
131. Rowe JB, Hughes LE, Barker RA, Owen AM: Dynamic causal modelling of effective connectivity from fMRI: are results reproducible and sensitive to Parkinson's disease and its treatment? *Neuroimage* 2010, 52(3):1015-1026.
132. Friston KJ, Buechel C, Fink GR, Morris J, Rolls E, Dolan RJ: Psychophysiological and modulatory interactions in neuroimaging. *Neuroimage* 1997, 6(3):218-229.
133. McLaren DG, Ries ML, Xu G, Johnson SC: A generalized form of context-dependent psychophysiological interactions (gPPI): a comparison to standard approaches. *Neuroimage* 2012, 61(4):1277-1286.
134. O'Reilly JX, Woolrich MW, Behrens TE, Smith SM, Johansen-Berg H: Tools of the trade: psychophysiological interactions and functional connectivity. *Social cognitive and affective neuroscience* 2012, 7(5):604-609.
135. Brett M, Anton J-L, Valabregue R, Poline J-B: Region of interest analysis using an SPM toolbox. *Presented at the 8th International Conference on Functional Mapping of the Human Brain* 2002, Available on CD-ROM in NeuroImage, Vol 16(2).
136. Sridharan D, Levitin DJ, Menon V: A critical role for the right fronto-insular cortex in switching between central-executive and default-mode networks. *Proc Natl Acad Sci U S A* 2008, 105(34):12569-12574.
137. Critchley HD, Tang J, Glaser D, Butterworth B, Dolan RJ: Anterior cingulate activity during error and autonomic response. *Neuroimage* 2005, 27(4):885-895.
138. Li W, Qin W, Liu H, Fan L, Wang J, Jiang T, Yu C: Subregions of the human superior frontal gyrus and their connections. *Neuroimage* 2013, 78:46-58.
139. Nachev P, Kennard C, Husain M: Functional role of the supplementary and pre-supplementary motor areas. *Nat Rev Neurosci* 2008, 9(11):856-869.

140. Rowe J, Stephan KE, Friston K, Frackowiak R, Lees A, Passingham R: Attention to action in Parkinson's disease: impaired effective connectivity among frontal cortical regions. *Brain* 2002, 125(Pt 2):276-289.
141. te Woerd ES, Oostenveld R, de Lange FP, Praamstra P: A shift from prospective to reactive modulation of beta-band oscillations in Parkinson's disease. *Neuroimage* 2014, 100:507-519.
142. van den Heuvel OA, Veltman DJ, Groenewegen HJ, Cath DC, van Balkom AJ, van Hartskamp J, Barkhof F, van Dyck R: Frontal-striatal dysfunction during planning in obsessive-compulsive disorder. *Arch Gen Psychiatry* 2005, 62(3):301-309.
143. Quide Y, Morris RW, Shepherd AM, Rowland JE, Green MJ: Task-related fronto-striatal functional connectivity during working memory performance in schizophrenia. *Schizophrenia research* 2013, 150(2-3):468-475.
144. Muellbacher W, Ziemann U, Boroojerdi B, Hallett M: Effects of low-frequency transcranial magnetic stimulation on motor excitability and basic motor behavior. *Clin Neurophysiol* 2000, 111(6):1002-1007.
145. Touge T, Gerschlager W, Brown P, Rothwell JC: Are the after-effects of low-frequency rTMS on motor cortex excitability due to changes in the efficacy of cortical synapses? *Clin Neurophysiol* 2001, 112(11):2138-2145.
146. Ruff CC, Driver J, Bestmann S: Combining TMS and fMRI: from 'virtual lesions' to functional-network accounts of cognition. *Cortex* 2009, 45(9):1043-1049.
147. Sandrini M, Umlita C, Rusconi E: The use of transcranial magnetic stimulation in cognitive neuroscience: a new synthesis of methodological issues. *Neurosci Biobehav Rev* 2011, 35(3):516-536.
148. Fox MD, Buckner RL, White MP, Greicius MD, Pascual-Leone A: Efficacy of transcranial magnetic stimulation targets for depression is related to intrinsic functional connectivity with the subgenual cingulate. *Biological psychiatry* 2012, 72(7):595-603.
149. Paus T, Castro-Alamancos MA, Petrides M: Cortico-cortical connectivity of the human mid-dorsolateral frontal cortex and its modulation by repetitive transcranial magnetic stimulation. *Eur J Neurosci* 2001, 14(8):1405-1411.
150. Sack AT, Cohen Kadosh R, Schuhmann T, Moerel M, Walsh V, Goebel R: Optimizing functional accuracy of TMS in cognitive studies: a comparison of methods. *J Cogn Neurosci* 2009, 21(2):207-221.
151. Maldjian JA, Laurienti PJ, Kraft RA, Burdette JH: An automated method for neuroanatomic and cytoarchitectonic atlas-based interrogation of fMRI data sets. *Neuroimage* 2003, 19(3):1233-1239.
152. Wager TD, Jonides J, Reading S: Neuroimaging studies of shifting attention: a meta-analysis. *Neuroimage* 2004, 22(4):1679-1693.
153. Valero-Cabré A, Payne BR, Pascual-Leone A: Opposite impact on 14C-2-deoxyglucose brain metabolism following patterns of high and low frequency repetitive transcranial magnetic stimulation in the posterior parietal cortex. *Experimental brain research* 2007, 176(4):603-615.
154. van der Werf YD, Sanz-Arigita EJ, Menning S, van den Heuvel OA: Modulating spontaneous brain activity using repetitive transcranial magnetic stimulation. *BMC neuroscience* 2011, 11:145.
155. Cole MW, Reynolds JR, Power JD, Repovs G, Anticevic A, Braver TS: Multi-task connectivity reveals flexible hubs for adaptive task control. *Nature neuroscience* 2013, 16(9):1348-1355.
156. Brunoni AR, Vanderhasselt MA: Working memory improvement with non-invasive brain stimulation of the dorsolateral prefrontal cortex: a systematic review and meta-analysis. *Brain Cogn* 2014, 86:1-9.
157. Aarsland D, Larsen JP, Lim NG, Janvin C, Karlsen K, Tandberg E, Cummings JL: Range of neuropsychiatric disturbances in patients with Parkinson's disease. *Journal of Neurosurgery and Psychiatry* 1999, 67(4):492-496.
158. Kaasinen V, Rinne JO: Functional imaging studies of dopamine system and cognition in normal aging and Parkinson's disease. *Neuroscience and Behavioral Reviews* 2002, 26(7):785-793.
159. Kudlicka A, Clare L, Hindle JV: Executive functions in Parkinson's disease: Systematic review and meta-analysis. *Movement Disorders* 2011, 26(13):2305-2315.
160. Owen AM: Cognitive dysfunction in Parkinson's disease: the role of frontostriatal circuitry. *Neuroscientist* 2004, 10(6):525-537.
161. Braak H, Braak E: Pathoanatomy of Parkinson's disease. *Journal of Neurology* 2000, 247(2):II3-II10.
162. Scatton B, Javoy-Agid F, Rouquier L, Dubois B, Agid Y: Reduction of cortical dopamine, noradrenaline, serotonin and their metabolites in Parkinson's disease. *Brain Research* 1983, 275:321-328.
163. Jaeggi S, Buschkuhl M, Perrig W, Meier B: The concurrent validity of the N-back task as a working memory measure. *Memory* 2010, 18(4):394-412.
164. Miller GA, Galanter E, Pribram KH: *Plans and the structure of behavior*. Adams Bannister Cox; 1986.
165. Jaeggi SM, Buschkuhl M, Perrig WJ, Meier B: The concurrent validity of the N-back task as a working memory measure. *Memory* 2010, 18(4):394-412.

-
166. Curtis CE, D'Esposito M: Persistent activity in the prefrontal cortex during working memory. *Trends in cognitive sciences* 2003, 7(9):415-423.
167. Landau SM, Lal R, O'Neil JP, Baker S, Jagust WJ: Striatal dopamine and working memory. *Cereb Cortex* 2009, 19(2):445-454.
168. Owen AM, McMillan KM, Laird AR, Bullmore E: N-back working memory paradigm: a meta-analysis of normative functional neuroimaging studies. *Human brain mapping* 2005, 25(1):46-59.
169. Postle BR, Stern CE, Rosen BR, Corkin S: An fMRI investigation of cortical contributions to spatial and nonspatial visual working memory. *Neuroimage* 2000, 11(5 Pt 1):409-423.
170. McNab F, Varrone A, Farde L, Jucaite A, Bystritsky P, Forssberg H, Klingberg T: Changes in cortical dopamine D1 receptor binding associated with cognitive training. *Science* 2009, 323(5915):800-802.
171. Bäckman L, Nyberg L, Soveri A, Johansson J, Andersson M, Dahlin E, Neely AS, Virta J, Laine M, Rinne JO: Effects of working-memory training on striatal dopamine release. *Science* 2011, 333(6043):718-718.
172. Ekman U, Eriksson J, Forsgren L, Mo SJ, Riklund K, Nyberg L: Functional brain activity and presynaptic dopamine uptake in patients with Parkinson's disease and mild cognitive impairment: a cross-sectional study. *Lancet Neurology* 2012, 11(8):679-687.
173. Cools R: Dopaminergic control of the striatum for high-level cognition. *Current Opinion in Neurobiology* 2011, 21(3):402-407.
174. Cools R, D'Esposito M: Inverted-U-Shaped Dopamine actions on human working memory and cognitive control. *Biological Psychiatry* 2011, 69(12):e113-e125.
175. Monchi O, Petrides M, Mejia-Constance B, Strafella AP: Cortical activity in Parkinson's disease during executive processing depends on striatal involvement. *Brain* 2007, 130(1):233-244.
176. Mattay VS, Tessitore A, Callicott JH, Bertolino A, Goldberg TE, Chase TN, Hyde TM, Weinberger DR: Dopaminergic modulation of cortical function in patients with Parkinson's disease. *Annals of Neurology* 2002, 51(2):156-164.
177. Brittain J-S, Brown P: Oscillations and the basal ganglia: motor control and beyond. *Neuroimage* 2014, 85:637-647.
178. Thobois S, Vingerhoets F, Fraix V, Xie-Brustolin J, Mollion H, Costes N, Mertens P, Benabid AL, Pollak P, Broussolle E: Role of dopaminergic treatment in dopamine receptor down-regulation in advanced Parkinson disease: a positron emission tomographic study. *Arch Neurol* 2004, 61(11):1705-1709.
179. O'Reilly JX, Woolrich MW, Behrens TEJ, Smith SM, Johansen-Berg H: Tools of the trade: psychophysiological interactions and functional connectivity. *SCAN* 2012, 7(5):604-609.
180. Friston K, Harrison L, Penny W: Dynamic causal modelling. *NeuroImage* 2003, 19(4):1273-1302.
181. Verhage F: *Intelligentie en leeftijd: onderzoek bij Nederlanders van twaalf tot zeventenzeventig jaar [Intelligence and age: Research in Dutch persons age twelve to seventy-seven years]*: Van Gorcum Assen; 1964.
182. Eggers C, Kahraman D, Fink GR, Schmidt M, Timmerman L: Akinetic-rigid and tremor-dominant Parkinson's disease patients show different patterns of FP-CIT Single photon emission computed tomography. *Movement Disorders* 2011, 26(3):416-423.
183. Beck AT, Steer RA, Brown GK: *Manual for the Beck Depression Inventory II*. San Antonio, TX: Psychological Corporation; 1996.
184. de Vries FE, de Wit SJ, Cath DC, van der Werf YD, van der Borden V, van Rossum TB, van Balkom AJLM, van der Wee NJA, Veltman DJ, van den Heuvel OA: Compensatory Frontoparietal Activity During Working Memory: An Endophenotype of Obsessive-Compulsive Disorder. *Biological Psychiatry* 2013:In press, corrtected proof.
185. McLaren DG, Ries ML, Xu G, Johnson SC: A generalized form of context-dependent psychophysiological interactions (gPPI): a comparison to standard approaches. *Neuroimage* 2012, 61(4):1277-1286.
186. Friston KJ, Buechel C, Fink GR, Morris J, Rolls E, Dolan RJ: Psychophysiological and modulatory interactions in neuroimaging. *Neuroimage* 1997, 6(3):218-229.
187. Barbas H, Pandya DN: Topography of commissural fibers of the prefrontal cortex in the rhesus monkey. *Experimental Brain Research* 1984, 55(1):187-191.
188. Middleton FA, Strick PL: Basal ganglia and cerebellar loops: motor and cognitive circuits. *Brain Research Reviews* 2000, 31(2):236-250.
189. Stephan K, Penny W, Moran R, den Ouden H, Daunizeau J, Friston K: Ten simple rules for dynamic causal modeling. *NeuroImage* 2010, 49(4):3099-3109.

190. Vriend C, Raijmakers P, Veltman DJ, van Dijk KD, van der Werf YD, Foncke EM, Smit JH, Berendse HW, van den Heuvel OA: Depressive symptoms in Parkinson's disease are related to reduced [123I]FP-CIT binding in the caudate nucleus. *J Neurol Neurosurg Psychiatry* 2013.
191. Muslimović D, Post B, Speelman JD, Schmand B: Cognitive profile of patients with newly diagnosed Parkinson disease. *Neurology* 2005, 65(8):1239-1245.
192. Kehagia AA, Barker RA, Robbins TW: Neuropsychological and clinical heterogeneity of cognitive impairment and dementia in patients with Parkinson's disease. *Lancet Neurology* 2010, 9(12):1200-1213.
193. Marklund P, Larsson A, Elgh E, Linder J, Riklund KÅhm, Forsgren L, Nyberg L: Temporal dynamics of basal ganglia under-recruitment in Parkinson's disease: transient caudate abnormalities during updating of working memory. *Brain* 2009, 132(2):336-346.
194. Poletti M, Emre M, Bonuccelli U: Mild cognitive impairment and cognitive reserve in Parkinson's disease. *Parkinsonism Related Disorders* 2011, 17(8):579-586.
195. Owen AM, McMillan KM, Laird AR, Bullmore E: N-back working memory paradigm: A meta-analysis of normative functional neuroimaging studies. *Human Brain Mapping* 2005, 25(1):46-59.
196. Grady C: The cognitive neuroscience of ageing. *Nature Reviews Neuroscience* 2012, 13(7):491-505.
197. Clément F, Gauthier S, Belleville S: Executive functions in mild cognitive impairment: Emergence and breakdown of neural plasticity. *Cortex* 2013, 49(5):1268-1279.
198. Lewis SJG, Dove A, Robbins TW, Barker RA, Owen AM: Cognitive impairments in early Parkinson's disease are accompanied by reductions in activity in frontostriatal neural circuitry. *Journal of Neuroscience* 2003, 23(15):6351-6356.
199. Kroener S, Chandler LJ, Phillips PEM, Seamans JK: Dopamine modulates persistent synaptic activity and enhances the signal-to-noise ratio in the prefrontal cortex. *PLoS ONE* 2009, 4(8):e6507.
200. Kelly C, de Zubiray G, Di Martino A, Copland DA, Reiss PT, Klein DF, Castellanos FX, Milham MP, McMahon K: L-dopa modulates functional connectivity in striatal cognitive and motor networks: a double-blind placebo-controlled study. *Journal of Neuroscience* 2009, 29(22):7364-7378.
201. Chen AC, Oathes DJ, Chang C, Bradley T, Zhou ZW, Williams LM, Glover GH, Deisseroth K, Etkin A: Causal interactions between fronto-parietal central executive and default-mode networks in humans. *Proceedings of the National Academy of Sciences of the United States of America* 2013, 110(49):19944-19949.
202. Wu T, Wang J, Wang C, Hallett M, Zang Y, Wu X, Chan P: Basal ganglia circuit changes in Parkinson's disease patients. *Neuroscience Letters* 2012, 524(1):55-59.
203. Silberstein P, Pogosyan A, Kühn AA, Hotton G, Tisch S, Kupsch A, Dowsey-Limousin P, Hariz MI, Brown P: Cortico-cortical coupling in Parkinson's disease and its modulation by therapy. *Brain* 2005, 128(6):1277-1291.
204. Stoffers D, Bosboom JLW, Deijen JB, Wolters EC, Stam CJ, Berendse HW: Increased cortico-cortical functional connectivity in early-stage Parkinson's disease: an MEG study. *Neuroimage* 2008, 41(2):212-222.
205. Olde Dubbelink KTE, Stoffers D, Deijen JB, Twisk JWR, Stam CJ, Berendse HW: Cognitive decline in Parkinson's disease is associated with slowing of resting-state brain activity: a longitudinal study. *Neurobiology of Aging* 2013, 34(2):408-418.
206. Elliott R: Executive functions and their disorders Imaging in clinical neuroscience. *British Medical Bulletin* 2003, 65(1):49-59.
207. Silberstein P, Pogosyan A, Kuhn AA, Hotton G, Tisch S, Kupsch A, Dowsey-Limousin P, Hariz MI, Brown P: Cortico-cortical coupling in Parkinson's disease and its modulation by therapy. *Brain* 2005, 128(Pt 6):1277-1291.
208. Ma L, Steinberg JL, Hasan KM, Narayana PA, Kramer LA, Moeller FG: Working memory load modulation of parieto-frontal connections: Evidence from dynamic causal modeling. *Human Brain Mapping* 2011, 33(8):1850-1867.
209. Rowe JB, Stephan KE, Friston KJ, Frackowiak R, Lees AJ, Passingham R: Attention to action in Parkinson's disease: impaired effective connectivity among frontal cortical regions. *Brain* 2002, 125(2):276-289.
210. Rowe JB, Hughes LE, Barker RA, Owen AM: Dynamic causal modelling of effective connectivity from fMRI: are results reproducible and sensitive to Parkinson's disease and its treatment? *Neuroimage* 2010, 52(3):1015-1026.
211. Frank MJ, Loughry B, O'Reilly RC: Interactions between frontal cortex and basal ganglia in working memory: A computational model. *Cognitive, Affective & Behavioural Neuroscience* 2001, 1(2):137-160.
212. Carbon M, Reetz K, Ghilardi M, Dhawan V, Eidelberg G: Early Parkinson's disease: longitudinal changes in brain activity during sequence learning. *Neurobiology of Disease* 2010, 37(2):455-460.

-
213. Hulst H, Schoonheim M, Roosendaal S, Popescu V, Schweren L, van der Werf Y, Visser L, Polman C, Barkhof F, Geurts J: Functional adaptive changes within the hippocampal memory system of patients with multiple sclerosis. *Human Brain Mapping* 2012, 33(10):2268-2280.
214. Cools R: Dopaminergic modulation of cognitive function-implications for L-DOPA treatment in Parkinson's disease. *Neuroscience and Biobehavioral Reviews* 2006, 30(1):1-23.
215. Thobois S, Vingerhoets F, Fraix V, Xie-Brustolin J, Mollion H, Costes N, Mertens P, Benabid A-L, Pollak P, Broussolle E: Role of dopaminergic treatment in dopamine receptor down-regulation in advanced Parkinson disease: A positron emission tomographic study. *Archives of Neurology* 2004, 61(11):1705-1709.
216. Braak H, Ghebremedhin E, Rub U, Bratzke H, Del Tredici K: Stages in the development of Parkinson's disease-related pathology. *Cell Tissue Res* 2004, 318(1):121-134.
217. Kish SJ, Shannak K, Hornykiewicz O: Uneven pattern of dopamine loss in the striatum of patients with idiopathic Parkinson's disease. Pathophysiologic and clinical implications. *The New England journal of medicine* 1988, 318(14):876-880.
218. Hesse S, Meyer PM, Strecker K, Barthel H, Wegner F, Oehlwein C, Isaia IU, Schwarz J, Sabri O: Monoamine transporter availability in Parkinson's disease patients with or without depression. *European journal of nuclear medicine and molecular imaging* 2009, 36(3):428-435.
219. Vriend C, Raijmakers P, Veltman DJ, van Dijk KD, van der Werf YD, Foncke EM, Smit JH, Berendse HW, van den Heuvel OA: Depressive symptoms in Parkinson's disease are related to reduced [123I]FP-CIT binding in the caudate nucleus. *Journal of neurology, neurosurgery, and psychiatry* 2014, 85(2):159-164.
220. Voon V, Rizos A, Chakravarty R, Mulholland N, Robinson S, Howell NA, Harrison N, Vivian G, Ray Chaudhuri K: Impulse control disorders in Parkinson's disease: decreased striatal dopamine transporter levels. *Journal of neurology, neurosurgery, and psychiatry* 2013.
221. Vriend C, Nordbeck AH, Booij J, Van der Werf YD, Pattij T, Voorn P, Raijmakers P, Foncke EMJ, van de Giessen E, Berendse HW *et al*: Reduced dopamine transporter binding predates impulse control disorders in Parkinson's disease. *Movement disorders : official journal of the Movement Disorder Society* 2014.
222. American Psychiatric Association: *Diagnostic and statistical manual of mental disorders*. 5th edition. Arlington, VA: American Psychiatric Publishing; 2013.
223. Vriend C, Pattij T, van der Werf YD, Voorn P, Booij J, Rutten S, Berendse HW, van den Heuvel OA: Depression and impulse control disorders in Parkinson's disease: two sides of the same coin? *Neurosci Biobehav Rev* 2014, 38:60-71.
224. Aarts E, Helmich RC, Janssen MJ, Oyen WJ, Bloem BR, Cools R: Aberrant reward processing in Parkinson's disease is associated with dopamine cell loss. *Neuroimage* 2012, 59(4):3339-3346.
225. van der Vegt JP, Hulme OJ, Zittel S, Madsen KH, Weiss MM, Buhmann C, Bloem BR, Munchau A, Siebner HR: Attenuated neural response to gamble outcomes in drug-naïve patients with Parkinson's disease. *Brain* 2013, 136(Pt 4):1192-1203.
226. Ye Z, Altena E, Nombela C, Housden CR, Maxwell H, Rittman T, Huddleston C, Rae CL, Regenthal R, Sahakian BJ *et al*: Selective serotonin reuptake inhibition modulates response inhibition in Parkinson's disease. *Brain* 2014, 137(Pt 4):1145-1155.
227. Aron AR: From reactive to proactive and selective control: developing a richer model for stopping inappropriate responses. *Biological psychiatry* 2011, 69(12):e55-68.
228. Gauggel S, Rieger M, Feghoff TA: Inhibition of ongoing responses in patients with Parkinson's disease. *Journal of neurology, neurosurgery, and psychiatry* 2004, 75(4):539-544.
229. Nombela C, Rittman T, Robbins TW, Rowe JB: Multiple modes of impulsivity in Parkinson's disease. *PLoS One* 2014, 9(1):e85747.
230. Obeso J, Wilkinson L, Casabona E, Bringas ML, Alvarez M, Alvarez L, Pavon N, Rodriguez-Oroz MC, Macias R, Obeso JA *et al*: Deficits in inhibitory control and conflict resolution on cognitive and motor tasks in Parkinson's disease. *Exp Brain Res* 2011, 212(3):371-384.
231. Beste C, Dziobek I, Hielscher H, Willemssen R, Falkenstein M: Effects of stimulus-response compatibility on inhibitory processes in Parkinson's disease. *Eur J Neurosci* 2009, 29(4):855-860.
232. Beste C, Willemssen R, Saft C, Falkenstein M: Response inhibition subprocesses and dopaminergic pathways: basal ganglia disease effects. *Neuropsychologia* 2010, 48(2):366-373.
233. Bokura H, Yamaguchi S, Kobayashi S: Event-related potentials for response inhibition in Parkinson's disease. *Neuropsychologia* 2005, 43(6):967-975.

234. Baglio F, Blasi V, Falini A, Farina E, Mantovani F, Olivotto F, Scotti G, Nemni R, Bozzali M: Functional brain changes in early Parkinson's disease during motor response and motor inhibition. *Neurobiol Aging* 2011, 32(1):115-124.
235. Farid K, Sibon I, Guehl D, Cuny E, Burbaud P, Allard M: Brain dopaminergic modulation associated with executive function in Parkinson's disease. *Mov Disord* 2009, 24(13):1962-1969.
236. O'Callaghan C, Naismith SL, Hodges JR, Lewis SJ, Hornberger M: Fronto-striatal atrophy correlates of inhibitory dysfunction in Parkinson's disease versus behavioural variant frontotemporal dementia. *Cortex* 2013, 49(7):1833-1843.
237. Obeso J, Wilkinson L, Jahanshahi M: Levodopa medication does not influence motor inhibition or conflict resolution in a conditional stop-signal task in Parkinson's disease. *Exp Brain Res* 2011, 213(4):435-445.
238. Sebastian A, Baldermann C, Feige B, Katzev M, Scheller E, Hellwig B, Lieb K, Weiller C, Tuscher O, Kloppel S: Differential effects of age on subcomponents of response inhibition. *Neurobiol Aging* 2013, 34(9):2183-2193.
239. Fahn S, Elton RL, (Members of the UPDRS Development Committee): Unified Parkinson's Disease Rating Scale. In *Recent Developments in Parkinson's Disease*. Edited by Fahn S, Marsden CD, M. G, Calne DB. Florham Park, NJ: Macmillan Healthcare Information; 1987:153-163.
240. First MB, Spitzer RL, Gibbon M, Williams JB: *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Patient Edition (SCID-I/P)*. New York: Biometrics Research Department, New York State Psychiatric Institute; 2002.
241. Folstein MF, Folstein SE, McHugh PR: "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *J Psychiatr Res* 1975, 12(3):189-198.
242. Schmand B, Bakker D, Saan R, Louman J: [The Dutch Reading Test for Adults: a measure of premorbid intelligence level]. *Tijdschrift voor gerontologie en geriatrie* 1991, 22(1):15-19.
243. de Wit SJ, de Vries FE, van der Werf YD, Cath DC, Heslenfeld DJ, Veltman EM, van Balkom AJ, Veltman DJ, van den Heuvel OA: Presupplementary motor area hyperactivity during response inhibition: a candidate endophenotype of obsessive-compulsive disorder. *Am J Psychiatry* 2012, 169(10):1100-1108.
244. Congdon E, Mumford JA, Cohen JR, Galvan A, Canli T, Poldrack RA: Measurement and reliability of response inhibition. *Frontiers in psychology* 2012, 3:37.
245. Verbruggen F, Chambers CD, Logan GD: Fictitious Inhibitory Differences How Skewness and Slowing Distort the Estimation of Stopping Latencies. *Psychological science* 2013, 24(3):352-362.
246. Varrone A, Dickson JC, Tossici-Bolt L, Sera T, Asenbaum S, Booij J, Kapucu OL, Kluge A, Knudsen GM, Koulibaly PM et al: European multicentre database of healthy controls for [¹²³I]FP-CIT SPECT (ENC-DAT): age-related effects, gender differences and evaluation of different methods of analysis. *European journal of nuclear medicine and molecular imaging* 2013, 40(2):213-227.
247. Blalock HM: Correlated independent variables: The problem of multicollinearity. *Social Forces* 1963, 42(2):233-237.
248. Cramer D: A cautionary tale of two statistics: partial correlation and standardized partial regression. *The Journal of psychology* 2003, 137(5):507-511.
249. Reuter-Lorenz PA, Lustig C: Brain aging: reorganizing discoveries about the aging mind. *Current Opinion in Neurobiology* 2005, 15(2):245-251.
250. Collier TJ, Kanaan NM, Kordower JH: Ageing as a primary risk factor for Parkinson's disease: evidence from studies of non-human primates. *Nat Rev Neurosci* 2011, 12(6):359-366.
251. van Velzen LS, Vriend C, de Wit SJ, van den Heuvel OA: Response inhibition and interference control in obsessive-compulsive spectrum disorders. *Frontiers in human neuroscience* 2014, 8:419.
252. Alexander GE, DeLong MR, Strick PL: Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annu Rev Neurosci* 1986, 9:357-381.
253. Bari A, Robbins TW: Inhibition and impulsivity: behavioral and neural basis of response control. *Progress in neurobiology* 2013, 108:44-79.
254. Dalley JW, Roiser JP: Dopamine, serotonin and impulsivity. *Neuroscience* 2012, 215:42-58.
255. Weintraub D, Koester J, Potenza MN, Siderowf AD, Stacy M, Voon V, Whetstone J, Wunderlich GR, Lang AE: Impulse control disorders in Parkinson disease: a cross-sectional study of 3090 patients. *Arch Neurol* 2010, 67(5):589-595.
256. Cilia R, Ko JH, Cho SS, van Eimeren T, Marotta G, Pellecchia G, Pezzoli G, Antonini A, Strafella AP: Reduced dopamine transporter density in the ventral striatum of patients with Parkinson's disease and pathological gambling. *Neurobiol Dis* 2010, 39(1):98-104.

-
257. Lee JY, Seo SH, Kim YK, Yoo HB, Kim YE, Song IC, Lee JS, Jeon BS: Extrastriatal dopaminergic changes in Parkinson's disease patients with impulse control disorders. *Journal of neurology, neurosurgery, and psychiatry* 2013.
258. Scherfler C, Schwarz J, Antonini A, Grosset D, Valdeoriola F, Marek K, Oertel W, Tolosa E, Lees AJ, Poewe W: Role of DAT-SPECT in the diagnostic work up of parkinsonism. *Mov Disord* 2007, 22(9):1229-1238.
259. Tziortzi AC, Searle GE, Tzimopoulou S, Salinas C, Beaver JD, Jenkinson M, Laruelle M, Rabiner EA, Gunn RN: Imaging dopamine receptors in humans with [11C]-(+)-PHNO: dissection of D3 signal and anatomy. *Neuroimage* 2011, 54(1):264-277.
260. Helmich RC, Derikx LC, Bakker M, Scheeringa R, Bloem BR, Toni I: Spatial remapping of cortico-striatal connectivity in Parkinson's disease. *Cereb Cortex* 2010, 20(5):1175-1186.
261. Madsen K, Erritzoe D, Mortensen EL, Gade A, Madsen J, Baare W, Knudsen GM, Hasselbalch SG: Cognitive function is related to fronto-striatal serotonin transporter levels--a brain PET study in young healthy subjects. *Psychopharmacology (Berl)* 2011, 213(2-3):573-581.
262. Ibarretxe-Bilbao N, Junque C, Martí MJ, Tolosa E: Brain structural MRI correlates of cognitive dysfunctions in Parkinson's disease. *J Neurol Sci* 2011, 310(1-2):70-74.
263. Ashburner J, Friston KJ: Voxel-based morphometry--the methods. *Neuroimage* 2000, 11(6 Pt 1):805-821.
264. Pan PL, Song W, Shang HF: Voxel-wise meta-analysis of gray matter abnormalities in idiopathic Parkinson's disease. *Eur J Neurology* 2011.
265. Verhage F: Het coderen van het opleidingsniveau voor researchdoeleinden [Educational classification system for research purposes: revised version]. In *Internal publication*. Groningen, the Netherlands: Academic Hospital Groningen, State University Groningen; 1983.
266. Beck AT, Steer RA: Internal consistencies of the original and revised Beck Depression Inventory. *J Clin Psychol* 1984, 40(6):1365-1367.
267. Rey A: L'examen clinique en psychologie. Paris: Presses Universitaires de France; 1964.
268. Osterrieth PA: Le test du copie d'une figure complexe. *Archives of Psychology (Chicago)* 1944, 30:206-356.
269. Stroop JR: Studies of interference in serial verbal reactions. *Journal of Experimental Psychology* 1935, 18:643-662.
270. Reitan RM: The Relation of the Trail Making Test to Organic Brain Damage. *Journal of Consulting Psychology* 1955, 19(5):393-394.
271. Sanchez-Cubillo I, Perianez JA, Adrover-Roig D, Rodriguez-Sanchez JM, Rios-Lago M, Tirapu J, Barcelo F: Construct validity of the Trail Making Test: role of task-switching, working memory, inhibition/interference control, and visuomotor abilities. *J Int Neuropsychol Soc* 2009, 15(3):438-450.
272. Ashburner J: A fast diffeomorphic image registration algorithm. *Neuroimage* 2007, 38(1):95-113.
273. Lee TM, Yip JT, Jones-Gotman M: Memory deficits after resection from left or right anterior temporal lobe in humans: a meta-analytic review. *Epilepsia* 2002, 43(3):283-291.
274. Keane MM, Gabrieli JD, Mapstone HC, Johnson KA, Corkin S: Double dissociation of memory capacities after bilateral occipital-lobe or medial temporal-lobe lesions. *Brain* 1995, 118 (Pt 5):1129-1148.
275. Kwok SC, Shallice T, Macaluso E: Functional anatomy of temporal organisation and domain-specificity of episodic memory retrieval. *Neuropsychologia* 2012, 50(12):2943-2955.
276. Squarzoni P, Tamashiro-Duran J, Souza Duran FL, Santos LC, Vallada HP, Menezes PR, Scazufca M, Filho GB, Alves TC: Relationship between regional brain volumes and cognitive performance in the healthy aging: an MRI study using voxel-based morphometry. *J Alzheimers Dis* 2012, 31(1):45-58.
277. Bonelli SB, Powell R, Thompson PJ, Yogarajah M, Focke NK, Stretton J, Vollmar C, Symms MR, Price CJ, Duncan JS *et al*: Hippocampal activation correlates with visual confrontation naming: fMRI findings in controls and patients with temporal lobe epilepsy. *Epilepsy Res* 2011, 95(3):246-254.
278. Henry JD, Crawford JR: A meta-analytic review of verbal fluency performance following focal cortical lesions. *Neuropsychology* 2004, 18(2):284-295.
279. Pereira JB, Junque C, Martí MJ, Ramirez-Ruiz B, Bartres-Faz D, Tolosa E: Structural brain correlates of verbal fluency in Parkinson's disease. *Neuroreport* 2009, 20(8):741-744.
280. Alvarez JA, Emory E: Executive function and the frontal lobes: a meta-analytic review. *Neuropsychol Rev* 2006, 16(1):17-42.
281. Jubault T, Monetta L, Strafella AP, Lafontaine AL, Monchi O: L-dopa medication in Parkinson's disease restores activity in the motor cortico-striatal loop but does not modify the cognitive network. *PLoS One* 2009, 4(7):e6154.

282. Farrar DE, Glauber RR: Multicollinearity in Regression Analysis: The Problem Revisited. *The Review of Economics and Statistics* 1963, 49(1):92-107.
283. Ashburner J, Friston KJ: Why voxel-based morphometry should be used. *Neuroimage* 2001, 14(6):1238-1243.
284. Winkler AM, Kochunov P, Blangero J, Almasy L, Zilles K, Fox PT, Duggirala R, Glahn DC: Cortical thickness or grey matter volume? The importance of selecting the phenotype for imaging genetics studies. *Neuroimage* 2010, 53(3):1135-1146.
285. Lemaitre H, Goldman A, Sambataro F, Verchinski B, Meyer-Lindenberg A, Weinberger D, Mattay V: Normal age-related brain morphometric changes: Nonuniformity across cortical thickness, surface area and grey matter volume? *Neurobiology of aging* 2012, 33(3):617.e611-619.
286. Dickerson BC, Feczkó E, Augustinack JC, Pacheco J, Morris JC, Fischl B, Buckner RL: Differential effects of aging and Alzheimer's disease on medial temporal lobe cortical thickness and surface area. *Neurobiology of aging* 2009, 30(3):432-440.
287. Jubault T, Gagnon JF, Karama S, Ptito A, Lafontaine AL, Evans AC, Monchi O: Patterns of cortical thickness and surface area in early Parkinson's disease. *NeuroImage* 2011, 55(2):462-467.
288. Pereira JB, Ibarretxe-Bilbao N, Martí MJ, Compta Y, Junque C, Bargallo N, Tolosa E: Assessment of cortical degeneration in patients with Parkinson's disease by voxel-based morphometry, cortical folding, and cortical thickness. *Human brain mapping* 2012, 33(11):2521-2534.
289. Hangani A, Bedetti C, Jubault T, Gagnon JF, Mejia-Constance B, Degroot C, Lafontaine AL, Chouinard S, Monchi O: Mild cognitive impairment in patients with Parkinson's disease is associated with increased cortical degeneration. *Movement disorders : official journal of the Movement Disorder Society* 2013, 28(10):1360-1369.
290. Verhage F: Het coderen van het opleidingsniveau voor researchdoeleinden [Educational classification system for research purposes: revised version]. *Internal publication Groningen, the Netherlands: Academic Hospital Groningen, State University Groningen* 1983.
291. Cummings JL: Mini-Mental State Examination. Norms, normals, and numbers. *Jama* 1993, 269(18):2420-2421.
292. Rey A: *L'examen clinique en psychologie*. Paris: Presses Universitaires de France; 1964.
293. Osterrieth PA: Le test du copie d'une figure complexe. *Arch Psychol* 1944, 30:206-356.
294. Stroop JR: Studies of interference in serial verbal reactions. *J Exp Psychol* 1935, 18:643-662.
295. Reitan RM: The relation of the trail making test to organic brain damage. *J Consult Psychol* 1955, 19:393-394.
296. Lezak MD, Howieson DB, Loring DW: Neuropsychological Assessment. Oxford: Oxford University Press 2004.
297. Fischl B, Sereno MI, Tootell RB, Dale AM: High-resolution intersubject averaging and a coordinate system for the cortical surface. *Hum Brain Mapp* 1999, 8(4):272-284.
298. Fischl B, Dale AM: Measuring the thickness of the human cerebral cortex from magnetic resonance images. *Proc Natl Acad Sci U S A* 2000, 97(20):11050-11055.
299. Fischl B, van der Kouwe A, Destrieux C, Halgren E, Segonne F, Salat DH, Busa E, Seidman LJ, Goldstein J, Kennedy D et al: Automatically parcellating the human cerebral cortex. *Cereb Cortex* 2004, 14(1):11-22.
300. Fischl B, Salat DH, Busa E, Albert M, Dieterich M, Haselgrove C, van der Kouwe A, Killiany R, Kennedy D, Klaveness S et al: Whole brain segmentation: automated labeling of neuroanatomical structures in the human brain. *Neuron* 2002, 33(3):341-355.
301. Lieberman MD, Cunningham WA: Type I and Type II error concerns in fMRI research: re-balancing the scale. *Social cognitive and affective neuroscience* 2009, 4(4):423-428.
302. Focke NK, Trost S, Paulus W, Falkai P, Gruber O: Do manual and voxel-based morphometry measure the same? A proof of concept study. *Frontiers in psychiatry* 2014, 5:39.
303. Eggert LD, Sommer J, Jansen A, Kircher T, Konrad C: Accuracy and reliability of automated gray matter segmentation pathways on real and simulated structural magnetic resonance images of the human brain. *PLoS ONE* 2012, 7(9):e45081.
304. Tinaz S, Courtney MG, Stern CE: Focal cortical and subcortical atrophy in early Parkinson's disease. *Mov Disord* 2010, 26(3):436-441.
305. Pagonabarraga J, Corcuera-Solano I, Vives-Gilabert Y, Llebaria G, Garcia-Sanchez C, Pascual-Sedano B, Delfino M, Kulisevsky J, Gomez-Anson B: Pattern of regional cortical thinning associated with cognitive deterioration in Parkinson's disease. *PLoS One* 2013, 8(1):e54980.
306. Lyoo CH, Ryu YH, Lee MS: Topographical distribution of cerebral cortical thinning in patients with mild Parkinson's disease without dementia. *Mov Disord* 2010, 25(4):496-499.

-
307. Segura B, Baggio HC, Marti MJ, Valldeoriola F, Compta Y, Garcia-Diaz AI, Vendrell P, Bargallo N, Tolosa E, Junque C: Cortical thinning associated with mild cognitive impairment in Parkinson's disease. *Movement disorders : official journal of the Movement Disorder Society* 2014, 29(12):1495-1503.
308. Dalaker TO, Zivadinov R, Ramasamy DP, Beyer MK, Alves G, Bronnick KS, Tysnes OB, Aarsland D, Larsen JP: Ventricular enlargement and mild cognitive impairment in early Parkinson's disease. *Movement disorders : official journal of the Movement Disorder Society* 2011, 26(2):297-301.
309. Goldstein RZ, Volkow ND, Wang GJ, Fowler JS, Rajaram S: Addiction changes orbitofrontal gyrus function: involvement in response inhibition. *Neuroreport* 2001, 12(11):2595-2599.
310. Pellicano C, Assogna F, Piras F, Caltagirone C, Pontieri FE, Spalletta G: Regional cortical thickness and cognitive functions in non-demented Parkinson's disease patients: a pilot study. *Eur J Neurol* 2012, 19(1):172-175.
311. Chein JM, Fissell K, Jacobs S, Fiez JA: Functional heterogeneity within Broca's area during verbal working memory. *Physiol Behav* 2002, 77(4-5):635-639.
312. O'Mara SM: The Anterior Thalamus Provides A Subcortical Circuit Supporting Memory And Spatial Navigation. *Volume* 7. 2013.
313. Klostermann F: Functional Roles of the Thalamus for Language Capacities. *Volume* 7. 2013.
314. Van Der Werf YD, Tisserand DJ, Visser PJ, Hofman PA, Vuurman E, Uylings HB, Jolles J: Thalamic volume predicts performance on tests of cognitive speed and decreases in healthy aging. A magnetic resonance imaging-based volumetric analysis. *Brain research Cognitive brain research* 2001, 11(3):377-385.
315. Pardoe HR, Abbott DF, Jackson GD: Sample size estimates for well-powered cross-sectional cortical thickness studies. *Human brain mapping* 2012, 34(11):3000-3009.
316. Sawada Y, Nishio Y, Suzuki K, Hirayama K, Takeda A, Hosokai Y, Ishioka T, Itoyama Y, Takahashi S, Fukuda H *et al*: Attentional set-shifting deficit in Parkinson's disease is associated with prefrontal dysfunction: an FDG-PET study. *PLoS one* 2012, 7(6):e38498.
317. Nyhus E, Barcelo F: The Wisconsin Card Sorting Test and the cognitive assessment of prefrontal executive functions: a critical update. *Brain Cogn* 2009, 71(3):437-451.
318. Alexander GE, Crutcher MD: Functional architecture of basal ganglia circuits: neural substrates of parallel processing. *Trends Neurosci* 1990, 13(7):266-271.
319. Rottschy C, Langner R, Dogan I, Reetz K, Laird AR, Schulz JB, Fox PT, Eickhoff SB: Modelling neural correlates of working memory: a coordinate-based meta-analysis. *Neuroimage* 2012, 60(1):830-846.
320. Segura B, Baggio HC, Marti MJ, Valldeoriola F, Compta Y, Garcia-Diaz AI, Vendrell P, Bargallo N, Tolosa E, Junque C: Cortical thinning associated with mild cognitive impairment in Parkinson's disease. *Mov Disord* 2012, 29(12):1495-1503.
321. Biundo R, Calabrese M, Weis L, Facchini S, Ricchieri G, Gallo P, Antonini A: Anatomical correlates of cognitive functions in early Parkinson's disease patients. *PLoS One* 2013, 8(5):e64222.
322. Pellicano C, Assogna F, Piras F, Caltagirone C, Pontieri FE, Spalletta G: Regional cortical thickness and cognitive functions in non-demented Parkinson's disease patients: a pilot study. *Eur J Neurol* 2011.
323. Pereira JB, Ibarretxe-Bilbao N, Marti MJ, Compta Y, Junque C, Bargallo N, Tolosa E: Assessment of cortical degeneration in patients with Parkinson's disease by voxel-based morphometry, cortical folding, and cortical thickness. *Human brain mapping* 2011, 33(11):2521-2534.
324. Aron AR, Robbins TW, Poldrack RA: Inhibition and the right inferior frontal cortex: one decade on. *Trends in cognitive sciences* 2014, 18(4):177-185.
325. Steinmetz JP, Houssemann C: What about inhibition in the Wisconsin Card Sorting Test? *Clin Neuropsychol* 2011, 25(4):652-669.
326. Reuter-Lorenz PA, Cappell KA: Neurocognitive aging and the compensation hypothesis. *Current Directions in Psychological Science* 2008, 17(3):177-182.
327. Farid K, Sibon I, Guehl D, Cuny E, Burbaud P, Allard M: Brain dopaminergic modulation associated with executive function in Parkinson's disease. *Mov Disord* 2009, 24(13):1962-1969.
328. Baglio F, Blasi V, Falini A, Farina E, Mantovani F, Olivotto F, Scotti G, Nemni R, Bozzali M: Functional brain changes in early Parkinson's disease during motor response and motor inhibition. *Neurobiol Aging* 2011, 32(1):115-124.
329. Cools R, D'Esposito M: Inverted-U-shaped dopamine actions on human working memory and cognitive control. *Biological psychiatry* 2011, 69(12):e113-125.
330. Kehagia AA, Housden CR, Regenthal R, Barker RA, Muller U, Rowe J, Sahakian BJ, Robbins TW: Targeting impulsivity in Parkinson's disease using atomoxetine. *Brain* 2014, 137(Pt 7):1986-1997.

331. Obeso J, Wilkinson L, Jahanshahi M: Levodopa medication does not influence motor inhibition or conflict resolution in a conditional stop-signal task in Parkinson's disease. *Experimental brain research* 2011, 213(4):435-445.
332. Cools R, Lewis SJ, Clark L, Barker RA, Robbins TW: L-DOPA disrupts activity in the nucleus accumbens during reversal learning in Parkinson's disease. *Neuropharmacology* 2007, 32(1):180-189.
333. Stefansdottir S, Gjerstad MD, Tysnes OB, Larsen JP: Subjective sleep problems in patients with early Parkinson's disease. *Eur J Neurol* 2012, 19(12):1575-1581.
334. Marder E: Neuromodulation of neuronal circuits: back to the future. *Neuron* 2012, 76(1):1-11.
335. Marder E: Variability, compensation, and modulation in neurons and circuits. *Proc Natl Acad Sci U S A* 2011, 108 Suppl 3:15542-15548.
336. Hammond C, Bergman H, Brown P: Pathological synchronization in Parkinson's disease: networks, models and treatments. *Trends Neurosci* 2007, 30(7):357-364.
337. Brittain JS, Sharott A, Brown P: The highs and lows of beta activity in cortico-basal ganglia loops. *Eur J Neurosci* 2014, 39(11):1951-1959.
338. Freeman SH, Kandel R, Cruz L, Rozkalne A, Newell K, Frosch MP, Hedley-Whyte ET, Locascio JJ, Lipsitz LA, Hyman BT: Preservation of neuronal number despite age-related cortical brain atrophy in elderly subjects without Alzheimer disease. *Journal of neuropathology and experimental neurology* 2008, 67(12):1205-1212.
339. Driemeyer J, Boyke J, Gaser C, Buchel C, May A: Changes in gray matter induced by learning--revisited. *PLoS One* 2008, 3(7):e2669.
340. Ilg R, Wohlschlager AM, Gaser C, Liebau Y, Dauner R, Woller A, Zimmer C, Zihl J, Muhlau M: Gray matter increase induced by practice correlates with task-specific activation: a combined functional and morphometric magnetic resonance imaging study. *J Neurosci* 2008, 28(16):4210-4215.
341. Engvig A, Fjell AM, Westlye LT, Moerget T, Sundseth O, Larsen VA, Walhovd KB: Effects of memory training on cortical thickness in the elderly. *Neuroimage* 2010, 52(4):1667-1676.
342. Alexander-Bloch A, Giedd JN, Bullmore E: Imaging structural co-variance between human brain regions. *Nat Rev Neurosci* 2013, 14(5):322-336.
343. Barulli D, Stern Y: Efficiency, capacity, compensation, maintenance, plasticity: emerging concepts in cognitive reserve. *Trends in cognitive sciences* 2013, 17(10):502-509.
344. Stern Y: Cognitive reserve in ageing and Alzheimer's disease. *Lancet Neurol* 2012, 11(11):1006-1012.
345. Stern Y: Cognitive reserve. *Neuropsychologia* 2009, 47(10):2015-2028.
346. Menth MJ, Dhawan V, Feigin A, Delalot D, Zgaljardic D, Edwards C, Eidelberg D: Early stage Parkinson's disease patients and normal volunteers: comparative mechanisms of sequence learning. *Human brain mapping* 2003, 20(4):246-258.
347. Carbon M, Reetz K, Ghilardi MF, Dhawan V, Eidelberg D: Early Parkinson's disease: longitudinal changes in brain activity during sequence learning. *Neurobiol Dis* 2010, 37(2):455-460.
348. Hulst HE, Schoonheim MM, Roosendaal SD, Popescu V, Schweren LJ, van der Werf YD, Visser LH, Polman CH, Barkhof F, Geurts JJ: Functional adaptive changes within the hippocampal memory system of patients with multiple sclerosis. *Human brain mapping* 2012, 33(10):2268-2280.
349. Schoonheim MM, Geurts JJ, Barkhof F: The limits of functional reorganization in multiple sclerosis. *Neurology* 2010, 74(16):1246-1247.
350. Bakker A, Krauss GL, Albert MS, Speck CL, Jones LR, Stark CE, Yassa MA, Bassett SS, Shelton AL, Gallagher M: Reduction of hippocampal hyperactivity improves cognition in amnestic mild cognitive impairment. *Neuron* 2012, 74(3):467-474.
351. Trachtenberg AJ, Filippini N, Mackay CE: The effects of APOE-epsilon4 on the BOLD response. *Neurobiol Aging* 2012, 33(2):323-334.
352. Noebels J: A perfect storm: Converging paths of epilepsy and Alzheimer's dementia intersect in the hippocampal formation. *Epilepsia* 2011, 52 Suppl 1:39-46.
353. Coan AC, Campos BM, Yasuda CL, Kubota BY, Bergo FP, Guerreiro CA, Cendes F: Frequent seizures are associated with a network of gray matter atrophy in temporal lobe epilepsy with or without hippocampal sclerosis. *PLoS One* 2014, 9(1):e85843.
354. Buckner RL, Snyder AZ, Shannon BJ, LaRossa G, Sachs R, Fotenos AF, Sheline YI, Klunk WE, Mathis CA, Morris JC et al: Molecular, structural, and functional characterization of Alzheimer's disease: evidence for a relationship between default activity, amyloid, and memory. *J Neurosci* 2005, 25(34):7709-7717.
355. Bero AW, Yan P, Roh JH, Cirrito JR, Stewart FR, Raichle ME, Lee JM, Holtzman DM: Neuronal activity regulates the regional vulnerability to amyloid-beta deposition. *Nature neuroscience* 2011, 14(6):750-756.

-
356. Jagust WJ, Mormino EC: Lifespan brain activity, beta-amyloid, and Alzheimer's disease. *Trends in cognitive sciences* 2011, 15(11):520-526.
357. de Haan W, Mott K, van Straaten EC, Scheltens P, Stam CJ: Activity dependent degeneration explains hub vulnerability in Alzheimer's disease. *PLoS computational biology* 2012, 8(8):e1002582.
358. Compta Y, Parkkinen L, O'Sullivan SS, Vandrovčová J, Holton JL, Collins C, Lashley T, Kallis C, Williams DR, de Silva R *et al*: Lewy- and Alzheimer-type pathologies in Parkinson's disease dementia: which is more important? *Brain* 2011, 134(Pt 5):1493-1505.
359. Gonzalez-Redondo R, García-García D, Clavero P, Gasca-Salas C, García-Eulate R, Zubietako JL, Arbizu J, Obeso JA, Rodriguez-Oroz MC: Grey matter hypometabolism and atrophy in Parkinson's disease with cognitive impairment: a two-step process. *Brain* 2014, 137(Pt 8):2356-2367.
360. Thal DR, Rub U, Orantes M, Braak H: Phases of A beta-deposition in the human brain and its relevance for the development of AD. *Neurology* 2002, 58(12):1791-1800.
361. Pena J, Ibarretxe-Bilbao N, Garcia-Gorostiaga I, Gomez-Beldarrain MA, Diez-Cirarda M, Ojeda N: Improving functional disability and cognition in Parkinson disease: Randomized controlled trial. *Neurology* 2014, 83(23):2167-2174.
362. Polania R, Nitsche MA, Korman C, Batsikadze G, Paulus W: The importance of timing in segregated theta phase-coupling for cognitive performance. *Curr Biol* 2012, 22(14):1314-1318.
363. Fox MD, Buckner RL, Liu H, Chakravarty MM, Lozano AM, Pascual-Leone A: Resting-state networks link invasive and noninvasive brain stimulation across diverse psychiatric and neurological diseases. *Proc Natl Acad Sci U S A* 2014, 111(41):E4367-4375.