

## Contents

<b>Chapter 1</b>	General introduction and outline of the thesis	7
<b>Chapter 2</b>	More than 10% weight loss in head and neck cancer patients during radiotherapy is independently associated with deterioration in quality of life. <i>Nutr Cancer 2013 Jan;65(1):76-83</i>	21
<b>Chapter 3</b>	Critical weight loss is a major prognostic indicator for disease-specific survival in patients with head and neck cancer receiving radiotherapy <i>Br J Cancer 2013 Sep 3;109(5):1093-9</i>	37
<b>Chapter 4</b>	Resting energy expenditure in head and neck cancer patients before and during radiotherapy <i>Clin Nutr 2012 Aug;31(4):549-554</i>	53
<b>Chapter 5</b>	Radiotherapy on the neck nodes predicts severe weight loss in patients with early stage laryngeal cancer <i>Radiother Oncol 2010 Oct;97(1):80-5</i>	69
<b>Chapter 6</b>	Decision model to predict critical weight loss in patients with head and neck cancer during (chemo)radiotherapy <i>Submitted</i>	85
<b>Chapter 7</b>	Effect of nutritional interventions on nutritional status, quality of life and mortality in patients with head and neck cancer receiving (chemo)radiotherapy: a systematic review <i>Clin Nutr 2013 Oct;32(5):671-8</i>	101
<b>Chapter 8</b>	General discussion and future perspectives	147
	Summary	160
	Samenvatting	163
	Dankwoord	166
	About the author	170
	Publications	171
	Abstracts	174