


“Whenever I found out anything remarkable, I have thought it my duty to put down my discovery on paper, so that all ingenious people might be informed thereof.”

(Antoni van Leeuwenhoek)

Chapter 8

BIBLIOGRAPHY



Bibliography

Kilsdonk ID*, Jonkman LE*, Klaver R, van Veluw SJ, Zwanenburg JJ, Kuijer JPA, Pouwels PJW, Twisk JWR, Wattjes MP, Luijten PR, Barkhof F, Geurts JJG. *Contributed equally to this work. Increased cortical grey matter lesion detection in multiple sclerosis with 7-Tesla MRI: a postmortem verification study. *Submitted*.

Paper presented as an oral and poster presentation at the 6th scientific symposium on Ultra High Field Magnetic Resonance (UHFMR), 2015, Berlin, Germany (first prize).

Kilsdonk ID, Steenwijk MD, Pouwels PJW, Zwanenburg JJ, Visser F, Luijten PR, Geurts JJG, Barkhof F, Wattjes MP. Perivascular spaces in MS patients at 7 Tesla MRI: A marker of neurodegeneration? *Multiple Sclerosis* 2015; 21: 155-62.

Paper presented as an oral presentation at the 22nd annual meeting of the International Society for Magnetic Resonance in Medicine (ISMRM), 2014, Milan, Italy.

Ropele S, **Kilsdonk ID**, Wattjes MP, Langkammer C, de Graaf WL, Frederiksen JL, Larsson HB, Yiannakas M, Wheeler-Kingshott CA, Enzinger C, Khalil M, Rocca MA, Sprenger T, Amann M, Kappos L, Filippi M, Rovira A, Ciccarelli O, Barkhof F, Fazekas F. Determinants of iron accumulation in deep grey matter of multiple sclerosis patients. *Multiple Sclerosis* 2014; 20: 1692-8.

Kilsdonk ID, Lopez-Soriano A, Kuijer JPA, de Graaf WL, Castelijns JA, Polman CH, Luijten PR, Geurts JJG, Barkhof F, Wattjes MP. Morphological features of MS lesions on FLAIR* at 7 T and their relation to patient characteristics. *Journal of Neurology* 2014; 261: 1356-64.

Paper presented as a poster presentation at the 29th congress of the European Committee of Treatment and Research In Multiple Sclerosis (ECTRIMS), 2013, Copenhagen, Denmark.

Kilsdonk ID, Wattjes MP, Lopez-Soriano A, Kuijer JPA, de Jong MC, de Graaf WL, Conijn MMA, Polman CH, Luijten PR, Geurts JJG, Geerlings MI, Barkhof F. Improved differentiation between MS and vascular brain lesions using FLAIR* at 7 Tesla. *European Radiology* 2014; 24: 841-9.

Paper presented as an oral presentation at the European Congress of Radiology (ECR), 2014, Vienna, Austria, and as a poster presentation at the 29th congress of the European Committee of Treatment and Research In Multiple Sclerosis (ECTRIMS), 2013, Copenhagen, Denmark.

Kilsdonk ID, Wattjes MP, Geurts JJG. Ultrahigh-field MRI: looking through the 'macroscope'. *Journal of Neurology Neurosurgery and Psychiatry* 2014; 85: 4.

Ropele S, Wattjes MP, Langkammer C, **Kilsdonk ID**, de Graaf WL, Frederiksen JL, Fuglø D, Yiannakas M, Wheeler-Kingshott CA, Enzinger C, Rocca MA, Sprenger T, Amman M, Kappos L, Filippi M, Rovira A, Ciccarelli O, Barkhof F, Fazekas F. Multicenter R2* mapping in the healthy brain. *Magnetic Resonance Medicine* 2013; 71: 1103–1107.

Kilsdonk ID, de Graaf WL, Lopez-Soriano A, Zwanenburg JJ, Visser F, Kuijjer JP, Geurts JJ, Pouwels PJ, Polman CH, Castelijns JA, Luijten PR, Barkhof F, Wattjes MP. Multicontrast MR imaging at 7 T in multiple sclerosis: highest lesion detection in cortical gray matter with 3D-FLAIR. *AJNR American Journal of Neuroradiology* 2013; 34: 791-6.

Paper presented as an oral presentation at the 28th congress of the European Committee of Treatment and Research In Multiple Sclerosis (ECTRIMS), 2012, Lyon, France.

De Graaf WL, **Kilsdonk ID**, Lopez-Soriano A, Zwanenburg JJ, Visser F, Polman CH, Castelijns JA, Geurts JJG, Pouwels PJW, Luijten PR, Barkhof F, Wattjes MP. Clinical application of multicontrast 7T MR imaging in multiple sclerosis: increased lesion detection compared to 3 T confined to grey matter. *European Radiology* 2013; 23: 528-40.

Kilsdonk ID, de Graaf WL, Barkhof F, Wattjes MP. Inflammation high-field magnetic resonance imaging. *Neuroimaging Clinics of North America* 2012; 22: 135-57.

Kilsdonk ID, Barkhof F, Wattjes MP. 2010 revisions to McDonald criteria for diagnosis of multiple sclerosis: impact of 3-Tesla magnetic resonance imaging. *Annals of Neurology* 2011; 70: 182-3.