

Cellular immune response in human melanoma

Insights for patient tailored therapy

The work described in this thesis was performed at the department of Pathology at the VU University Medical Center, Amsterdam, the Netherlands (head: Prof. Dr. C.J.L.M. Meijer). Financial support for this work was provided by a grand from the VU University Medical Center.

Publication of this thesis was financially supported by:

De Juriaanse stichting

Stichting Nederlands Instituut voor Pigmentstoornissen

Greiner Bio-One

BD Biosciences



Cover design: Sander van Houdt, sandervanhoudt@gmail.com

Printed by PrintPartners Ipskamp, Enschede, the Netherlands

ISBN: 978-90-8659-210-4

VRIJE UNIVERSITEIT

**Cellular immune response in human melanoma
Insights for patient tailored therapy**

ACADEMISCH PROEFSCHRIFT

ter verkrijging van de graad Doctor aan
de Vrije Universiteit Amsterdam,
op gezag van de rector magnificus
prof.dr. L.M. Bouter,
in het openbaar te verdedigen
ten overstaan van de promotiecommissie
van de faculteit der Geneeskunde
op woensdag 14 mei 2008 om 10.45 uur
in de aula van de universiteit,
De Boelelaan 1105

door
Inge Saskia van Houdt
geboren te Utrecht

promotor: prof.dr. C.J.L.M. Meijer
copromotoren: dr. J.J. Oudejans
dr. E. Hooijberg

Contents

	Page
Chapter 1	
General Introduction	9
Chapter 2	
Favorable outcome in clinically stage II melanoma patients is associated with presence of activated tumor infiltrating T-lymphocytes and preserved MHC class I antigen expression <i>International Journal of Cancer 2008; in press</i>	35
Chapter 3	
Absence of Granzyme B positive TILs in primary melanoma biopsies predicts presence of sentinel lymph node metastasis <i>Submitted for publication</i>	51
Chapter 4	
Expression of the apoptosis inhibitor Protease Inhibitor 9 predicts clinical outcome in vaccinated patients with stage III/IV Melanoma <i>Clinical Cancer Research 2005; 11:6400-7</i>	63
Chapter 5	
Expression of c-FLIP is primarily detected in diffuse large B-cell lymphoma and Hodgkin's lymphoma and correlates with lack of caspase 8 activation <i>Histopathology 2007; 51:778-84</i>	71
Addendum Chapter 5	
Expression of c-FLIP in melanoma	81
Chapter 6	
Downstream disruption of the intrinsic apoptosis pathway is a key event in a subset of melanomas, but is not related to poor outcome following tumor cell vaccination therapy <i>Submitted for publication</i>	89

Chapter 7	
Summary and Discussion	105
Chapter 8	
Nederlandse samenvatting	115
Curriculum vitae	121
List of publications	123
Dankwoord	127

Chapter 1

General Introduction

