

Contents

		<i>Page</i>
Chapter 1	General introduction	7
Chapter 2	CXCL12 is essential for migration of activated Langerhans cells from epidermis to dermis <i>Eur. J. of Immunol, 2008. 38: 3050-3059</i>	29
Chapter 3	Epidermis-to-dermis migration of immature Langerhans cells upon topical irritant exposure is dependent on CCL2 and CCL5 <i>Eur. J. of Immunol, 2010. 28: 2026-2034</i>	45
Chapter 4	Irritant-induced migration of Langerhans cells coincides with an IL-10 dependent switch to a macrophage-like phenotype <i>Accepted for publication, J. of Invest. Dermatol.</i>	59
Chapter 5	Comparison of a novel CXCL12/CCL5 dependent migration assay with CXCL8 secretion and CD86 expression for distinguishing sensitizers from non-sensitizers using MUTZ-3 Langerhans cells <i>Toxicology in vitro, 2010.24: 578-585</i>	73
Chapter 6	Development of KC DC co-cultures and organotypic 3D models integrating Langerhans cells <i>Sens-it-iv book chapter</i>	87
Chapter 7	CCL5 and CCL20 mediate immigration of Langerhans Cells into the epidermis of full thickness human skin equivalents <i>Submitted for publication</i>	95
Chapter 8	Langerhans Cells derived from a human cell line in a full-thickness skinequivalent undergo allergen-induced maturation and migration <i>Submitted for publication</i>	109
Chapter 9	Summary, Discussion and Future Prospects	121
Chapter 10	Nederlandse samenvatting	135
Dankwoord		141
Curriculum vitae		141
List of publications		141