

Contents

	Page
CHAPTER 1	11
General Introduction	
CHAPTER 2	21
Web-based cognitive behavioural therapy (W-CBT) for diabetes patients with co-morbid depression: Design of a randomised controlled trial <i>Published in BMC Psychiatry; 2008 February; 8:9</i>	
CHAPTER 3	31
Diabetes-specific emotional distress mediates the association between depressive symptoms and glycaemic control in Type 1 and Type 2 diabetes <i>Published in Diabetic Medicine; 2010 July;27(7):798-803</i>	
CHAPTER 4	39
Development and reach of a web-based cognitive behavioural therapy programme to reduce symptoms of depression and diabetes-specific distress <i>Published in Patient Education and Counseling; 2010 July;7</i>	
CHAPTER 5	51
Web-based depression treatment for Type 1 and Type 2 diabetic patients: A randomized, controlled trial <i>Published in Diabetes Care; 2010 February;34(2):320-325</i>	
CHAPTER 6	61
Is a severe clinical profile an effect-modifier in web-based diabetes-specific depression treatment? Secondary analyses from a randomized controlled trial. <i>Submitted for publication</i>	
CHAPTER 7	73
General Discussion	
Summary	83
Nederlandse samenvatting	85
References	88
Dankwoord	105